

Compte rendu TP Déploiement de Firefox avec GLPI Inventory

Configuration, déploiement, diagnostic et validation

Auteur	Fahad
Date	9 octobre 2026
Environnement	GLPI 11.0.9, GLPI Inventory et GLPI Agent 1.17
Poste cible	DESKTOP-KN4F6U2 - Windows 10 - 172.30.13.150

Résultat : Firefox a été déployé avec succès et détecté par l'inventaire GLPI.

Sommaire

[1. Objectif et périmètre](#)

[2. Environnement technique](#)

[3. Réalisation du déploiement](#)

[3.1 Groupe cible](#)

[3.2 Paquet Firefox](#)

[3.3 Tâche et job](#)

[4. Diagnostic et correction](#)

[5. Vérifications finales](#)

[6. Conclusion](#)

[Annexes - Toutes les captures](#)

1 Objectif et périmètre

[Retour au sommaire](#)

Ce travail pratique consiste à déployer Mozilla Firefox sur un poste Windows depuis GLPI Inventory. Le déploiement utilise un paquet, une tâche et un groupe d'inventaire afin de cibler le poste de manière reproductible. La validation repose sur l'exécution réussie du job, la présence du logiciel sur Windows et sa remontée dans GLPI.

2 Environnement technique

[Retour au sommaire](#)

Élément	Valeur
Serveur GLPI	172.30.13.139
Poste cible	DESKTOP-KN4F6U2
Adresse du poste	172.30.13.150
Agent	GLPI Agent 1.17
Paquet	Firefox_Install
Groupe	Salle_B1_Poste_Clients

3 Réalisation du déploiement

[Retour au sommaire](#)

Les menus utilisés sont Administration > GLPI Inventory > Inventory groups pour le groupe, GLPI Inventory > Deploy > Package management pour le paquet et GLPI Inventory > Tasks > Task management pour la tâche.

3.1 Groupe cible

Le groupe statique Salle_B1_Poste_Clients est créé, puis le poste DESKTOP-KN4F6U2 y est associé. Le groupe devient ainsi l'acteur du job de déploiement.

3.2 Paquet Firefox

Le paquet Firefox_Install est créé avec l'installateur Firefox, une action d'installation silencieuse et un audit de présence du navigateur. La méthode utilisée est Package deploy.

3.3 Tâche et job

La tâche Deploy_Firefox_Salle_B1 est activée. Les créneaux de préparation et d exécution sont réglés sur Toujours et le réveil de l agent est réglé à une minute. Le job Salle_B1_Poste_Clients relie le paquet Firefox_Install au groupe ciblé.




Figure 1 - Configuration du groupe, de la tâche ou du job.




Figure 2 - Configuration du groupe, de la tâche ou du job.

Task management - Deploy_Firefox_Salle_B1 - ID 5

Actions 4/4

Job - ID 4

Name: Salle_B1_Poste_Clients

Comments:

Module method: Package deploy

Targets:

- Package Firefox_Install

Clear list / Delete selected items

Actors:

- Inventory groups Salle_B1_Poste_Clients

Clear list / Delete selected items

Purge Update

Figure 3 - Configuration du groupe, de la tâche ou du job.

4 Diagnostic et correction

[Retour au sommaire](#)

Le job est d'abord resté préparé. Les journaux GLPI Agent ont permis d'identifier une ancienne adresse dans le lien de déploiement. La correction a été faite dans Administration > Entities > Root entity > Assets : le champ Agent base URL a été renseigné avec <http://172.30.13.139/>. La tâche a ensuite été relancée avec Force start et l'agent a exécuté ses tâches planifiées.

Proxy configuration

Server: 172.16.63.139

Port: 3128

Login:

Password:

Clear

Proxy exclusions ? *Agents

Telemetry data

Telemetry enabled ? No

Telemetry data See what would be sent...

GLPI update

GLPI 11.0.9 Copyright (C) 2015-2026 Teclib' and contributors

Check if a new version is available

Save

Figure 4 - Correction de Agent base URL dans l'entité racine.

5 Vérifications finales

[Retour au sommaire](#)

La page Job executions affiche Successful : 1 et In error : 0, soit 100 % de réussite. Firefox est visible dans Windows puis Mozilla Firefox x64 fr version 157.0 est inventorié dans GLPI.




Figure 5 - Exécution réussie dans GLPI.




Figure 6 - Firefox présent sur Windows.

☐	Microsoft Edge WebView2 Runtime	154.0.4258.62	2026-10-07	i586	Yes	application	Yes
☐	Mozilla Firefox (x64 fr)	157.0	2026-10-01	x86_64	Yes	application	Yes
☐	Mozilla Maintenance	157.0	2026-10-01	x86_64	Yes	application	Yes

Figure 7 - Firefox version 157.0 remonté dans GLPI.

6 Conclusion

[Retour au sommaire](#)

Le déploiement est réussi de bout en bout. La configuration du paquet, du groupe, du job, de la tâche et des créneaux est fonctionnelle. Le problème d'adresse a été diagnostiqué à partir des journaux, puis résolu dans les paramètres de l'entité. La validation est apportée par GLPI et par le poste Windows.

Annexes Toutes les captures

[Retour au sommaire](#)

Les captures suivantes conservent la chronologie complète du TP, y compris la configuration, les essais de diagnostic et les preuves finales.




Figure 8 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 9 - Capture chronologique de configuration, diagnostic ou contrôle.

Home / Administration / GLPI Inventory / Task management + Add Setup Search... Super-Admin Root entity (tree structure) GL

Dashboard ▾ General ▾ Tasks ▾ Rules ▾ Networking ▾ Deploy ▾ Guide ▾

Task management - Deploy_Firefox_Salle_B1 - ID 5 Actions ▾

Task management

- Job configuration
- Job executions
- All

Name: Deploy_Firefox_Salle_B1

Comments:

Permit to re-prepare task after run: ☒

Active: ☐

Schedule start: 📅 🕒

Schedule end: 📅 🕒

Preparation timeslot: ----- ▼ i

Execution timeslot: ----- ▼ i

Agent wakeup interval (in minutes): Never ▾

Number of agents to wake up: None ▾

Delete permanently Save

Figure 10 - Capture chronologique de configuration, diagnostic ou contrôle.

Dashboard ▾ General ▾ Tasks ▾ Rules ▾ Networking ▾ Deploy ▾ Guide ▾

Task management - Deploy_Firefox_Salle_B1 - ID 5 Actions ▾

Include old jobs: 2 refresh interval: 1 second Export task result ↺

Salle_B1_Poste_Clients

Firefox_Install

Prepared	1	Successful	0
Running	0	In error	0
Cancelled	0		

Figure 11 - Capture chronologique de configuration, diagnostic ou contrôle.

Dashboard ▾ General ▾ Tasks ▾ Rules ▾ Networking ▾ Deploy ▾ Guide ▾

Task management - Deploy_Firefox_Salle_B1 - ID 5 Actions ▾

Management

Name: Deploy_Firefox_Salle_B1 Comments:

Permit to re-prepare task after run: ☒ Active: ☒

Schedule start: Schedule end:

Preparation timeslot: ----- Execution timeslot: -----

Agent wakeup interval (in minutes): Never Number of agents to wake up: None ▾

Delete permanently Force start Save

Figure 12 - Capture chronologique de configuration, diagnostic ou contrôle.

Dashboard ▾ General ▾ Tasks ▾ Rules ▾ Networking ▾ Deploy ▾ Guide ▾

Task management - Deploy_Firefox_Salle_B1 - ID 5 Actions ▾

Task management

Include old jobs: 2 refresh interval: 1 second Export task result

Job configuration

Job executions

All

Figure 13 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 14 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 15 - Capture chronologique de configuration, diagnostic ou contrôle.

Dashboard ▾ General ▾ Tasks ▾ Rules ▾ Networking ▾ Deploy ▾ Guide ▾

Task management - Deploy_Firefox_Salle_B1 - ID 5 Actions ▾ 4/4

Name Deploy_Firefox_Salle_B1 Comments

Permit to re-prepare task after run ☐ Active ☒

Schedule start Schedule end

Preparation timeslot ----- Execution timeslot -----

Agent wakeup interval (in minutes) 1 ▾ Number of agents to wake up None ▾

Figure 16 - Capture chronologique de configuration, diagnostic ou contrôle.

Dashboard ▾ General ▾ Tasks ▾ Rules ▾ Networking ▾ Deploy ▾ Guide ▾

Task management - Deploy_Firefox_Salle_B1 - ID 5 Actions ▾ 4/4

Task management Job configuration Job executions All

Include old jobs 2 ▾ refresh interval 1 second ▾

Figure 17 - Capture chronologique de configuration, diagnostic ou contrôle.

Home / Administration / GLPI Inventory / Time slot + Add Setup

Search... Q Super-Admin
Root entity (tree structure) GL

Name Comments

Delete permanently Save

Last update on 2026-10-09 07:12

Weekly view of the configured time slots

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Monday																								
Tuesday																								
Wednesday																								
Thursday																								
Friday																								
Saturday																								
Sunday																								

Add a time slot entry

Start time

End time

+ Add

Figure 18 - Capture chronologique de configuration, diagnostic ou contrôle.

Home / Administration / GLPI Inventory / Time slot + Add Setup

Search... Q Super-Admin
Root entity (tree structure) GL

Delete permanently Save

Last update on 2026-10-09 07:15

Weekly view of the configured time slots

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Monday																								
Tuesday																								
Wednesday																								
Thursday																								
Friday																								
Saturday																								
Sunday																								

Add a time slot entry

Start time

End time

+ Add

Configured time slot entries

Figure 19 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 20 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 21 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 22 - Capture chronologique de configuration, diagnostic ou contrôle.

Next server target execution planned for: **Fo**

- **server0**: Sat Oct 10 06:39:48 2026
Planned tasks: NetDiscovery, ESX, Inventory, Collect, Deploy, |

Next local target execution planned for:

Figure 23 - Capture chronologique de configuration, diagnostic ou contrôle.



Figure 24 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 25 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 26 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 27 - Capture chronologique de configuration, diagnostic ou contrôle.

```
C:\Windows\System32>notpad "C:\Program Files\GLPI-Agent\glpi-agent.log"
'notpad' n'est pas reconnu en tant que commande interne
ou externe, un programme exécutable ou un fichier de commandes.

C:\Windows\System32>_
```

Figure 28 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 29 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 30 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 31 - Capture chronologique de configuration, diagnostic ou contrôle.




Figure 32 - Capture chronologique de configuration, diagnostic ou contrôle.






Figure 33 - Capture chronologique de configuration, diagnostic ou contrôle.



```
Fichier Edition Format Affichage Aide
[Fri Oct 9 07:34:08 2026][info] target server0: server http://172.30.13.139/front/inventory.php
[Fri Oct 9 07:34:08 2026][info] sending contact request to server0
[Fri Oct 9 07:34:08 2026][info] sending prolog request to server0
[Fri Oct 9 07:34:09 2026][info] running task Deploy
[Fri Oct 9 07:34:09 2026][error] [http client] communication error: 400 Bad Request, Protocol not supported
[Fri Oct 9 07:34:09 2026][info] Deploy task not supported by server0
[Fri Oct 9 07:55:10 2026][info] GLPI Agent exiting (1176)
[Fri Oct 9 07:55:16 2026][info] GLPI Agent service starting
[Fri Oct 9 07:55:16 2026][info] [http server] HTTPD service started on port 62354
[Fri Oct 9 07:55:16 2026][info] GLPI Agent memory usage: WSS=3756032 PFU=113958912
[Fri Oct 9 07:55:16 2026][info] target local0: next run: Fri Oct 9 08:25:18 2026 - C:/Program Files/GLPI-Agent
[Fri Oct 9 07:55:16 2026][info] target server0: next run: Fri Oct 9 08:31:48 2026 - http://172.30.13.139/plugins/gl
[Fri Oct 9 07:55:25 2026][info] sending prolog request to server0
[Fri Oct 9 07:55:25 2026][info] server0 answer shows it supports GLPI Agent protocol
[Fri Oct 9 07:55:26 2026][info] running task Deploy: run event
[Fri Oct 9 07:55:47 2026][error] [http client] internal response: 500 Can't connect to 172.30.222.130:80 (Une tentat
[Fri Oct 9 07:55:47 2026][info] No Deploy job found in server jobs list.
[Fri Oct 9 07:55:47 2026][info] running task Inventory: run event
[Fri Oct 9 07:55:47 2026][info] New inventory from DESKTOP-KN4F6U2-2026-10-01-12-39-13 for local0
[Fri Oct 9 07:56:46 2026][info] Inventory saved in C:/Program Files/GLPI-Agent/DESKTOP-KN4F6U2-2026-10-01-12-39-13.x
[Fri Oct 9 07:56:48 2026][info] target local0: next run: Fri Oct 9 08:50:27 2026 - C:/Program Files/GLPI-Agent\
[Fri Oct 9 07:56:49 2026][info] sending contact request to server0
[Fri Oct 9 07:56:58 2026][info] running task Collect: run event
[Fri Oct 9 07:56:58 2026][info] No Collect job enabled or Collect support disabled server side.
[Fri Oct 9 07:57:01 2026][info] GLPI Agent memory usage: WSS=3297280 PFU=139694080
[Fri Oct 9 07:57:02 2026][info] running task Inventory: run event
[Fri Oct 9 07:57:02 2026][info] New inventory from DESKTOP-KN4F6U2-2026-10-01-12-39-13 for server0
[Fri Oct 9 07:58:01 2026][info] GLPI Agent memory usage: WSS=3260416 PFU=157446144
[Fri Oct 9 07:58:02 2026][info] running task ESX: run event
[Fri Oct 9 07:58:02 2026][info] No ESX job enabled or ESX support disabled server side.
[Fri Oct 9 07:58:09 2026][info] target server0: next run: Sat Oct 10 07:28:26 2026 - http://172.30.13.139/plugins/gl
[Fri Oct 9 07:58:09 2026][info] running task Deploy: storage maintenance event
[Fri Oct 9 08:00:15 2026][info] GLPI Agent memory usage: WSS=3354624 PFU=179908608
[Fri Oct 9 08:04:10 2026][info] sending contact request to server0
[Fri Oct 9 08:04:11 2026][info] running task Deploy: run event
```

Figure 34 - Capture chronologique de configuration, diagnostic ou contrôle.



```
[Fri Oct 9 07:34:09 2026][info] Deploy task not supported by server0
[Fri Oct 9 07:55:10 2026][info] GLPI Agent exiting (1176)
[Fri Oct 9 07:55:16 2026][info] GLPI Agent service starting
[Fri Oct 9 07:55:16 2026][info] [http server] HTTPD service started on port 62354
[Fri Oct 9 07:55:16 2026][info] GLPI Agent memory usage: WSS=3756032 PFU=113958912
[Fri Oct 9 07:55:16 2026][info] target local0: next run: Fri Oct 9 08:25:18 2026 - C:/Program Files/GLPI-Agent
[Fri Oct 9 07:55:16 2026][info] target server0: next run: Fri Oct 9 08:31:48 2026 - http://172.30.13.139/plugins/gl
[Fri Oct 9 07:55:25 2026][info] sending prolog request to server0
[Fri Oct 9 07:55:25 2026][info] server0 answer shows it supports GLPI Agent protocol
[Fri Oct 9 07:55:26 2026][info] running task Deploy: run event
[Fri Oct 9 07:55:47 2026][error] [http client] internal response: 500 Can't connect to 172.30.222.130:80 (Une tentat
[Fri Oct 9 07:55:47 2026][info] No Deploy job found in server jobs list.
[Fri Oct 9 07:55:47 2026][info] running task Inventory: run event
[Fri Oct 9 07:55:47 2026][info] New inventory from DESKTOP-KN4F6U2-2026-10-01-12-39-13 for local0
[Fri Oct 9 07:56:46 2026][info] Inventory saved in C:/Program Files/GLPI-Agent/DESKTOP-KN4F6U2-2026-10-01-12-39-13.x
[Fri Oct 9 07:56:48 2026][info] target local0: next run: Fri Oct 9 08:50:27 2026 - C:/Program Files/GLPI-Agent\
[Fri Oct 9 07:56:49 2026][info] sending contact request to server0
[Fri Oct 9 07:56:58 2026][info] running task Collect: run event
[Fri Oct 9 07:56:58 2026][info] No Collect job enabled or Collect support disabled server side.
[Fri Oct 9 07:57:01 2026][info] GLPI Agent memory usage: WSS=3297280 PFU=139694080
[Fri Oct 9 07:57:02 2026][info] running task Inventory: run event
[Fri Oct 9 07:57:02 2026][info] New inventory from DESKTOP-KN4F6U2-2026-10-01-12-39-13 for server0
[Fri Oct 9 07:58:01 2026][info] GLPI Agent memory usage: WSS=3260416 PFU=157446144
[Fri Oct 9 07:58:02 2026][info] running task ESX: run event
[Fri Oct 9 07:58:02 2026][info] No ESX job enabled or ESX support disabled server side.
[Fri Oct 9 07:58:09 2026][info] target server0: next run: Sat Oct 10 07:28:26 2026 - http://172.30.13.139/plugins/gl
[Fri Oct 9 08:00:12 2026][info] running task Deploy: storage maintenance event
[Fri Oct 9 08:00:15 2026][info] GLPI Agent memory usage: WSS=3354624 PFU=179908608
[Fri Oct 9 08:04:10 2026][info] sending contact request to server0
[Fri Oct 9 08:04:11 2026][info] running task Deploy: run event
```

Figure 35 - Capture chronologique de configuration, diagnostic ou contrôle.

Non sécurisé 172.30.13.139/front/entity.form.php?id=0

Home / Administration / Entities [+ Add](#)

Search... Super-Admin Root entity (tree structure) GL

Entity - Root entity - ID 0 Actions 1/1

Entity

- Entities
- Address
- Advanced information
- Notifications
- Assistance
- Assets
- UI customization

Name: Root entity

Comments:

[Save](#)

Figure 36 - Capture chronologique de configuration, diagnostic ou contrôle.

Entity - Root entity - ID 0 Actions 1/1

Entity

- Entities
- Address
- Advanced information
- Notifications
- Assistance
- Assets
- UI customization
- Security
- Helpdesk home
- Users 7
- Rules 1
- Documents

New child Entity

Name:

[+ Add](#)

SONS OF ROOT ENTITY

No results found

Figure 37 - Capture chronologique de configuration, diagnostic ou contrôle.

The screenshot shows a web interface for system configuration. At the top, there is a navigation bar with tabs: Dashboard, General, Tasks, Rules, Networking, Deploy, and Guide. On the left side, a sidebar menu is visible with options: General setup (highlighted), Network Inventory, Package management, Agents modules, and All. The main content area is titled 'General setup' and contains several configuration fields:

- 'SSL-only for agent' is a dropdown menu set to 'No'.
- 'Delete tasks logs after' is a dropdown menu set to '20 days'.
- 'Maximum number of agents to wake up in a task' is a dropdown menu set to '10'.
- 'Agent port' is a text input field containing '62354'.
- 'Re-prepare successful jobs' is a dropdown menu set to 'No'.
- 'Extra-debug' is a dropdown menu set to 'No'.

A yellow 'Save' button is located at the bottom right of the configuration area.

Figure 38 - Capture chronologique de configuration, diagnostic ou contrôle.