```dart
Row(
    mainAxisAlignment: MainAxisAlignment.start,
    children: [
      Radio(
        value: AppStrings.volunteer,
        fillColor: MaterialStateColor.resolveWith(
            (states) => AppColors.primary),
        groupValue: authController.checkValueStatues.value,
        onChanged: (String? value) {
          authController.checkValueStatues.value = value!;
        },
      ),
      CustomText(
        text: AppStrings.volunteer,
        fontSize: 12,
        fontWeight: FontWeight.w400,
      ),
    ],
),
Row(
    mainAxisAlignment: MainAxisAlignment.start,
    children: [
      Radio(
        value: AppStrings.organizer,
        groupValue: authController.checkValueStatues.value,
        fillColor: MaterialStateColor.resolveWith(
            (states) => AppColors.primary),
        onChanged: (value) {
          authController.checkValueStatues.value = value!;
```

```dart
          },
        ),
        CustomText(
          text: AppStrings.organizer,
          fontSize: 12,
          fontWeight: FontWeight.w400,
        ),
      ],
    ),
    Row(
      mainAxisAlignment: MainAxisAlignment.start,
      children: [
        Radio(
          value: AppStrings.administrator,
          groupValue: authController.checkValueStatues.value,
          fillColor: MaterialStateColor.resolveWith(
              (states) => AppColors.primary),
          onChanged: (value) {
            authController.checkValueStatues.value = value!;
          },
        ),
        CustomText(
          text: AppStrings.administrator,
          fontSize: 12,
          fontWeight: FontWeight.w400,
        ),
      ],
    ),
```