I. Create a simple HTML page using headings and paragraphs

```
<html>
<head>
        <title>Web Page</title>
</head>
<body>
<font size="5" face="Calibri">
<h1><ins>Introduction</ins></h1>
<p>This is a webpage made using<b><mark>
HTML</marked></b>. It includes headings and paragraphs.</br>
HTML refers to Hypertext Markup Language. it is a scripting
language used to create and design webpages.</br>
It structures content using tags and elements. All the HTML
documents are saved by the extension .htm or .html.</br>
Basic HTML elements include tags like html, head, title and body.
</p>
<br>
<hr>
<br>
<h2><ins>Container and Empty Tags</ins></h2>
<p>There are primarily 2 types of tags in HTML which are
<b><mark>Container Tags</marked></b> and <b><mark>Empty
Tags</marked></b>.
</br>
Container tags are namely head, body, title, html, p, headings tag and
more.</br>
Empty tags are namely <b> hr</b> referring to horizontal line and
<b>br</b> breakline tag.
</p>
<br>
<hr>
```

```
<p>So, this is was a brief basic introduction to HTML.<p></br>
<ins>Thank You!</ins>
<hr>
</font>
</body>
</html>
```

Output for code I



II. Insert images and hyperlinks into a webpage.

```
<html>
<head>
        <title>Web Page</title>
</head>
<body bgcolor="#D8FEFF">
<font size="5" family="Times New Roman">
<h1><ins><mark>Aurora Lights</marked></ins></h1>
<p>Aurora Lights! Also known as Northern lights in polar regions, caused by solar winds<br> interacting with Earth's magnetic field and thus <br>
exciting electrons in atoms, releasing colorful light.<br> So here's a pic of Aurora lights for your reference.<br>
</p>
<img src="C:\Users\arham\Downloads\image.jpeg"  ht="300px" width="50%" border="10"/>
<hr>
In order to get more info <a href="file:///C:/Users/arham/Documents/file.htm">Click Here</a>
<hr>
<br>
<b><ins>Thank You!</ins></b>
</font>
</body>
</html>
```

Output for code II





IV. Create a registration form using HTML form elements.

```
<html>
<head>
	<title> form</title>
</head>
<body>
<h1><ins>Registration form</ins></h1>
<form>
<font size="3" face="Times New Roman">
<label for="Name"><strong>Name:</strong></label>
<input type="text" id="Name" name="Name"  placeholder="Enter your Name" required>
</br></br>

<label for="Ph. No."><strong>Ph. No.</strong></label>
<input type="number" id="Ph. No." name="Ph. No." value="Ph. No." placeholder="Enter your Number">
<br><br>

<label for="EMail-ID"><strong>EMail-ID</strong></label>
<input type="text" id="EMail-ID" name="EMail-ID" placeholder="Enter your EMail-ID">
<br><br>

<label><strong>Gender:</strong></label>
<input type="radio" id="Male" name="Gender" value="Male">
<label for="Male">Male</label>
<input type="radio" id="Female" name="Gender" value="Female">
<label for="Female">Female:</label>
<br><br>
```

```
<label for="Mother's Name"><strong>Mother's
Name:</strong></label>
<input type="text" id="Name" name="Name"  placeholder="Enter
Name" required>
</br></br>

<label for="Father's Name"><strong>Father's
Name:</strong></label>
<input type="text" id="Name" name="Name"  placeholder="Enter
Name" required>
</br></br>

<label><strong>Subjects:</strong></label>
<input type="checkbox" id="Physics" name="Subjects"
value="Physics">
<label>Physics</label>

<input type="checkbox" id="Chemistry" name="Subjects"
value="Chemistry">
<label>Chemistry</label>

<input type="checkbox" id="Biology" name="Subjects"
value="Biology">
<label>Biology</label>
<br><br>

<button type="Submit">Submit</button>
</font>
</form>
</body>
</html>
```

Output for code IV



III. Design a navigation bar using HTML lists.

```
<html>
<head>
    <title>MyNavBar</title>
    <style>
    body {
        font-family: Times New Roman;
}
   </style>
</head>
<body bgcolor="#D2FFFE">
<img src="C:\Users\arham\Downloads\unnamed.png"
align="center" border="2" height="50px" width="20%">
<h1 align="center">Welcome to LearnIt!!</h1>
<h2 align="center"><ins>A Learning Platform For All</ins></h2>
<h3 align="center">Scrolldown...</h3>
<font size="5">
<h4><ins>Navigation Bar</ins></h4>
<ul>
<li><a href="#">LearnIt</a></li>
<li><a href="#">Home</a></li>
<li><a href="#">Courses</a></li>
<li><a href="#">Articles</a></li>
<li><a href="#">Contact Us</a></li>
</ul>
</font>
</body>
</html>
```

Output for code III



V. Style a webpage using external CSS.

(External CSS code)

```
body {
        font-size: 20;
        font-family: Times New Roman;
        background-color: #C0FFDC;
        padding: 10px;
}
h1 {
    color: navy;
    text-align: center;
}
```

(HTML code)

```
<html>
<head>
     <title> External CSS Styling</title>
<link rel="stylesheet" type="text/css" href="1.css">
</head>
<body>
<h1>Introduction to AI</h1>
<p>AI or Artificial Intelligence, is like having a super-smart buddy that can learn, think and do stuff on it's own.</p>
<p>It's a tech that lets, machines do human-like tasks, like understanding language, recognizing images,  and making decisions.</p><br>
<h2>Types of AI</h2>
<ul>
<li>Narrow AI</li>
<li> General AI</li>
</ul>
<p>AI is used in healthcare, finance, cars and more!</p>
```

```
<p>AI is just versatile!!</p><br>
<hr>
</body>
</html>
```

Output for code V



VI. Create a responsive layout using Flexbox.

```
<html lang="en">
<head>
	<title>CSS Flexbox</title>
		<style>
		  .container {
			border: 2px solid red;
			display: flex;
			height: 100px;
			background-color: #E2DFFF;
			justify-content: space-around;
			align-items: center;
			flex-direction: row;

}
		 .item {
			height: 62px;
			width: 92px;
			border: 2px solid black;
			margin: 4px;
			flex-grow: 0;
}
		.item1 {
			flex-grow: 2;
			background-color: #99FFF3;
}
		.item2 {
			flex-grow: 1;
			background-color: yellow;
}
		.item3 {
```

```
                background-color: #EEFFC5;
}
            .item4 {
                background-color: #FFCDF2;
}
            .item5 {
                flex-grow: 1;
                background-color: #49FF0F;
}

           div {
               display: flex;
               justify-content: center;
              align-items: center;
              flex-wrap: wrap;
}
      div img {
            width: 400px;
            height: 300px;
            border: 2px solid #ff3d0036;
            border-radius: 13px;
            box-shadow: 4px 7px 7px 0px #00000042;
            cursor: pointer;
            transition: 400ms;
 }
 div img: hover{
        filter: grayscale(1);
        transform: sclae(1.03);
}
                </style>
</head>
<body>
```

```
  <font size="5">
        <main>
            <div class="container">
                <div class="item item1"><b><a
href="#">Home</a></b></div>
                <div class="item item2"><b><a href="#">Travel
Iternary</a></b></div>
                <div class="item item3"><b><a
href="#">Blogs</a></b></div>
                <div class="item item4"><b><a
href="#">Vlogs</a></b></div>
                <div class="item item5"><b><a
href="#">ContactUs</a></b></div>
<font color="black">
<h1 align="center"><b><ins>Welcome to
Travelogue!!</ins></b></h1>
</font>

<div>
    <img src="C:\Users\arham\Downloads\im.jpeg">
    <img src="C:\Users\arham\Downloads\im2.jpeg">
    <img src="C:\Users\arham\Downloads\im5.jpeg">

</div>
</body>
</html>
```

Output for code VI



VII. Design a photo gallery using CSS grid.

```
<html>
<style>
   {
  box-sizing: border-box;
}
body {
  margin: 0;
  font-family: Arial;
}
.header {
  text-align: center;
  padding: 32px;
}
.row {
  display: flex;
  flex-wrap: wrap;
  flex-wrap: wrap;
  padding: 0.4px;
}
.column {
  flex: 25%;
  flex: 25%;
  max-width: 25%;
  padding: 0 4px;
}
.column img {
  margin-top: 8px;
  vertical-align: middle;
  width: 100%;
}
```

```
@media screen and (max-width: 800px) {
  .column {
    flex: 50%;
    flex: 50%;
    max-width: 50%;
  }
}
@media screen and (max-width: 600px) {
  .column {
    flex: 100%;
    flex: 100%;
    max-width: 100%;
  }
}
</style>
<body>
<!-- Header -->
<div class="header">
<font face="Times New Roman" color="#FF1491">
  <h1><i><ins>Responsive Image Grid</ins></i></h1>
</font>
</div>
<!-- Photo Grid -->
<div class="row">
  <div class="column">
    <img src="C:\Users\arham\Downloads\imm.jpg"
style="width:100%">
    <img src="C:\Users\arham\Downloads\im6.jpeg"
style="width:100%">
      </div>
  <div class="column">
```

```
 <img src="C:\Users\arham\Downloads\im6.jpeg"
style="width:100%">
      </div>
  <div class="column">
    <img src="C:
\Users\arham\Downloads\im9.jpeg"style="width:100%">
     </div>
  <div class="column">
    <img src="C:
\Users\arham\Downloads\im0.jpeg"style="width:100%">
      </div>
</div>
</body>
</html>
```

Output for code VII



Career College (Autonomous), Bhopal

Web Designing

Session: 2025-26

Under the guidance of

Submitted To -
Mrs. Nayna Gaikwad

Submitted By -
Arhama Khan

VIII. Create a landing page for an Indian handicraft business.

```
<html>
<head>
        <title>Landing Page</title>
       <style>
            body {
                 background-color: #E2FFF6;
                 font-family: Times New Roman;
                 font-size: 20;
}
           h3 {
                color: #4539FF;
}
          .container1 {
                border: 2px solid black;
                display: flex;
                height: 82px;
                flex-direction: row;
                justify-content: space-around;
                align-items: center;
                background-color: #4539FF;
}
          .itemM {
                      height: 62px;
                      width: 110px;
                      border: 2px solid black;
                      margin: 4px;
```

```
}
        .itemH {
            flex-grow: 2;
            background-color: white;

}
         .container{
                display: flex;
                height: 92vh;
                flex-direction: row;
                justify-content: space-around;
}
        .item {
               height: 75px;
               width: 75px;
}

      </style>
</head>
<body>
<font face="STENCIL">
<div class="container1">
   <font color="black" align="center">
   <div class="itemM
itemH"><ins><b>Home</b></ins></div>
   </font>
   <font color="black" align="center">
   <div class="itemM
itemH"><ins><b>Articles</b></ins></div>
```

```
    </font>
    <font color="black" align="center">
    <div class="itemM
itemH"><ins><b>AboutUs</b></ins></div>
    </font>
    <font color="black" align="center">
    <div class="itemM
itemH"><ins><b>ContactUs</b></ins></div>
    </font>
</div>
<h1 align="center"><b><ins>Jharoka</ins></b></h1>
<h2 align="center"><ins>A Premium Indian Handicraft
Business</ins>
</font>
<hr>
<h3>Here are some of our
<b><ins>BestSellers!!</ins></b><h3>
<div class="container">
     <div class="item"><img src="C:
\Users\arham\Downloads\kjj.jpg" border="5px"></div>
     <div class="item"><img src="C:
\Users\arham\Downloads\l.jpg" border="5px"></div>
     <div class="item"><img src="C:
\Users\arham\Downloads\p.jpg" border="5px"></div>
</div>
</body>
</html>
```

Output for code VIII



IX. Validate a form using basic Java Script.

```
<html>
<head>
    <title>Validation form</title>
    <style>
        body {
            font-family: Times New Roman;
        }
    </style>
</head>
<body>
<script>
function data() {
    var a = document.getElementById("n1").value;
    var b = document.getElementById("n2").value;
    var c = document.getElementById("n3").value;
    var d = document.getElementById("n4").value;

    if (a == "" || b == "" || c == "" || d == "") {
        alert("All fields are Mandatory!");
        return false;
    }
    else if (b.length < 10 || b.length > 10) {
        alert("Contact number should be of 10 digits");
        return false;
    }
    else if (isNaN(b)) {
        alert("Only Numbers Allowed!");
        return false;
    }
    else if (c != d) {
```

```
        alert("Same password required in confirm password field!");
        return false;
    }
    else {
        return true;
    }
}
</script>

<h1>Form</h1>
<form onsubmit="return data()" action="abc.htm">
<b>UserID:</b> <input type="text" id="n1"><br><br>
<b>Contact:</b> <input type="number" id="n2"><br><br>
<b>Password:</b> <input type="password" id="n3"><br><br>
<b>Confirm Password:</b> <input type="password"
id="n4"><br><br>
<b>Submit:</b> <input type="submit" value="Submit your data">
</form>

</body>
</html>
```

Output for code IX



Form

UserID: Arhama Khan

Contact: 12345

Password: •••••

Confirm Password: •••••

Submit: Submit your data



Your Form Has Been Submitted Successfully!!

X. Develop an FAQ section with show/hide to toggle using JS

(HTML Code)

```
<html lang="en">
<head>
      <title>FAQs</title>
      <link rel="stylesheet" href="sty.css">
      <script src="https://kit.fontawesome.com/15169738aa.js"
crossorigin="anonymous"></script>
</head>
<body>
<h1>FAQ's</h1>

<div class="accordian">
    <div class="question">
        <h4>1. How do I reset my password ?</h4>
        <i class=" icon active fa-solid fa-sort-down"></i>
    </div>
    <div class="answer active">
          <p>- To reset your password, click on "Forgot Password"
link and follow the instructions sent to your email.</p>
    </div>
</div>
<div class="accordian">
    <div class="question">
       <h4>2. Is my payment information secure?</h4>
       <i class=" icon active fa-solid fa-sort-down"></i>
    </div>
    <div class="answer active">
        <p>- Yes, we use SSL encryption to protect your payment
information. Your data is safe with us.</p>
   </div>
</div>
```

```
<div class="accordian">
    <div class="question">
        <h4>3. Can I cancel my subscription?</h4>
        <i class=" icon active fa-solid fa-sort-down"></i>
    </div>
    <div class="answer active">
        <p>-  Yes, you can cancel your subscription at any time from
your account settings.</p>
    </div>
</div>
      <script src="script.js"></script>
</body>
</html>
```

```
body {
    background-color: #FFC7F7;
    padding: 40px;
    font-family: Times New Roman;
    line-height: 1.6rem;
}
.accordian {
    background-color: white;
    padding: 4px 16px;
    margin-bottom: 16px;
    border-radius: 4px;
    box-shadow: 1px 1px 5px black;
    cursor: pointer;
}
.question {
    display: flex;
```

(CSS Code)

```
    align-items: center;
    justify-content: space-between;
}
.icon {
    margin-right: 16px;
    transition: transform 0.3s ease;
}
.icon.active {
    transform: rotate(180deg);
}
.answer {
    color: #666;
    max-height: 0;
    overflow: hidden;
    transition: max-height 0.3s ease;
}
.answer.active {
    max-height: 500px;
}
```

```
const accordions = document.querySelectorAll('.accordian');

accordions.forEach(acc => {
    acc.addEventListener('click', () => {
        const answer = acc.querySelector('.answer');
        const icon = acc.querySelector('.icon');

        answer.classList.toggle('active');
        icon.classList.toggle('active');
    });
});
```

(JS Code)

Output for code X





XI. Create a digital clock using Java Script

(HTML + JS Code)

```
<html>
<head>
    <title>Digital Clock</title>
    <link rel="stylesheet" href="clo.css">
</head>
<body>
<div class="hero">
  <div class="container">
      <div class="clock">
          <span id="hrs">00</span>
          <span >:</span>
          <span id="mins">00</span>
          <span>:</span>
          <span id="secs">00</span>
     </div>
  </div>
</div>
<script>
let hrs = document.getElementById("hrs");
let mins = document.getElementById("mins");
let secs = document.getElementById("secs");

setInterval(()=>{
   let currentTime = new Date();

   hrs.innerHTML = currentTime.getHours();
   mins.innerHTML = currentTime.getMinutes();
   secs.innerHTML = currentTime.getSeconds();
},1000)
</script>
```

```
</body>
</html>
```

(CSS Code)

```
body {
    margin: 0;
    padding: 0;
    font-family: 'poppins', sans-serif;
    box-sizing: border-box;
}
.hero {
    width: 100%;
    min-height: 100vh;
    background: linear-gradient(45deg, #08001f, #30197d);
    color: #fff;
    position: relative;
}
.container {
   width: 800px;
   height: 180px;
   position: absolute;
   top: 50%;
   left: 50%;
  transform: translate(-50%, -50%);
}
.clock {
  width: 100%;
  height: 100%;
  background: rgba(255, 255, 255, 0.1);
  border-radius: 10px;
  display: flex;
  align-items: center;
```

```
  justify-content: center;
  backdrop-filter: blur(40px);
}
.container::before{
  content: ' ';
  width: 180px;
  height: 180px;
  background: #f41b75;
  border-radius: 5px;
  position: absolute;
  left: -50px;
  top: -50px;
  z-index: -1;
}
.container::after{
  content: ' ';
  width: 180px;
  height: 180px;
  background: #419aff;
  border-radius: 50%;
  position: absolute;
  right: -30px;
  bottom: -50px;
  z-index: -1;
}
.clock span{
    font-size: 80px;
    width: 110px;
    display: inline-block;
    text-align: center;
    position: relative;
}
```

```
.clock span::after{
    font-size: 16px;
    position: absolute;
    bottom: -5px;
    left: 50%;
    transform: translateX(-50%);
}
#hrs::after{
  content: 'HOURS';
}
#mins::after{
  content: 'MINS';
}
#secs::after{
  content: 'SECS';
}
```

Output for code XI



XII. Build a web page that showcases Indian festivals with images and effects.

```
<html>
<head>
	<title>Webpage</title>
	<style>
		body {
			background: linear-gradient(90deg, #2ecc71 0%, #1abc9c 50%, #3498db 100%);
			padding: 4px;
		}
		.container {
			display: flex;
			flex-direction: row;
			justify-content: center;
			gap: 20px;
			margin-top: 20px;
		}
		.items img {
			height: 200px;
			width: 200px;
			border-radius: 10px;
			box-shadow: 0px 4px 10px rgba(0,0,0,0.4);
			cursor: pointer;
		}
	</style>
</head>
<body>
```

```
<font size="5">
<h1 align="center"><ins>Indian Festivals</ins></h1>
<p>
<b><ins><mark>Indian festivals</mark></ins></b> paint our nation with colours of joy, unity, and celebration. <br>
From Diwali’s glowing diyas to Holi’s vibrant hues, each festival reflects the richness of our culture and traditions.<br>
These celebrations bring families, friends, and communities closer, filling our hearts with warmth and harmony.<br>
In every festival, India’s beautiful spirit of unity in diversity shines brightly.
</p>
<hr>
<h2><ins>Different Types of Indian Festivals</ins></h2>
<marquee>
<div class="container">
    <div class="items"><img src="C:
\Users\arham\Downloads\j.jpg"><h4
align="center"><ins>Eid</ins></h4></div>
    <div class="items"><img src="C:
\Users\arham\Downloads\s.jpg"><h4
align="center"><ins>Holi</ins></h4></div>
    <div class="items"><img src="C:
\Users\arham\Downloads\o.jpg"><h4
align="center"><ins>Diwali</h4></ins></div>
    <div class="items"><img src="C:
\Users\arham\Downloads\c.jpg"><h4
align="center"><ins>Christmas</h4></ins></div>
</div>
```

```
</marquee>
</font>
</body>
</html>
```

Output for code XII

XIII. Develop a multi-page website for an Indian traditional music school.

```
<html>
<head>
   <title>Indian Traditional Music School</title>
   <style>
      body  {
          font-family: Arial; margin: 0; padding: 0; background: 
#f3e9d2;
}
      header {
         background: #8b0000; color: white; padding: 20px; text-
align: center;
}
      nav {
        background: #c04000; padding: 10px; text-align: center;
}
      nav a {
        color: white; margin: 0 15px; text-decoration: none; font-
weight: bold;
}
      nav a:hover {
        text-decoration: underline;
}
      .container {
        padding: 20px;
}
      footer {
        background: #8b0000; color: white; text-align: center; 
padding: 10px; margin-top: 20px;
}
```

```
    </style>
</head>
<body>
    <header>
        <h1>Indian Traditional Music School</h1>
        <p>Preserving the Classical Soul of India</p>
    </header>

    <nav>
        <a href="index.html">Home</a>
        <a href="courses.html">Courses</a>
        <a href="about.html">About Us</a>
        <a href="contact.html">Contact</a>
    </nav>

    <div class="container">
        <h2>Welcome to Our School</h2>
        <p>We teach the rich heritage of Indian classical music,
including Hindustani, Carnatic, vocal, and instrumental courses.</p>
        <img src="https://via.placeholder.com/800x300"
width="100%">
    </div>

    <footer>
        <p>&copy; 2025 Indian Traditional Music School</p>
    </footer>
</body>
</html>
```

```
<!---2nd webpage--->
<html>
<head>
```

```
    <title>Courses - Indian Traditional Music School</title>
    <style>
        body { font-family: Arial; background: #f3e9d2; margin: 0; padding: 0; }
        header { background: #8b0000; color: white; padding: 20px; text-align: center; }
        nav { background: #c04000; padding: 10px; text-align: center; }
        nav a { color: white; margin: 0 15px; text-decoration: none; font-weight: bold; }
        nav a:hover { text-decoration: underline; }
        .container { padding: 20px; }
    </style>
</head>
<body>
    <header>
        <h1>Our Courses</h1>
    </header>

    <nav>
        <a href="index.html">Home</a>
        <a href="courses.html">Courses</a>
        <a href="about.html">About Us</a>
        <a href="contact.html">Contact</a>
    </nav>

    <div class="container">
        <h2>Available Courses</h2>
        <ul>
            <li>Hindustani Classical Vocal</li>
            <li>Carnatic Classical Vocal</li>
            <li>Sitar Training</li>
```

```
            <li>Tabla Training</li>
            <li>Harmonium Basics</li>
            <li>Bharatanatyam (Classical Dance)</li>
        </ul>
    </div>
</body>
</html>
```

```
<!-- about.html -->
<!DOCTYPE html>
<html>
<head>
    <title>About Us - Indian Traditional Music School</title>
    <style>
        body { font-family: Arial; background: #f3e9d2; margin: 0;
padding: 0; }
        header { background: #8b0000; color: white; padding: 20px;
text-align: center; }
        nav { background: #c04000; padding: 10px; text-align:
center; }
        nav a { color: white; margin: 0 15px; text-decoration: none;
font-weight: bold; }
        nav a:hover { text-decoration: underline; }
        .container { padding: 20px; }
    </style>
</head>
<body>
    <header>
        <h1>About Our School</h1>
    </header>

    <nav>
```

```
        <a href="index.html">Home</a>
        <a href="courses.html">Courses</a>
        <a href="about.html">About Us</a>
        <a href="contact.html">Contact</a>
    </nav>

    <div class="container">
        <h2>Who We Are</h2>
        <p>We are a traditional Indian music school dedicated to promoting classical arts. Our Gurus have over 20 years of experience.</p>
        <p>Our mission is to preserve and spread the beauty of Indian heritage.</p>
    </div>
</body>
</html>
```

```
<!-- contact.html -->
<!DOCTYPE html>
<html>
<head>
    <title>Contact - Indian Traditional Music School</title>
    <style>
        body { font-family: Arial; background: #f3e9d2; margin: 0; padding: 0; }
        header { background: #8b0000; color: white; padding: 20px; text-align: center; }
        nav { background: #c04000; padding: 10px; text-align: center; }
        nav a { color: white; margin: 0 15px; text-decoration: none; font-weight: bold; }
        nav a:hover { text-decoration: underline; }
```

```
        .container { padding: 20px; }
        input, textarea { width: 100%; padding: 8px; margin-bottom:
10px; }
    </style>
</head>
<body>
    <header>
        <h1>Contact Us</h1>
    </header>

    <nav>
        <a href="index.html">Home</a>
        <a href="courses.html">Courses</a>
        <a href="about.html">About Us</a>
        <a href="contact.html">Contact</a>
    </nav>

    <div class="container">
        <h2>Send Us a Message</h2>
        <form>
            <input type="text" placeholder="Your Name">
            <input type="email" placeholder="Your Email">
            <textarea rows="5" placeholder="Your
Message"></textarea>
            <button type="submit">Submit</button>
        </form>
    </div>
</body>
</html>
```





Output for code XIII



XIV. Host your website on GitHub Pages.

Website successfully hosted on GitHub. Below is the link for that website and screenshot of GitHub page showcasing that the website has been hosted.

Link for my website -
https://fahadkhanarhama-crypto.github.io/practicals/

GitHub page -



XV. Create and submit a final project website with IKS theme.

```
<html>
<head>
     <title>IKS theme</title>
    <style>
        body {
           background: linear-gradient(135deg, #FF8C42 0%,
#F4D06F 50%, #1A4C8B 100%);
           padding: 4px;
           font-family: Times New Roman;
           font-size: 25;
}

        .container {
   display: flex;
   justify-content: center;
   align-items: center;
   gap: 40px;
   margin-top: 50px;
}

.container img {
   height: 200px;
   width: 250px;
   border-radius: 10px;
   object-fit: cover;
   box-shadow: 0px 4px 10px rgba(0,0,0,0.4);
   cursor: pointer;
}
nav {
```

```
        background: #c04000; padding: 10px; text-align: center;
}
nav a {
        color: white; margin: 0 15px; text-decoration: none; font-
weight: bold;
}
      </style>
</head>
<body>
<h1 align="center"><ins>India and the World!!</ins></h1>
<nav>
      <a href="index.html">Home</a>
      <a href="courses.html">Courses</a>
      <a href="about.html">About Us</a>
      <a href="contact.html">Contact</a>
   </nav>
<p>The website<ins>“India and the World”</ins> is designed on the
theme of <ins>Indian Knowledge Systems (IKS)</ins>. It highlights
how India’s ancient wisdom, cultural heritage, scientific
contributions, and philosophical ideas have influenced not only our
nation but also the entire world. The website follows the IKS
approach by showcasing traditional knowledge, values, and
innovations in a modern, easy-to-understand format. Through this
theme, the website connects India’s rich past with its global impact,
helping viewers appreciate the timeless relevance of Indian
knowledge in today’s world.</p>
<hr width=100%>
<div class="container">
   <img src="C:\Users\arham\Downloads\a.jpg">
   <img src="C:\Users\arham\Downloads\bq.jpg">
   <img src="C:\Users\arham\Downloads\sk.jpg">
   <img src="C:\Users\arham\Downloads\n.jpg">
```

```
</div>
</body>
</html>
```

Output for code XV