

AgenticCore Crypto Standard Tier 1

MEXC Futures reversal framework - complete capabilities, current status, and remaining work

Executive status

This report is a current-state project record prepared from the Replit source tree, existing specifications, test results, and the latest code. It separates features that are implemented in code from features that are planned, partially validated, or still require a controlled VPS environment.

Prepared: 25 August 2026 (Asia/Dubai)

Source of truth for code: Replit workspace

VPS status: only what was visible from the submitted Windows terminal output is treated as verified

Important: this is a software and deployment status report, not a promise of trading profits. Live execution remains subject to market conditions.

AgenticCore Crypto Standard Tier 1 - MEXC Futures

1. Project purpose and boundary

CURRENT POSITION - The framework is implemented as a crypto-only, public-data-first

MEXC Futures reversal system. Normal scans are signal-only/paper-only. A separate guarded live-cycle path exists, but it is never allowed to trade merely because a coin appears in the scan.

This project is intentionally separate from Forex. It is designed for a dedicated laptop/VPS runtime, with MEXC Futures as the execution venue and Dubai-time operator reporting. The original live profile is approximately \$50 notional per position, 20x isolated leverage, about \$2.50 initial margin, about \$3 gross target, and a 65% progress / 35% profit-protection rule. The live basket is bounded at up to five positions and the paper basket target is \$5 net.

The design principle is fail closed: missing data, unclear retests, invalid contract math, missing protection, uncertain exchange state, and correlation risk produce no trade.

2. Features and capabilities built

Market-data adapters

- Public MEXC Futures adapter for contract details, tickers, OHLCV, funding, open interest, order-book depth, and recent public trades.
- Completed 15-minute, 1-hour, and 4-hour candle processing. Forming candles are excluded from entry decisions.
- Public Binance Futures and Bybit context for independent flow, depth, funding, and open-interest comparison.
- CoinGecko market-cap/supply context and optional CoinMarketCap metadata.
- Dependency-injected transport so tests do not call the real exchange.

Universe selection and signal quality

- Scans the USDT perpetual universe and filters for contract activity, liquidity, turnover, spread, and usable market data.
- Builds support/resistance structure zones from completed candles.
- Requires multi-touch zones instead of treating a single price reaction as a trade location.
- Detects directional retests/reclaims, false breakouts, failed breakouts, invalid closes, and stale/pending setups.
- Uses relative volume, funding, turnover/open interest, spread, public trades, and order-book microstructure as quality evidence.
- Candidates can remain pending, expire, or be rejected instead of becoming stale trade plans.
- Scores candidates on a bounded 0-100 scale; cross-market agreement can adjust confidence only within a small cap and cannot create a direction or execution plan.

Risk, sizing, and protection

- Uses completed-candle ATR for bounded, coin-specific stop placement.
- Calculates contract quantity and estimated isolated margin rather than guessing from a dollar amount.
- Targets the fixed live profile and rejects invalid quantity, margin, contract, or price math.
- Requires a planned side, quantity, stop, target, and profit-lock levels before a live plan can exist.
- Uses a 65% progress trigger and protects 35% of the original target distance without widening a stop.
- Enforces isolated-margin behavior and rejects cross-margin assumptions.
- Limits same-direction correlated paper exposure and applies basket risk controls.
- Requires marks for all open positions before activating a net-profit basket-close action.

- No withdrawal capability, leverage mutation, or cross-margin mutation is provided.
- A separate live preflight checks the dedicated trading key and requires a clean account.
- The guarded live canary/cycle supports explicit confirmation, a five-position bound, protection verification, emergency close handling, reconciliation, cycle locking, and profit-lock monitoring.
- Live entry must include protection and then verify that exchange-side TP/SL protection is active; failure triggers safe handling rather than silent continuation.

3. Safety behavior demonstrated

CURRENT POSITION - The VPS live preflight has passed according to the submitted terminal output. The account was previously observed clean: zero positions, zero ordinary orders, and zero TP/SL plans.

The VPS also demonstrated that the live cycle refuses to trade when the environment gate is disabled. After the gate was enabled for testing, the cycle still refused to force trades because no fully protected, correlation-clear plan existed.

The latest candidate diagnostic showed a structural candidate marked confirmed but with blank quantity, stop, target, and correlation fields. Its rejection evidence included weak relative volume, missing funding/open-interest confirmation, unaligned order-book flow, excessive proximity to opposing structure, failed retest/invalid close, blocked sizing, and unavailable cross-market confirmation. This is a correct safety rejection, although the status wording should be made clearer.

The earlier exchange response code 6002 was from an older uncertain trial and is not the reason for the latest safe stop.

4. Current validation and files

CURRENT POSITION - Replit Crypto suite: 201 tests passed. The source tree is saved under artifacts/agentcore-markets/crypto. The VPS runtime copy is separate and cannot be assumed synchronized without a file-manifest check.

Important source areas include adapters, analysis, config, domain models, risk, runtime, storage, and tests. The main entry point supports local preflight, normal signal/paper cycles, private account inspection, live preflight, guarded canary/cycle, reconciliation, and monitoring.

Runtime files include state.json, paper_positions.json, pending setups, live-cycle records, coin memory, and audit.jsonl. These are runtime evidence, not replacements for source code.

5. What remains

Before continued live Crypto operation

- Keep the worker signal-first until a complete protected plan actually appears.
- Complete the independent Binance/Bybit confirmation work so unavailable cross-market context does not block every candidate.
- Add a final per-candidate rejection/qualification field distinct from the preliminary entry status. A value such as live_plan_qualified should be separate from structural entry confirmed.
- Verify that the VPS package exactly matches the Replit release using a manifest and hashes; do not overwrite the current runtime without reconciliation.
- Keep the dedicated trading key restricted to trading/view permissions, with withdrawals disabled and IP restriction where available.
- Review one canary plan while watching MEXC, then use the five-position cycle only after the canary path is accepted.

Strategy and learning work

- Keep every scanned coin on the radar and retain rejected opportunities with their evidence.
- Expand persistent learning so each candidate/trade stores feature snapshots, regime, session, volume, funding, open interest, microstructure, MFE/MAE, and exit reason.
- Validate candidate thresholds with replay and paper outcomes rather than relaxing