

Java Basics - Object-Oriented Programming (OOP) Exam

Total Questions: 50 **Suggested Time:** 90 minutes **Instructions:**
Answer all questions. For multiple-choice questions, select the single best answer.

Part A - Multiple Choice (30 questions, 1 mark each)

- Which of the following best defines a **class** in Java?
 - A running instance of an object
 - A blueprint/template for creating objects
 - A method that returns void
 - A built-in Java keyword
- What is an **object** in Java?
 - A syntax error
 - An instance of a class
 - A type of loop
 - A reserved keyword
- Which keyword is used to create an object in Java?
 - class
 - new
 - this
 - instance
- Which of these is NOT one of the four main pillars of OOP?
 - Encapsulation
 - Inheritance
 - Compilation
 - Polymorphism
- What is **encapsulation**?
 - Wrapping data and methods together and restricting direct access to data
 - Creating multiple classes with the same name
 - Converting one data type to another
 - Running two threads at once
- Which access modifier restricts a member to be accessible only within its own class?
 - public
 - protected
 - private
 - default
- Which access modifier allows access from any other class in any package?
 - private
 - protected
 - public
 - default (no modifier)
- A constructor in Java:
 - Must always return a value
 - Has the same name as the class and no return type
 - Can only be called once per program
 - Must be declared static

9. What is a **default constructor**?
 - a. A constructor with parameters
 - b. A no-argument constructor automatically provided by Java if no constructor is defined
 - c. A constructor that only exists in abstract classes
 - d. A constructor that must be private
10. Which keyword is used to refer to the current object inside a method or constructor?
 - a. self
 - b. this
 - c. current
 - d. obj
11. What does **inheritance** allow a class to do?
 - a. Store multiple data types in one variable
 - b. Acquire fields and methods from another class
 - c. Run without a main method
 - d. Avoid using constructors
12. Which keyword is used to inherit a class in Java?
 - a. implements
 - b. extends
 - c. inherits
 - d. super
13. In Java, a class can extend how many other classes directly?
 - a. Zero
 - b. One
 - c. Two
 - d. As many as needed
14. What is the purpose of the **super** keyword?
 - a. To create a new object
 - b. To refer to the parent class's members or constructor
 - c. To declare a class as final
 - d. To stop inheritance
15. What is **method overriding**?
 - a. Defining multiple methods with the same name but different parameters in the same class
 - b. Redefining a parent class method in a child class with the same signature
 - c. Declaring a method as private
 - d. Calling a method twice
16. What is **method overloading**?
 - a. Having multiple methods in the same class with the same name but different parameter lists
 - b. Overriding a method from a parent class
 - c. Declaring a method final
 - d. Using recursion
17. Which of the following can be overloaded in Java?
 - a. Only constructors
 - b. Only regular methods
 - c. Both methods and constructors
 - d. Neither
18. What is **polymorphism**?
 - a. The ability of an object to take many forms
 - b. The process of hiding data
 - c. A type of loop structure
 - d. A way to declare arrays
19. Which type of polymorphism is achieved through method overriding?
 - a. Compile-time (static) polymorphism
 - b. Run-time (dynamic) polymorphism
 - c. Constructor polymorphism

- d. None of the above
- 20. What is an **abstract class**?
 - a. A class that cannot have any methods
 - b. A class that cannot be instantiated directly and may contain abstract methods
 - c. A class with only static methods
 - d. A class that must implement an interface
- 21. Which keyword declares an abstract method?
 - a. final
 - b. static
 - c. abstract
 - d. private
- 22. What is an **interface** in Java?
 - a. A class with only constructors
 - b. A contract that specifies methods a class must implement
 - c. A type of loop
 - d. A private helper class
- 23. Which keyword does a class use to implement an interface?
 - a. extends
 - b. implements
 - c. inherits
 - d. uses
- 24. Can a Java interface (pre-Java 8 style) contain method bodies?
 - a. Yes, always
 - b. No, traditionally interface methods are abstract by default
 - c. Only in the main method
 - d. Only for private methods
- 25. What is the main difference between an abstract class and an interface?
 - a. There is no difference
 - b. An abstract class can have constructors and instance variables with state; an interface traditionally cannot
 - c. Interfaces can be instantiated directly
 - d. Abstract classes cannot have any methods
- 26. What does the **static** keyword mean when applied to a variable?
 - a. The variable belongs to the class, not to individual objects
 - b. The variable can never change
 - c. The variable is private by default
 - d. The variable must be initialized in a constructor
- 27. What does the **final** keyword do when applied to a variable?
 - a. Makes the variable static
 - b. Prevents the variable's value from being changed after initialization
 - c. Makes the variable public
 - d. Deletes the variable after use
- 28. What happens if a class is declared **final**?
 - a. It cannot be extended (no subclasses allowed)
 - b. It cannot have any methods
 - c. It must be abstract
 - d. It becomes an interface
- 29. Which of these correctly describes **constructor chaining** using `this()`?
 - a. Calling another constructor of the same class from within a constructor
 - b. Calling a method from another class
 - c. Declaring two constructors with the same signature
 - d. Making a constructor static
- 30. What is the output of calling a method on an object reference that is null?
 - a. It returns 0

- b. It throws a `NullPointerException`
 - c. It silently does nothing
 - d. It automatically creates a new object
-

Part B - True or False (10 questions, 1 mark each)

- 31. A static method in a subclass can override a static method in its parent class the same way instance methods are overridden. (True/False) TRUE
 - 32. A class can implement multiple interfaces at the same time. (True/False) FALSE
 - 33. Constructors can be overloaded just like regular methods. (True/False) TRUE
 - 34. Static methods can directly access non-static (instance) variables without an object reference. (True/False) TRUE
 - 35. An abstract class can have a constructor even though it cannot be instantiated directly. (True/False) TRUE
 - 36. Overriding requires the method name, return type (or covariant type), and parameter list to match the parent method. (True/False) TRUE
 - 37. In Java, all classes implicitly inherit from the `Object` class unless they already extend another class. (True/False) TRUE
 - 38. Encapsulation is typically achieved using private fields with public getter and setter methods. (True/False) TRUE
 - 39. Java supports multiple inheritance of classes (a class extending two classes at once). (True/False) FALSE
 - 40. A `final` method cannot be overridden by a subclass. (True/False) TRUE
-

Part C - Short Answer / Code Output (10 questions, 2 marks each)

41. Write the output of the following code:

```
class Animal {
    void sound() {
        System.out.println("Animal makes a sound");
    }
}
class Dog extends Animal {
    void sound() {
        System.out.println("Dog barks");
    }
}
public class Main {
    public static void main(String[] args) {
        Animal a = new Dog();
        a.sound();
    }
}
```

DOg barks

overload same method with diff parametar

overriding same method and parametar and change content of the original

```
    }  
}
```

42. Explain in 2-3 sentences the difference between **overloading** and **overriding**.

43. Write the output of the following code:

```
class Counter {  
    static int count = 0;  
    Counter() {  
        count++;  
    }  
}  
  
public class Main {  
    public static void main(String[] args) {  
        new Counter();  
        new Counter();  
        new Counter();  
        System.out.println(Counter.count);  
    }  
}
```

3

44. Given the class below, write ONE line of code to create an object of Car and call its drive() method:

```
class Car {  
    void drive() {  
        System.out.println("Car is driving");  
    }  
}
```

Car car=new Car;
car.drive();

45. What will happen if you try to instantiate the abstract class below directly with new Shape()? Explain why.

```
abstract class Shape {  
    abstract double area();  
}
```

error because of abstract this is incomplete method should be overriding

46. Write the output of the following code:

```
class Parent {  
    Parent() {  
        System.out.println("Parent constructor");  
    }  
}  
  
class Child extends Parent {  
    Child() {  
        System.out.println("Child constructor");  
    }  
}  
  
public class Main {  
    public static void main(String[] args) {  
        Child c = new Child();  
    }  
}
```

parent construtor
childd constructor

47. Identify and correct the error in the following code:

```
public class Main {  
    private int x = 5;  
    public static void main(String[] args) {
```

private int x

```

        System.out.println(x);
    }
}

```

48. Briefly explain why encapsulation is considered good practice in OOP (2–3 sentences). protect from change unnecessary

49. Write the output of the following code:

```

interface Greeting {
    void sayHello();
}
class English implements Greeting {
    public void sayHello() {
        System.out.println("Hello!");
    }
}
public class Main {
    public static void main(String[] args) {
        Greeting g = new English();
        g.sayHello();
    }
}

```

hello

50. Write the output of the following code:

```

class Calculator {
    int add(int a, int b) {
        return a + b;
    }
    double add(double a, double b) {
        return a + b;
    }
}
public class Main {
    public static void main(String[] args) {
        Calculator c = new Calculator();
        System.out.println(c.add(2, 3));
        System.out.println(c.add(2.5, 3.5));
    }
}

```

5
6

End of Exam