Checklist for store owners

# Find a plugin conflict without downtime

Do not switch plugins off one by one on a live store while customers check out. Work in this order.

Step 1

# Write down exactly what breaks

The page, the action, logged in or out, any error text. Note what changed just before: a plugin, theme or PHP update.

Step 2

# Read the error log first

A fatal error names the file, and so the plugin. On live, turn display off and log on. Delete the log afterwards.

```
WP_DEBUG_DISPLAY = false
```

Step 3

# Reproduce it on staging

Put payment gateways in test mode and block outgoing email. If it does not happen on staging, it may not be a plugin conflict.

Step 4

# Bisect in halves

Disable everything except WooCommerce. Re-enable in halves, not one by one. About 5 rounds instead of up to 20 with 20 plugins.

No staging?

# Use troubleshooting mode

The Health Check plugin disables plugins only in your own browser session. Visitors keep seeing the normal store.

Warning

# It does not make payments safe

Troubleshooting mode does not put the gateway in sandbox. A test order there takes a real payment.

Rule out false leads

# Check before you blame a pair

Clear every cache layer and test logged out in a private window. Check Scheduled Actions for unfinished migrations.

Need a hand?

# Faisal Alvi

Senior WooCommerce Engineer

faisalalvi.com

Full guide, step by step:

https://faisalalvi.com/blog/woocommerce-plugin-conflict-without-downtime/