Python For Data Science Cheat Sheet (3) Plotting With Seaborn

Seaborn

Learn Data Science Interactively at www.DataCamp.com



Statistical Data Visualization With Seaborn

The Python visualization library Seaborn is based on matplotlib and provides a high-level interface for drawing attractive statistical graphics.

Make use of the following aliases to import the libraries:

```
>>> import matplotlib.pyplot as plt
>>> import seaborn as sns
```

The basic steps to creating plots with Seaborn are:

- 1. Prepare some data
- 2. Control figure aesthetics
- 3. Plot with Seaborn
- 4. Further customize your plot

```
>>> import matplotlib.pyplot as plt
>>> import seaborn as sns
>>> tips = sns.load dataset("tips")
                                        Step 1
>>> sns.set style("whitegrid")
                                        Step 3
>>> g = sns.lmplot(x="tip",
                   v="total bill",
                   data=tips,
                   aspect=2)
>>> g = (g.set axis labels("Tip", "Total bill(USD)").
set(xlim=(0,10),ylim=(0,100))
>>> plt.title("title")
>>> plt.show(q)
```

Data

Also see Lists, NumPy & Pandas

```
>>> import pandas as pd
>>> import numpy as np
>>> uniform data = np.random.rand(10, 12)
>>> data = pd.DataFrame({'x':np.arange(1,101),
                          y':np.random.normal(0,4,100)})
```

Seaborn also offers built-in data sets:

>>> sns.axes style("whitegrid")

```
>>> titanic = sns.load dataset("titanic")
>>> iris = sns.load dataset("iris")
```

Axis Grids

```
>>> g = sns.FacetGrid(titanic,
                      col="survived",
                       row="sex")
>>> q = q.map(plt.hist, "age")
>>> sns.factorplot(x="pclass",
                   y="survived",
                   hue="sex",
                   data=titanic)
>>> sns.lmplot(x="sepal width",
               y="sepal length",
               hue="species",
               data=iris)
```

Subplot grid for plotting conditional relationships

Draw a categorical plot onto a Facetgrid

Plot data and regression model fits across a FacetGrid

```
>>> h = sns.PairGrid(iris)
                                         Subplot grid for plotting pairwise
>>> h = h.map(plt.scatter)
                                         relationships
>>> sns.pairplot(iris)
                                         Plot pairwise bivariate distributions
>>> i = sns.JointGrid(x="x",
                                         Grid for bivariate plot with marginal
                                         univariate plots
                        data=data)
>>> i = i.plot(sns.regplot,
                 sns.distplot)
                                         Plot bivariate distribution
>>> sns.jointplot("sepal length"
                     "sepal width",
                    data=iris,
```

kind='kde')

Categorical Plots

```
Scatterplot
                                                  Scatterplot with one
>>> sns.stripplot(x="species",
                                                  categorical variable
                    v="petal length",
                    data=iris)
>>> sns.swarmplot(x="species",
                                                  Categorical scatterplot with
                                                  non-overlapping points
                    y="petal length",
                    data=iris)
Bar Chart
>>> sns.barplot(x="sex",
                y="survived",
                hue="class",
                                                  scatterplot glyphs
                data=titanic)
Count Plot
>>> sns.countplot(x="deck",
```

data=titanic,

v="survived",

data=titanic,

hue="adult male",

data=titanic)

hue="sex",

palette="Greens d")

palette={"male":"q",

linestyles=["-","--"])

markers=["^","o"],

"female": "m" },

Show point estimates and confidence intervals with

Show count of observations

Show point estimates and confidence intervals as rectangular bars

Boxplot

Point Plot

```
>>> sns.boxplot(data=iris,orient="h")
Violinplot
```

>>> sns.violinplot(x="age", y="sex", hue="survived", data=titanic)

v="age",

>>> sns.pointplot(x="class",

>>> sns.boxplot(x="alive",

Boxplot

Boxplot with wide-form data

Violin plot

Regression Plots

```
Plot data and a linear regression
>>> sns.regplot(x="sepal width",
                                         model fit
                  v="sepal length",
                  data=iris,
                  ax=ax
```

Distribution Plots

```
>>> plot = sns.distplot(data.y,
                                         Plot univariate distribution
                           kde=False,
                           color="b")
```

Matrix Plots

>>> sns.heatmap(uniform data,vmin=0,vmax=1) Heatmap

Further Customizations

Axisarid Objects

```
>>> g.despine(left=True)
                                         Remove left spine
>>> g.set ylabels("Survived")
                                        Set the labels of the y-axis
>>> g.set xticklabels(rotation=45
                                        Set the tick labels for x
                                        Set the axis labels
>>> g.set axis labels("Survived",
                          "Sex")
>>> h.set(xlim=(0,5),
                                        Set the limit and ticks of the
           ylim = (0, 5),
                                        x-and y-axis
           xticks=[0,2.5,5],
           yticks=[0,2.5,5])
```

Plot

>>> plt.title("A Title") >>> plt.ylabel("Survived")	Add plot title Adjust the label of the y-axis
>>> plt.xlabel("Sex")	Adjust the label of the x-axis
>>> plt.ylim(0,100)	Adjust the limits of the y-axis
>>> plt.xlim(0,10)	Adjust the limits of the x-axis
>>> plt.setp(ax,yticks=[0,5])	Adjust a plot property
>>> plt.tight_layout()	Adjust subplot params

igure Aesthetics

	>>> f, ax = plt.subplots(figsize=(5,	6)) Create a figure and one subplot
Seaborn styles		
	>>> sns.set()	(Re)set the seaborn default
	>>> sns.set style("whitegrid")	Set the matplotlib parameters
	>>> sns.set style("ticks",	Set the matplotlib parameters

{"xtick.major.size":8,

Set the matplotlib parameters "vtick.major.size":8})

Return a dict of params or use with with to temporarily set the style

Context Functions

<pre>sns.set_context("talk") sns.set_context("notebook",</pre>	Set context to "talk" Set context to "notebook' scale font elements and override param mapping

Color Palette

	<pre>sns.set_palette("husl",3) sns.color palette("husl")</pre>	Define the color palette Use with with to temporarily set palette
>>>	flatui = ["#9b59b6","#3498db",	"#95a5a6","#e74c3c","#34495e","#2ecc71"]
>>>	sns.set_palette(flatui)	Set your own color palette

Show or Save Plot

>>> plt.show() >>> plt.savefig("foo.png") >>> plt.savefig("foo.png", transparent=True)

Show the plot Save the plot as a figure Save transparent figure

Close & Clear

Also see Matplotlib

>>> plt.cla()	Clear an axis
>>> plt.clf()	Clear an entire figure
>>> plt.close()	Close a window

DataCamp Learn Python for Data Science Interactively

