


PROJECT TITLE: PIZZA SALES ANALYSIS USING MYSQL





Introduction

This project, “Pizza Sales Analysis using MySQL,” is a small data analysis project based on pizza sales data. The main purpose of this project is to use MySQL queries to analyze orders, pizza types, quantities, and sales-related information. Through SQL queries, useful insights are extracted from the database.

-- Retrieve the total number of orders placed.

```
SELECT
    COUNT(ORDER_ID) AS TOTAL_ORDER
FROM
    ORDERS;
```

Result Grid	
	TOTAL_ORDER
	21350



-- Calculate the total revenue generated from pizza sales.

```
SELECT
    ROUND(SUM(ORDERS_DETAILS.QUANTITY * PIZZAS.PRICE),
          2) AS TOTAL_REVENUE
FROM
    ORDERS_DETAILS
    JOIN
    PIZZAS ON PIZZAS.PIZZA_ID = ORDERS_DETAILS.PIZZA_ID;
```

Result Grid	
	TOTAL_REVENUE
▶	817860.05



-- Identify the highest-priced pizza.

```
SELECT
    PIZZA_TYPES.NAME, PIZZAS.PRICE
FROM
    PIZZA_TYPES
    JOIN
        PIZZAS ON PIZZA_TYPES.PIZZA_TYPE_ID = PIZZAS.PIZZA_TYPE_ID
ORDER BY PIZZAS.PRICE DESC
LIMIT 1;
```

Result Grid		
	NAME	PRICE
▶	The Greek Pizza	35.95



-- Identify the most common pizza size ordered.

```
SELECT
    PIZZAS.SIZE,
    COUNT(ORDERS_DETAILS.ORDER_DETAIL_ID) AS ORDER_COUNT
FROM
    PIZZAS
    JOIN
    ORDERS_DETAILS ON PIZZAS.PIZZA_ID = ORDERS_DETAILS.PIZZA_ID
GROUP BY PIZZAS.SIZE
ORDER BY ORDER_COUNT DESC;
```

Result Grid				Filter
	SIZE	ORDER_COUNT		
▶	L	18526		
	M	15385		
	S	14137		
	XL	544		
	XXL	28		



-- List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    PIZZA_TYPES.NAME, SUM(ORDERS_DETAILS.QUANTITY) AS QUANTITY
FROM
    PIZZA_TYPES
    JOIN
    PIZZAS ON PIZZA_TYPES.PIZZA_TYPE_ID = PIZZAS.PIZZA_TYPE_ID
    JOIN
    ORDERS_DETAILS ON ORDERS_DETAILS.PIZZA_ID = PIZZAS.PIZZA_ID
GROUP BY PIZZA_TYPES.NAME
ORDER BY QUANTITY DESC
LIMIT 5;
```

NAME	QUANTITY
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418

