1. Where does modules are executed ?

a) In local scope
b) In global scope
c) with in its own scope
d) none

Ans: c

Explanation: Modules are executed with in its own scope. Variables, classes, interfaces which are declared with in moduels are not visible outside.

2. How do you make the module components visible ?

a) using import forms
b) using export forms
c) neither import nor export
d) all the above

Ans: b

3. How do you consume the components of other module into another ?

a) using import forms
b) using export forms
c) neither import nor export
d) all the above

Ans: a

4. How do you make one module visible to another ?

a) preceding module component with export keyword
b) using export keyword later the declaration of module component
c) preceding module component with import keyword
d) using import keyword later the declaration of module component

Ans: a

5. Can import module be renamed ?

a) yes
b) no

Ans: a

Explanation: Yes, we can rename when importing an export using "as" keyword.
Example: import {sampel as sam} from "./myFirstModule"

6. Which of the following is the correct syntax for exporting complete module

a) export from "module"
b) export *from module
c) export *from "module"
d) export *as aliasName from "module"
e) export *as aliasName from module

Ans: c,d

7. Which of the following is the correct syntax for importing complete module

a) import *from "module"
b) import *from module
c) import *as aliasName from "module"
d) import *as aliasName from module

Ans: a,c

8. What happens when the following code is executed ?

snippet:

default export class SampleExp {
    //your code
}

a) default export gets created
b) Compile time error
c) Run-time error
d) none

Ans: b

Explanation: As typescript is strongly typed, compiler throws errors when syntax errors falls.

9.Which of the following is correct for default export ?

a)
        export default class SampleExp {
         //your code
        }

b)
        default export class SampleExp {
         //your code

```
        }
```

c)

```
        class SampleExp {
         //your code
        }
        export default SampleExp
```

d)

```
        class SampleExp {
        //your code
        }
        default export SampleExp
```

Ans: a,c

10. How many default exports can be declared in a module

a) one or many
b) only one
c) many
d) none

Ans: b

Is it mandatory to export one default in every module ?

a) true
b) false

Ans: b

11. How to make the all the components of a namespace visible outside ?

a) by adding export keyword to every function, interface, class, variables

b) by default namespace components have visible nature outside

c) by exporting entire namespace with it's name

d) none

Ans: a