

Faisal Abdul Rahman

INIXINDO

Challenge 1

1. Idlvdo Degxo Udkpdq
2. Encryption Process:

F -> I (index 5 -> 8)

a -> d (index 0 -> 3)

i -> l (index 8 -> 11)

s -> v (index 18 -> 21)

a -> d (index 0 -> 3)

l -> o (index 11 -> 14)

A -> D (index 0 -> 3)

b -> e (index 1 -> 4)

d -> g (index 3 -> 6)

u -> x (index 20 -> 23)

l -> o (index 11 -> 14)

R -> U (index 17 -> 20)

a -> d (index 0 -> 3)

h -> k (index 7 -> 10)

m -> p (index 12 -> 15)

a -> d (index 0 -> 3)

n -> q (index 13 -> 16)

Challenge 2

1. Anda sudah mendapatkan secret messagenya


The image shows a Visual Studio Code editor window with a Python script named `from Crypto.py` open. The script uses the `Crypto.Cipher` module to perform a DES decryption. It defines an 8-byte key `b'JabarIst'` and an 8-byte IV `b'12345678'`. The ciphertext is a base64-encoded string: `"OyD22mTLi8kH1ZXVEDqRN4MDP5hY4S3aOv3mPs3rng*HcNzppyZRyYdJNkdGLQtoPoMfMd9l0U0="`. The script decodes the ciphertext, removes padding, and prints the resulting plaintext, which is then split into two parts.

```
1 from Crypto.Cipher import DES
2 import base64
3
4 key = b'JabarIst'           # 8-byte key
5 iv = b'12345678'           # 8-byte IV
6 cipher_text = base64.b64decode("OyD22mTLi8kH1ZXVEDqRN4MDP5hY4S3aOv3mPs3rng*HcNzppyZRyYdJNkdGLQtoPoMfMd9l0U0=")
7
8 cipher = DES.new(key, DES.MODE_CBC, iv)
9 plain = cipher.decrypt(cipher_text)
10 plain = plain[:-plain[-1]] # remove padding
11
12 print(plain.decode())
13 print(plain.decode().split(' ', 1)[1])
```



The terminal at the bottom shows the command `python from Crypto.py` being executed from the directory `C:\Users\Admin\Downloads\from Crypto.py`. The output of the script is displayed in the terminal, showing the decoded plaintext split into two parts.

```
PS C:\Users\Admin> python from Crypto.py
bW_UXwC anda sudah mendapatkan secret messagenya
PS C:\Users\Admin> python from Crypto.py
bW_UXwC anda sudah mendapatkan secret messagenya
anda sudah mendapatkan secret messagenya
PS C:\Users\Admin>
```


Challenge 3



ebb1ee48869ed6719248863482584ebea14955ba5771ae76d202c34d5c38a740



Challenge 4



Plaintext (hasil dekripsi):

mari bersama membangun jabar

Proses enkripsi / dekripsi:

1. Algoritma: Caesar cipher.
2. Ditemukan shift = 5 melalui brute-force semua kemungkinan shift (1..25).
3. Enkripsi: geser setiap huruf +5 posisi dalam alfabet.
Contoh: m->r, a->f, r->w, i->n.
4. Dekripsi: geser setiap huruf -5 posisi untuk kembali ke plaintext.