# Доклад по лабораторной работе №4

Абдул Васе Файсал Ахмад

2026-03-25

# Содержание (i)

1. Цели и задачи работы

2. Процесс выполнения лабораторной работы

3. Выводы по проделанной работе

# 1. 1. Цели и задачи работы

## 1.1 Цель лабораторной работы

Целью данной работы является изучение сканера уязвимостей nikto.

## 2. 2. Процесс выполнения лабораторной работы

# 2.1 Введение

Nikto — это популярный сканер веб-серверов с открытым исходным кодом, который проверяет веб-серверы на наличие уязвимостей, неправильных настроек, устаревших версий ПО и прочих проблем безопасности.

# 2.2 Введение

Nikto написан на Perl, и для его работы необходимо наличие Perl на системе.

Сканирование веб-сервера

```
perl nikto.pl -h <URL>
```

## 2.3 Сканирование

Nikto может использоваться для пассивного сканирования DVWA, выявления базовых уязвимостей и проверок на неправильную конфигурацию.

Когда DVWA запущено, мы можем использовать Nikto для сканирования. Основной командой для сканирования будет:

```
perl nikto.pl -h http://localhost/dvwa/
```

# 2.4 Сканирование localhost

```
┌──(user㉿faisalahmad)-[~]
└─$ nikto -h http://localhost

- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          127.0.0.1
+ Target Hostname:    localhost
+ Target Port:        80
+ Start Time:         2026-03-25 07:55:11 (GMT-4)
---------------------------------------------------------------------------
+ Server: Apache/2.4.62 (Debian)
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTT
P/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in
 a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missin
g-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ /: Server may leak inodes via ETags, header found with file /, inode: 29cf, size: 62d6610811c8b, mtime: gzip. See: ht
tp://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1418
+ OPTIONS: Allowed HTTP Methods: GET, POST, OPTIONS, HEAD .
+ /server-status: This reveals Apache information. Comment out appropriate line in the Apache conf file or restrict acc
ess to allowed sources. See: OSVDB-561
+ 7850 requests: 0 error(s) and 5 item(s) reported on remote host
+ End Time:           2026-03-25 07:55:21 (GMT-4) (10 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

**Рисунок 1:** Тестирование localhost

# 2.5 Сканирование localhost/dvwa/

```
┌──(user㉿faisalahmad)-[~]
└─$ nikto -h http://localhost/dvwa/

- Nikto v2.5.0
---------------------------------------------------------------------------
+ Target IP:          127.0.0.1
+ Target Hostname:    localhost
+ Target Port:        80
+ Start Time:         2026-03-25 07:55:35 (GMT-4)
---------------------------------------------------------------------------
+ Server: Apache/2.4.62 (Debian)
+ /dvwa/: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/We
b/HTTP/Headers/X-Frame-Options
+ /dvwa/: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the si
te in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/m
issing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ OPTIONS: Allowed HTTP Methods: GET, POST, OPTIONS, HEAD .
+ 7849 requests: 0 error(s) and 3 item(s) reported on remote host
+ End Time:           2026-03-25 07:55:45 (GMT-4) (10 seconds)
---------------------------------------------------------------------------
+ 1 host(s) tested
```

**Рисунок 2:** Тестирование localhost/dvwa/

## 3. 3. Выводы по проделанной работе

## 3.1 Вывод

Мы изучили возможности сканера nikto.