



PAKAR HIAS MIHRAB

Prayer Room
Design

Decoration
Specialists

www.artseven.com.my

COMPANY
PROFILE
2024

ART SEVEN
Your Dream , Our Vision



ART SEVEN
Your Dream , Our Vision

ARTSEVEN GROUP SDN BHD

Copyrights

ARTSEVEN GROUP SDN BHD
All Rights Reserved

No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except for brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law.

Printed in Selangor, Malaysia

Published, 2024.

ARTSEVEN GROUP SDN BHD

B-1-2, Alam Avenue, Jalan Serai Wangi G16/G, Seksyen 16,
40200 Shah Alam, Selangor

017 205 0789

019 590 0789

019 397 0789

artsevengroupofficial@gmail.com

About Us



HISTORY AND BACKGROUND

ARTSEVEN Group Sdn Bhd, formerly known as I.D.F.A World Services, is a Bumiputera company based in Shah Alam, Selangor. We provide expert consultation in construction and renovation works for residential, commercial, private, and public buildings.



OUR EXPERTISE

ARTSEVEN Group Sdn Bhd specializes in designing prayer space in a house and Mihrab decocation for Surau and Mosque.

Our projects also mainly focus on Islamic Decoration for houses, surau, mosque, school, office, and more, encompassing both indoor and outdoor environments. We prioritize clients dreams to give them memorable experience from vision to reality.



Our Location

Artseven Group is located in Shah Alam, sits at the heart of Selangor's bustling city and a dynamic business environment.

ARTSEVEN GROUP SDN BHD

B-1-2, Alam Avenue,
Jalan Serai Wangi G16/G,
Seksyen 16, 40200 Shah Alam,
Selangor Darul Ehsan.



Faisal Alwie
Managing Director

Faisal Alwie is a Director of a Bumiputera company, Artseven Group Sdn, Bhd. based in Shah Alam.

He graduated with Diploma in Accountancy from Polytechnic Port Dickson.

Faisal Alwie once served at Lembaga Hasil Dalam Negeri (LHDN) before he joined art industry. Now, he is a calligraphy artist and venture into Islamic Decorative Art.

Our Team



Sierra Sunny
Executive Director



Nurul Nadiah
Admin



Amirah Athirah
Accountant



Muhd Danial
Sales Designer
Consultant



Nurul Afiqah
Senior Designer



Hafizul Asyraf
Site Supervisor



Cut Nanda
Digital Designer



Naqib Ikhwan
Production Monitoring

Company Information



Registered Name:
ARTSEVEN GROUP SDN BHD

Registered Number:
202101022222(1422522-P)

Registered Address:
**B-1-2, ALAM AVENUE, JALAN SERAI
WANGI G16/G, SEKSYEN 16,
40200 SHAH ALAM,
SELANGOR.**

Status:
BUMIPUTERA

Date of Incorporated:
23 JUNE 2019

Banker:
MAYBANK

Paid Up Capital:
RM25,000

Contact:
+03-5523 4422

Website:
WWW.ARTSEVEN.COM.MY

Email:
ARTSEVENGROUPOFFICIAL@GMAIL.COM

Our Vision



A Trusted Islamic Decoration Service Provider that Specialized in Innovation Prayer Room as Clients Expectation to Build Integrated Ummah.

Our Mission

1

We Are Decoration Service Provider

2

We Are Trustworthy to Provide Proven Results and Constantly Satisfy Client Needs in Effective and Efficient Manner.

3

We Consult The Best Solution From Vision to Reality For Our Clients.

4

We Aim to Realize Innovation in The Development of Modern Islamic Art The Unity of Ummah, Raising Country in The Eyes of The World.



CERTIFICATE

SSM Certificate



**COMPANIES ACT 2016
(ACT 777)**

CERTIFICATE OF INCORPORATION OF PRIVATE COMPANY

This is to certify that

**ARTSEVEN GROUP SDN. BHD.
202101022222 (1422522-P)**

is, on and from the 23rd day of June 2021, incorporated under the Companies Act 2016, and that the company is a company limited by shares and that the company is a private company.

Dated at **KUALA LUMPUR** this 23rd day of June 2021.

NOR AZIMAH BINTI ABDUL AZIZ
REGISTRAR OF COMPANIES
MALAYSIA

CIDB Certificate



PERAKUAN PENDAFTARAN

Adalah dengan ini diperakui bahawa kontraktor yang dinyatakan di bawah ini telah berdaftar dengan Lembaga mengikut Bahagian VI Akta Lembaga Pembangunan Industri Pembinaan Malaysia 1994. Pendaftaran ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan bersama perakuan ini.

No. Pendaftaran : 0120230804-SL122399
Nama Kontraktor : ARTSEVEN GROUP SDN. BHD.
Alamat Berdaftar : BLOK E-21-01, ALAM AVENUE 2 JALAN SERAI WANGI M16/M SEKSYEN 16
40200 SHAH ALAM
SELANGOR
Daerah : PETALING
Tarikh Mula Berdaftar : 04/08/2023

<u>GRED</u>	<u>KATEGORI</u>	<u>PENGKHUSUSAN</u>
G2	B	B04
G2	CE	CE21

Tarikh Mula Berkuatkuasa : 04/08/2023

Tarikh Habis Tempoh Perakuan : 03/08/2025

STATUS: BARU



Ketua Eksekutif

Lembaga Pembangunan Industri Pembinaan Malaysia

Tarikh: 04/08/2023

SIRIM Certificate

SIRIM QAS INTERNATIONAL SDN BHD (410334-K)
No. 1, Persiaran Sinar Merdeka, Section 2, P.O. Box 7035
40170 Shah Alam, Selangor Darul Ehsan, Malaysia.
Tel: 03-55440440
Fax: 03-55440454
E-mail: sirim-qas.com.my

TEST REPORT

REPORT NO.: 2018PC0812 | PAGE : 1 OF 3

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM QAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Applicant : BOSS SEVEN ENGINEERING SDN BHD
No. 9, Jalan Setia Dagang AJ, U13/AJ
Seksyen U13, Setia Alam
Selangor

Manufacturer : - same as above -

Product : CLC Foam (Celuka Lattice Composite)
Brand: CLC PANEL
Size: 4x8

Reference Standard/ Method of Test : Please refer to Page 2 of this test report.

Description of Sample : Please refer to Figure 1 in Page 2 of this test report.

Date Received of Complete Application : 15 November 2018

Job No. : J20181460676

Description of Test Results : The test results of the submitted test sample are described in Page 3 of this test report.

Issued Date : 22 November 2018

Approved Signatories:

(Il Zarina Rasmie) Senior Consultant


 (Rahmad Abd Shukor)
 Head
 Plastics and Composite Materials Section
 Testing Services Department

REPORT NO.: 2018PC0812 | PAGE : 2 OF 3

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM QAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Methods of Test:

- ASTM D638: 2014 - Standard Test Method for Tensile Properties of Plastics
- ASTM D790: 2015^a - Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials
- ASTM D570: 1998 (Reapproved 2010)^a - Standard Test Method for Water Absorption of Plastics
- ASTM D2240: 2015 - Standard Test Method for Rubber Property - Durometer Hardness
- ASTM D6117: 2010 - Standard Test Methods for Mechanical Fasteners in Plastic Lumber and Shapes

Description of Sample:

Sample shown in Figure 1 was received on 16 November 2018.



Figure 1. Photograph of 'CLC Foam (Celuka Lattice Composite); Brand: CLC PANEL; Size: 4x8' Sample

REPORT NO.: 2018PC0812 | PAGE : 3 OF 3

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM QAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Results:

CLC Foam (Celuka Lattice Composite)
 Brand: CLC PANEL
 Size: 4x8

NO.	PROPERTY	RESULT	TEST METHOD
1	Tensile strength, MPa	3.88	ASTM D638
2	Elongation at break*, %	12	Crosshead speed: 5 mm/min Span length: 50 mm Number of specimens tested: 5 Date of test: 19 November 2018
3	Flexural strength, MPa	6.52	ASTM D790
4	Modulus of elasticity, MPa	462	Crosshead speed: 4.3 mm/min Span Length: 161 mm Number of specimens tested: 5 Date of test: 19 November 2018
5	Water absorption*, %	2.55	ASTM D570
6	Shore hardness	41.6	Condition: 23°C for 24 hours Scale: Shore D Specimen thickness: 10.1 mm Date of test: 21 to 22 November 2018
7	Screw withdrawal*, N	297	ASTM D2240
			Crosshead speed: 2.5 mm/min Number of specimens tested: 5 Date of test: 21 November 2018

Note: * Not SAMM Accredited



SIRIM QAS International Sdn Bhd (410334-K)
No. 1, Persiaran Sinar Merdeka, Section 2, P.O. Box 7035,
40170 Shah Alam, Selangor Darul Ehsan, Malaysia.
Tel: 03-55440454
Fax: 03-55440454
E-mail: sirim-qas.com.my

TEST REPORT

REPORT NO.: 2019FE0013 | PAGE : 1 OF 3

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM QAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

THIS TEST REPORT IS ISSUED IN SECURED PDF FORMAT

Applicant/ Manufacturer : BOSS SEVEN ENGINEERING SDN. BHD.
No. 9, Jalan Setia Dagang AJ, U13/AJ, Seksyen U13, Setia Alam,
Selangor Darul Ehsan.
(Attn: Mr. Syameel / Mr. Hisyam)

Product : CLC FOAM (CELUKA LATTICE COMPOSITE)

Reference Standard/ Method of Test : BS 476 - Part 7: 1997
Fire Test on Building Materials and Structures
Part 7: Surface Spread of Flame Test.

Description of Test Specimen : 9 pieces of CLC Foam (Celuka Lattice Composite).
Size of Specimen : 275mm x 855mm x 25.1mm (measured thickness)
Brand : CLC FOAM
Measured Density : 484 kg/m³

The specimens were tested with the face side exposed to the specified heating condition of the fire test.

Date Received : 05.12.2018

Job No./ Ref No. : J20181440791 /SQAS/FPS/15/1-6

Test Result : Classification of Surface Spread of Flame Test : Class 1.

Issued Date : 10 January 2019

Approved Signatory

(Muhammad Sufian Musa)
 Technical Executive


 (Azmi Musa)
 Head
 Fire Protection Section
 Testing Services Department

REPORT NO.: 2019FE0013 | PAGE : 2 OF 3

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM QAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Name of Applicant : BOSS SEVEN ENGINEERING SDN. BHD.

Product : CLC FOAM (CELUKA LATTICE COMPOSITE)

Brand : CLC FOAM

Measured Thickness : 25.1 mm

Measured Density : 484 kg/m³

Date of Test : 20.12.2018

Requirement:

The flame spread on any specimen of the sample shall not exceed the limit assigned for the class with the proviso that for one specimen only in the sample the flame spread may exceed this limit by the tolerance shown.

Classification of Surface Spread of Flame

Classification	Flame Spread at 1 min	Final Flame Spread		
	Limit (mm)	Tolerance for one specimen in sample (mm)	Limit (mm)	Tolerance for one specimen in sample (mm)
Class 1	165	25	165	25
Class 2	215	25	455	45
Class 3	265	25	710	75
Class 4	Exceeding Class	3 limits		

REPORT NO.: 2019FE0013 | PAGE : 3 OF 3

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and tested by SIRIM QAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM QAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Test Results:

Product	CLC FOAM (CELUKA LATTICE COMPOSITE)	Measured Thickness	25.1 mm			
Brand	CLC FOAM	Measured Density	484 kg/m ³			
Date of Test	20.12.2018					
Specimen No.	1	2	3	4	5	6
Spread of flame at 1% minutes (mm)	60	60	60	60	60	60
Distance (mm)	Time of spread of flame to indicated distance (minutes, seconds)					
75	-	-	-	-	-	-
165	-	-	-	-	-	-
190	-	-	-	-	-	-
215	-	-	-	-	-	-
240	-	-	-	-	-	-
265	-	-	-	-	-	-
290	-	-	-	-	-	-
375	-	-	-	-	-	-
455	-	-	-	-	-	-
500	-	-	-	-	-	-
525	-	-	-	-	-	-
600	-	-	-	-	-	-
675	-	-	-	-	-	-
710	-	-	-	-	-	-
750	-	-	-	-	-	-
785	-	-	-	-	-	-
825	-	-	-	-	-	-
865	-	-	-	-	-	-
Time of maximum spread of flame (minutes, seconds)	1.00	1.00	1.00	1.00	1.00	1.00
Distance of maximum spread of flame (mm)	60	60	60	60	60	60

Conclusion:

In accordance with the class definition specified in the standard, the test results show that the sample tested has a Class One Surface Spread of Flame.

The test results relate only to the behavior of the sample under the particular conditions of test; they are not intended to be sole criterion for assessing the potential fire hazard of the product in use.



SIRIM Certificate

CONDITIONS RELATING TO THE USE OF SIRIM GAS INTERNATIONAL TEST REPORT

- A Test Report will be issued in respect of Testing Services conducted and shall relate only to the Sample actually tested.
- SIRIM GAS International makes no warranty whatsoever and the Applicant shall not represent in any manner that any duplication or mass production of the Product is same as the Sample actually tested or that SIRIM GAS International has tested any of the duplicated or mass produced Product.
- The Test Report shall not be amended, changed, varied or modified in any manner whatsoever by the Applicant or otherwise.
- The Test Report is to be furnished to any third party or to the public; each such Test Report shall be furnished in full, legible and in its entirety.
- The Test Report shall not be reproduced and shall not in any event be used for any advertising purposes or whatsoever without written approval from the Managing Director of SIRIM GAS International or Test Report No. (dated) (for what becomes the standard or otherwise) unless written permission is obtained from the Managing Director, SIRIM GAS International. (Attn: Mr. Syamal / Mr. Hisham)
- Customer (Applicant/Manufacturer/Factory, etc.) is not permitted to use any SIRIM GAS International, SIRIM and/or SIRIM's subsidiaries logo or words on packaging, sample's manual, technical specification, brochures/flyers or any other means without the prior written approval from the Managing Director of SIRIM GAS International.
- If such approval is obtained from the Managing Director of SIRIM GAS International, the Applicant may only include the phrase "A sample of the product has been tested by SIRIM GAS International Test Report No. (dated)" (or what becomes the standard or otherwise) unless written permission is obtained from the Managing Director. This phrase shall only be used for the purpose of product advertisement or product promotion (eg. brochure). For avoidance of doubt, the statement shall not be used on the sample and packing of the sample.
- In the event there is any investigation from a Government Regulatory Agency concerning the Applicant's Test Report, SIRIM GAS International may disclose the information pertaining to the Test Report for purposes of such investigation.
- Further, or in the alternative, it is strictly forbidden unless, with prior written approval from the Managing Director of SIRIM GAS International, to represent in any manner whatsoever that SIRIM GAS International, SIRIM and/or other SIRIM's subsidiaries has endorsed, approved or validated the Product of the Applicant in any manner whatsoever.
- In the event the Applicant is found in breach of this provision, SIRIM GAS International, SIRIM and/or other SIRIM's subsidiaries without prejudice to any other rights and remedies, may take whatever action necessary including but not limited to:
 - Informing and placing a notice in the media;
 - Obtaining an injunction from Court (on a solicitor-client basis to be borne by the Applicant);
 - Refusing to accept any further Product for Testing Services from the Applicant or whosoever related to the Applicant, whether subsidiary or otherwise;
 - Informing and placing a notice in the media and recall the advertisement, statement or document in question and advertise a clarification and apology to SIRIM GAS International, SIRIM and/or other SIRIM's subsidiaries twice in a national publication of SIRIM GAS International's choice at the Applicant's sole cost; and
 - Informing or lodging a report pertaining the Applicant's Test Report with the relevant authorities.
- Certified true copies of the Test Report may be issued upon request by the Applicant upon payment of the relevant fee.
- Corrections to test report shall only be allowed within 6 months from issuance date of the test report, and shall be limited to maximum 3 times, after which case whichever occurs earlier, a new report shall be issued and replace the previous one (having effect of or lack of information). Issuance of Supplementary Report to the original Test Report shall be for the following:
 - Misprints and typo errors
 - Missing technical information
 - Test data not reported
 - Mistakes in reporting of test data

**SIRIM GAS International Sdn Bhd (125331-U)
40/702 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel: 03-90464644 Fax: 03-90464644
www.srim-gas.com.my**

TEST REPORT

REPORT NO.: 2019FE0012 PAGE : 1 OF 4

This Test Report refers only to samples submitted by the applicant to SIRIM GAS International Sdn. Bhd. and tested by SIRIM GAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM GAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Product	CLC FOAM (CELUKA LATTICE COMPOSITE)
Reference Standard/ Method of Test	BS 476: Part 6: 1989+A1:2009 Fire Test on Building Materials and Structures Part 6: Method of Test for Fire Propagation for Products.
Description of Test Specimen	6 pieces of CLC Foam (Celuka Lattice Composite). Size of Specimen : 25mm x 25mm x 25.1mm (measured thickness) Base : CLC FOAM Measured Density : 446 kg/m ³
Specimen	Subindex I1 Subindex I2 Subindex I3 Fire Propagation Index (I)
Specimen	8.0 8.6 0.5 17.1

Issued Date : 10 January 2019

Approved Signatory

(RIZMI MUSA)
Testing Executive

(AZMI MUSA)
HEAD
Fire Protection Section
Testing Services Department

REPORT NO.: 2019FE0012 PAGE : 2 OF 4

This Test Report refers only to samples submitted by the applicant to SIRIM GAS International Sdn. Bhd. and tested by SIRIM GAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM GAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Product	CLC FOAM (CELUKA LATTICE COMPOSITE)
Brand	CLC FOAM
Date of Test	14.12.2018
Measured Thickness	25.1 mm
Measured Density	446 kg/m ³

Temperature Rise Above Ambient (°C)

Time (Min.)	Calibration	Specimen A	Specimen B	Specimen C	Specimen Average
0.5	13	19	21	26	22
1.0	17	33	31	39	34
1.5	22	41	38	49	42
2.0	25	43	46	54	48
2.5	28	50	54	60	55
3.0	32	57	62	63	61
4.0	62	133	126	112	123
5.0	96	180	181	169	177
6.0	121	214	210	198	207
7.0	142	239	238	211	229
8.0	158	259	262	222	247
9.0	174	269	277	229	258
10.0	185	267	278	229	257
12.0	202	245	269	218	244
14.0	212	220	249	196	222
16.0	222	207	229	184	207
18.0	231	203	218	185	202
20.0	238	200	186	199	
Subindex 1	8.7	7.1	10.3	8.0	
Subindex 2	9.5	9.5	6.8	8.8	
Subindex 3	0.4	0.9	0.1	0.5	
Index of Performance	16.6	17.5	17.2	17.1	

(SIRIM GAS International Sdn Bhd)
FIRE PROTECTION SECTION
TESTING SERVICES DEPARTMENT

(SIRIM GAS International Sdn Bhd)
FIRE PROTECTION SECTION
TESTING SERVICES DEPARTMENT

REPORT NO.: 2019FE0012 PAGE : 3 OF 4

This Test Report refers only to samples submitted by the applicant to SIRIM GAS International Sdn. Bhd. and tested by SIRIM GAS International Sdn. Bhd. This Test Report shall not be reproduced, except in full and shall not be used for any purpose by any means or forms (including but not limited to advertising purposes) without written approval from the Managing Director, SIRIM GAS International Sdn. Bhd. Please refer the last page for Conditions Relating to the Use of Test Report.

Date of Test : 14.12.2018

No. of Specimens Tested : 3 nos.


The Fire Propagation Index is 17.1 for the CLC Foam (Celuka Lattice Composite) with measured density of 446 kg/m³ and measured thickness 25.1 mm.

The Subindex I1 is 8.0
The Subindex I2 is 8.6
The Subindex I3 is 0.5

The test results relate only to the behavior of the test specimens of the product under the particular conditions of test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

(SIRIM GAS International Sdn Bhd)
FIRE PROTECTION SECTION
TESTING SERVICES DEPARTMENT

(SIRIM GAS International Sdn Bhd)
FIRE PROTECTION SECTION
TESTING SERVICES DEPARTMENT





OUR CLIENT

Our Clients



TOGL
TECHNOLOGY



i.i.
LaLaport

KPJ TAWAKKAL
HEALTH CENTRE



PROTON

TENAGA NASIONAL
Better. Brighter.

AirAsia



PETRONAS

PERODUA

PRIMA
RUMAHKU, KOMUNITIKU




GM
KLANG






OUR SERVICES

Our Services

Mihrab



Surau & Mosque



Mimbar & Meja Kuliah



Divider



Facade



Signage




Production Workflow

1

Designing process and final confirmation from the client

**2**

Making technical drawing for cutting process on CNC.

**3**

Panel production process such as cutting, cleaning and painting.

**4**

Shipping and delivering process to the client or to the site

**5**

Installation process of the panel on the wall or building facade

**6**


The project is done.





PREVIOUS WORKS

MASJID AL-HIDAYAH, SEKSYEN 18, SHAH ALAM



BANGUNAN YAYASAN TA'ALIM, KUALA LUMPUR



SURAU KPJ TAWAKKAL, KUALA LUMPUR




MASJID SELAYANG BARU, SELANGOR



MASJID AL-MUTTAQIN, WANGSA MELAWATI




MASDRASAH RAUDHATUL MUTTAQIN, KUALA LUMPUR



SJKT AMPANG, SELANGOR



SURAU AL MUSLIHIN, KUALA LUMPUR





SURAU AL-HIDAYAH, TAMAN SRI PUCHONG



MASJID BANDAR TEKNOLOGI KAJANG, SELANGOR



PREMIS MTT SHIPPING, SELANGOR



SURAU AL-JANNAH, SHAH ALAM



SURAU AL IHSAN, BANDAR TASIK KESUMA




KEDIAMAN PUAN ADILA, KLANG





MASJID JAMEK PEKAN SG BULOH, SELANGOR



PR1MA A FAMOSA, MELAKA




KEDIAMAN TUAN SUFIAN, PUNCAK ALAM



KEDIAMAN EN. TARMIZI, DENAI ALAM




KEDIAMAN PN IZEAN, PUNCAK ALAM



SURAU INSTITUT MEMANDU, KEDAH



SURAU AL-FURQAN, SHAH ALAM



SURAU AL-LATIFAH, HOTEL MARDHIYYAH




SURAU AL-FALAH, ULU YAM




MASJID AL-I'TISAM, TTDI JAYA




SURAU AL-AMIN, SHAH ALAM



MASJID KAMPUNG PASIR BARU, SEMENYIH



MASJID AL-MUTTAQIN DUSUN TUA, HULU LANGAT





Website

www.artseven.com.my



Email Address

artsevengroupofficial@gmail.com



Phone Number

019 3970 789

017 2050 789

019 5900 789



ART SEVEN
Your Dream , Our Vision

**ARTSEVEN GROUP
SDN BHD**