release | Status: mixed | App v1.0.20 | Reviewed 2026-10-24

Build, CI, and Release

1. Build configuration [current]

Setting	Value
`applicationId`	`com.google.aiedge.gallery` (differs from the `namespace` `com.google.ai.edge.gallery`)
`versionCode` / `versionName`	`46` / `1.0.20`
Build types	`debug` (default), `release` (`isMinifyEnabled = false`, **signed with the debug key**, references a missing `proguard-rules.pro`)
Build features	Compose, BuildConfig (`FEEDBACK_API_KEY = ""`)
Manifest placeholders	`appAuthRedirectScheme` (placeholder), `applicationName`, `appIcon`
Packaging	`pickFirsts **/liblitertlm_jni.so`
Protobuf	protoc 4.26.1, `java` + `kotlin` lite builtins

Common tasks (from `Android/src/`):

Command	Result
`./gradlew assembleDebug` / `installDebug`	Debug APK / install on a connected device
`./gradlew assembleRelease`	Release APK (debug-signed); what CI builds
`./gradlew testDebugUnitTest`	Runs nothing today (no test sources)
`./gradlew lintDebug`	Android Lint (not run in CI)

2. CI workflows [current]

Workflow	Trigger	Steps	Gaps
`build_android.yaml` — "Build Android APK"	push/PR to `main` touching `Android/**`; manual	checkout (v3) → Temurin JDK 21 → install SDK platform 37 → `./gradlew assembleRelease`	No tests, lint, or artifact upload. Doesn't run for allowlist or skill changes.
`static.yml` — "Deploy static content to Pages"	push to `main` touching `skills/**`; manual	Stage `skills/` → `staging/skills/` → deploy to GitHub Pages	No validation of `SKILL.md`

There is **no CI for `model_allowlists/`**, yet those files change production behaviour as soon as they're merged.

3. Versioning [current]

- `versionName` uses `MAJOR.MINOR.PATCH`, and git tags match it (`1.0.16` … `1.0.20`). `versionCode` goes up by one integer per release.
- The model catalog is versioned **per app release**: the app requests `model_allowlists/<versionName with "." → "_">.json`. Allowlists exist for `1_0_4` … `1_0_20`, plus `ios_1_0_0.json` for the iOS app.
- Old app versions keep reading their own allowlist file, so a model can be retired for one version without affecting another.

4. Release process

Steps 1–6 are reconstructed from repository evidence **[inferred]**. Steps 7–8 are **[proposed]**.

1. Bump `versionCode` and `versionName` in `Android/src/app/build.gradle.kts`.
2. Create `model_allowlists/<new_version>.json`. Usually you copy the previous file, then add or adjust models. **Without this file, a fresh install of the new version has no model list.** (It falls back to the disk cache, and a new install has none.)
3. Make sure built-in skills in `assets/skills/` are up to date.
4. Merge to `main`. CI builds the release APK.
5. Tag the release with `versionName` and publish the APK on GitHub Releases (the README links to "latest release").
6. Publish the store builds through Google Play, the App Store (iOS), and the macOS DMG. Signing for these happens outside this repo.
7. **[proposed]** Run the release checklist in 06-testing §B.4.
8. **[proposed]** Add CI gates: unit tests, lint, allowlist JSON validation, `SKILL.md` validation, and a check that `model_allowlists/<versionName>.json` exists for the version in `build.gradle.kts`.

5. Distribution channels

Channel	Source
Google Play (`com.google.ai.edge.gallery` listing)	Root README link
GitHub Releases APK	Root README link

Channel	Source
App Store (iOS 17+)	Root README link (source not in this repo)
macOS DMG	Root README link (source not in this repo)

6. Environments and configuration

Concern	OSS build default	To customise
Hugging Face OAuth	Placeholders, so gated downloads fail	08-how-to-guides §2
Firebase	Off (`apply false` , no `google-services.json`)	08-how-to-guides §11
Featured skills	Off (`SKILL_ALLOWLIST_URL = ""`)	Set the URL in `skills/SkillManager.kt`
Feedback API	`FEEDBACK_API_KEY = ""`	`buildConfigField` in `build.gradle.kts`
Model catalog	GitHub `main`	Local test file (`/data/local/tmp/model_allowlist_test.json`)