

Nama : Faisal Rizqi Nashirudin

NIM : A11.2023.14954

Kelas : Pemrograman Sisi Klien (A11.4617)

Source Code

```
src > Utils > AxiosInstance.jsx > default
1 import axios from "axios";
2
3 const AxiosInstance = axios.create({
4   baseURL: "http://localhost:3001", // alamat json-server
5   headers: {
6     "Content-Type": "application/json",
7   },
8 });
9
10 export default AxiosInstance;
```

```
src > Utils > Apis > DosenApi.jsx > ...
1 import axios from "@utils/AxiosInstance";
2
3 export const getAllDosen = () => axios.get("/dosen");
4
5 export const getDosen = (id) => axios.get(`/dosen/${id}`);
6
7 export const storeDosen = (data) => axios.post("/dosen", data);
8
9 export const updateDosen = (id, data) => axios.put(`/dosen/${id}`, data);
10
11 export const deleteDosen = (id) => axios.delete(`/dosen/${id}`);
12
```

The screenshot shows the VS Code editor with the file explorer on the left and the editor window on the right. The file explorer shows the project structure with the following folders and files:

- src
 - Data
 - Pages
 - Utils
 - Apis
 - AuthApi.js
 - DosenApi.js
 - MahasiswaApi.js
 - MatakuliahApi.js (selected)

The editor window shows the code for MatakuliahApi.js:


```
src > Utils > Apis > MatakuliahApi.js > ...
1 import axios from "@utils/AxiosInstance";
2
3 export const getAllMatakuliah = () => axios.get("/matakuliah");
4
5 export const getMatakuliah = (id) => axios.get(`/matakuliah/${id}`);
6
7 export const storeMatakuliah = (data) => axios.post("/matakuliah", data);
8
9 export const updateMatakuliah = (id, data) => axios.put(`/matakuliah/${id}`, data);
10
11 export const deleteMatakuliah = (id) => axios.delete(`/matakuliah/${id}`);
12
```

The screenshot shows the VS Code editor with the file explorer on the left and the editor window on the right. The file explorer shows the project structure with the following folders and files:


- src
 - Data
 - Pages
 - Utils
 - Apis
 - AuthApi.js (selected)
 - DosenApi.js
 - MahasiswaApi.js
 - MatakuliahApi.js

The editor window shows the code for AuthApi.js:



```
src > Utils > Apis > AuthApi.js > ...
1 import axios from "@utils/AxiosInstance";
2
3 export const login = async (email, password) => {
4   const res = await axios.get("/user", { params: { email } });
5   const user = res.data[0];
6
7   if (!user) throw new Error("Email tidak ditemukan");
8   if (user.password !== password) throw new Error("Password salah");
9
10  return user;
11 };
12
13 export const register = async ({ name, email, password }) => {
14   const res = await axios.get("/user", { params: { email } });
15
16   if (res.data.length > 0) {
17     throw new Error("Email sudah terdaftar");
18   }
19
20   const newUser = {
21     name,
22     email,
23     password,
24     role: "mahasiswa",
25     permission: ["krs.page", "krs.read"],
26   };
27
28   const postRes = await axios.post("/user", newUser);
29   return postRes.data;
30 };
31
```



```
1 import Card from "@Pages/Admin/Components/Card";
2 import Heading from "@Pages/Admin/Components/Heading";
3 import Button from "@Pages/Admin/Components/Button";
4
5 import { useEffect, useState } from "react";
6 import { useNavigate } from "react-router-dom";
7
8 import DosenTable from "../DosenTable";
9 import DosenModal from "../DosenModal";
10
11 import { confirmDelete, confirmUpdate } from "@Utils/Helpers/SwalHelpers";
12 import { toastSuccess, toastError } from "@Utils/Helpers/toastHelpers";
13
14
15 import {
16   getAllDosen,
17   storeDosen,
18   updateDosen,
19   deleteDosen,
20 } from "@Utils/Api/DosenApi";
21 import { useAuthStateContext } from "@Utils/Contexts/AuthContext";
22
23 const Dosen = () => {
24   const navigate = useNavigate();
25   const { user } = useAuthStateContext();
26
27   const [dosen, setDosen] = useState([]);
28   const [form, setForm] = useState({ nidn: "", nama: "", prodi: "" });
29   const [isModalOpen, setIsModalOpen] = useState(false);
30   const [isEdit, setIsEdit] = useState(false);
31
32   const fetchDosen = async () => {
33     try {
34       const res = await getAllDosen();
35       setDosen(res.data);
36     } catch (err) {
37       toastError("Gagal mengambil data dosen");
38     }
39   }
40 }
```



```
22 const Dosen = () => {
23   const navigate = useNavigate();
24   const { user } = useAuthStateContext();
25
26   const [dosen, setDosen] = useState([]);
27   const [form, setForm] = useState({ nidn: "", nama: "", prodi: "" });
28   const [isModalOpen, setIsModalOpen] = useState(false);
29   const [isEdit, setIsEdit] = useState(false);
30
31   const fetchDosen = async () => {
32     try {
33       const res = await getAllDosen();
34       setDosen(res.data);
35     } catch (err) {
36       toastError("Gagal mengambil data dosen");
37     }
38   }
39
40   const handleFetchDosen = () => {
41     fetchDosen();
42   };
43
44   const handleChange = (e) => {
45     setForm({ ...form, [e.target.name]: e.target.value });
46   };
47
48   const handleSubmit = async (e) => {
49     e.preventDefault();
50     if (!form.nidn || !form.nama || !form.prodi) {
51       toastError("NIDN, Nama, dan Prodi wajib diisi");
52       return;
53     }
54
55     if (isEdit) {
56       const updateDosen = async () => {
57         try {
58           await updateDosen(form.id, form);
59           toastSuccess("Data berhasil diperbarui");
60           setForm({ nidn: "", nama: "", prodi: "" });
61           setIsEdit(false);
62           setIsModalOpen(false);
63           fetchDosen();
64         } catch (err) {
65           toastError("Gagal memperbarui data");
66         }
67       };
68       updateDosen();
69     } else {
70       const storeDosen = async () => {
71         try {
72           await storeDosen(form);
73           toastSuccess("Data berhasil disimpan");
74           setForm({ nidn: "", nama: "", prodi: "" });
75           setIsModalOpen(false);
76           fetchDosen();
77         } catch (err) {
78           toastError("Gagal menyimpan data");
79         }
80       };
81       storeDosen();
82     }
83   };
84
85   const handleDelete = (id) => {
86     const deleteDosen = async () => {
87       try {
88         await deleteDosen(id);
89         toastSuccess("Data berhasil dihapus");
90         fetchDosen();
91       } catch (err) {
92         toastError("Gagal menghapus data");
93       }
94     };
95     deleteDosen();
96   };
97 }
```



```
22 const Dosen = () => {
113
114   <div className="flex justify-between items-center mb-4">
115     <Heading as="h2" className="mb-0 text-left">Daftar Dosen</Heading>
116     <Button onClick={() => openAddModal()}>+ Tambah Dosen</Button>
117   </div>
118
119   {user?.permission?.includes("dosen.read") && (
120     <DosenTable
121       data={dosen}
122       onEdit={openEditModal}
123       onDelete={handleDelete}
124       onDetail={(id) => navigate(`/admin/dosen/${id}`)}
125     </DosenTable>
126   )}
127
128   </Card>
129
130   {isModalOpen && (
131     <DosenModal
132       isOpen={isModalOpen}
133       isEdit={isEdit}
134       form={form}
135       onChange={handleChange}
136       onClose={() => setIsModalOpen(false)}
137       onSubmit={handleSubmit}
138     </DosenModal>
139   )}
140
141   </>
142 </>
143
144 export default Dosen;
145
```


```
1 import Card from "@Pages/Admin/Components/Card";
2 import Heading from "@Pages/Admin/Components/Heading";
3 import Button from "@Pages/Admin/Components/Button";
4
5 import { useEffect, useState } from "react";
6 import { useNavigate } from "react-router-dom";
7
8 import MataKuliahTable from "../MataKuliahTable";
9 import MataKuliahModal from "../MataKuliahModal";
10
11 import { confirmDelete, confirmUpdate } from "@Utils/Helpers/SwalHelpers";
12 import { toastSuccess, toastError } from "@Utils/Helpers/toastHelpers";
13
14 import {
15   getAllMataKuliah,
16   storeMataKuliah,
17   updateMataKuliah,
18   deleteMataKuliah,
19 } from "@Utils/Apis/MataKuliahApi";
20 import { useAuthStateContext } from "@Utils/contexts/AuthContext";
21
22 const MataKuliah = () => {
23   const navigate = useNavigate();
24   const { user } = useAuthStateContext();
25
26   const [mataKuliah, setMataKuliah] = useState([]);
27   const [form, setForm] = useState({ kode: "", nama: "", sks: "", semester: "" });
28   const [isModalOpen, setIsModalOpen] = useState(false);
29   const [isEdit, setIsEdit] = useState(false);
30
31   const fetchMataKuliah = async () => {
32     try {
33       const res = await getAllMataKuliah();
34       setMataKuliah(res.data);
35     } catch (err) {
36       toastError("Gagal mengambil data mata kuliah");
37     }
38   };
39
40   useEffect(() => {
41     fetchMataKuliah();
42   }, []);
43
44   <Card>
45     <Heading>Mata Kuliah</Heading>
46     <Table>
47       <thead>
48         <tr>
49           <th>Kode</th>
50           <th>Nama</th>
51           <th>SKS</th>
52           <th>Semester</th>
53           <th>Aksi</th>
54         </tr>
55       </thead>
56       <tbody>
57         {mataKuliah.map((mk) => (
58           <tr>
59             <td>{mk.kode}</td>
60             <td>{mk.nama}</td>
61             <td>{mk.sks}</td>
62             <td>{mk.semester}</td>
63             <td>
64               <Button>Edit</Button>
65               <Button>Hapus</Button>
66             </td>
67           </tr>
68         ))}
69       </tbody>
70     </Table>
71     <Button>+ Tambah Mata Kuliah</Button>
72   </Card>
73
74   {isModalOpen && (
75     <MataKuliahModal
76       isOpen={isModalOpen}
77       isEdit={isEdit}
78       form={form}
79       onChange={handleChange}
80       onClose={() => setIsModalOpen(false)}
81       onSubmit={handleSubmit}
82     </MataKuliahModal>
83   )}
84
85   </>
86 </>
87
```

```
22 const MataKuliah = () => {
31   const fetchMataKuliah = async () => {
35     } catch (err) {
36       toastError("Gagal mengambil data mata kuliah");
37     }
38   };
39
40   useEffect(() => {
41     fetchMataKuliah();
42   }, []);
43
44   const handleChange = (e) => {
45     setForm({ ...form, [e.target.name]: e.target.value });
46   };
47
48   const handleSubmit = async (e) => {
49     e.preventDefault();
50     if (!form.kode || !form.nama || !form.sks || !form.semester) {
51       toastError("Semua field wajib diisi");
52       return;
53     }
54
55     const payload = {
56       ...form,
57       sks: Number(form.sks),
58       semester: Number(form.semester),
59     };
60
61     if (isEdit) {
62       confirmUpdate(async () => {
63         try {
64           await updateMataKuliah(form.id, payload);
65           toastSuccess("Data berhasil diperbarui");
66           setForm({ kode: "", nama: "", sks: "", semester: "" });
67           setIsEdit(false);
68           setIsModalOpen(false);
69           fetchMataKuliah();
70         } catch (err) {
71           toastError("Gagal memperbarui data");
72         }
73       });
74     } else {
75       const exists = mataKuliah.find((mk) => mk.kode === form.kode);
76       if (exists) {
77         toastError("Kode mata kuliah sudah terdaftar!");
78         return;
79       }
80       try {
81         await storeMataKuliah(payload);
82         toastSuccess("Data berhasil ditambahkan");
83         setForm({ kode: "", nama: "", sks: "", semester: "" });
84         setIsModalOpen(false);
85         fetchMataKuliah();
86       } catch (err) {
87         toastError("Gagal menambahkan data");
88       }
89     }
90   };
91
92   const openAddModal = () => {
93     setIsModalOpen(true);
94     setForm({ kode: "", nama: "", sks: "", semester: "" });
95     setIsEdit(false);
96   };
97
98   const closeModal = () => {
99     setIsModalOpen(false);
100   };
101
102   return (
103     <div>
104       <h3>Mata Kuliah</h3>
105       <table>
106         <thead>
107           <tr>
108             <th>Kode</th>
109             <th>Nama</th>
110             <th>SKS</th>
111             <th>Semester</th>
112           </tr>
113         </thead>
114         <tbody>
115           {mataKuliah.map((mk) => (
116             <tr>
117               <td>{mk.kode}</td>
118               <td>{mk.nama}</td>
119               <td>{mk.sks}</td>
120               <td>{mk.semester}</td>
121             </tr>
122           ))}
123         </tbody>
124       </table>
125       <div>
126         <button>Tambah</button>
127         <button>Edit</button>
128         <button>Hapus</button>
129       </div>
130     </div>
131   );
132 }
```


```
22 const MataKuliah = () => {
31   const fetchMataKuliah = async () => {
35     } catch (err) {
36       toastError("Gagal mengambil data mata kuliah");
37     }
38   };
39
40   useEffect(() => {
41     fetchMataKuliah();
42   }, []);
43
44   const handleChange = (e) => {
45     setForm({ ...form, [e.target.name]: e.target.value });
46   };
47
48   const handleSubmit = async (e) => {
49     e.preventDefault();
50     if (!form.kode || !form.nama || !form.sks || !form.semester) {
51       toastError("Semua field wajib diisi");
52       return;
53     }
54
55     const payload = {
56       ...form,
57       sks: Number(form.sks),
58       semester: Number(form.semester),
59     };
60
61     if (isEdit) {
62       confirmUpdate(async () => {
63         try {
64           await updateMataKuliah(form.id, payload);
65           toastSuccess("Data berhasil diperbarui");
66           setForm({ kode: "", nama: "", sks: "", semester: "" });
67           setIsEdit(false);
68           setIsModalOpen(false);
69           fetchMataKuliah();
70         } catch (err) {
71           toastError("Gagal memperbarui data");
72         }
73       });
74     } else {
75       const exists = mataKuliah.find((mk) => mk.kode === form.kode);
76       if (exists) {
77         toastError("Kode mata kuliah sudah terdaftar!");
78         return;
79       }
80       try {
81         await storeMataKuliah(payload);
82         toastSuccess("Data berhasil ditambahkan");
83         setForm({ kode: "", nama: "", sks: "", semester: "" });
84         setIsModalOpen(false);
85         fetchMataKuliah();
86       } catch (err) {
87         toastError("Gagal menambahkan data");
88       }
89     }
90   };
91
92   const openAddModal = () => {
93     setIsModalOpen(true);
94     setForm({ kode: "", nama: "", sks: "", semester: "" });
95     setIsEdit(false);
96   };
97
98   const closeModal = () => {
99     setIsModalOpen(false);
100   };
101
102   return (
103     <div>
104       <h3>Mata Kuliah</h3>
105       <table>
106         <thead>
107           <tr>
108             <th>Kode</th>
109             <th>Nama</th>
110             <th>SKS</th>
111             <th>Semester</th>
112           </tr>
113         </thead>
114         <tbody>
115           {mataKuliah.map((mk) => (
116             <tr>
117               <td>{mk.kode}</td>
118               <td>{mk.nama}</td>
119               <td>{mk.sks}</td>
120               <td>{mk.semester}</td>
121             </tr>
122           ))}
123         </tbody>
124       </table>
125       <div>
126         <button>Tambah</button>
127         <button>Edit</button>
128         <button>Hapus</button>
129       </div>
130     </div>
131   );
132 }
```

```
File Edit Selection View Go Run Terminal Help ← → tugas8
MataKuliah.jsx
src > Pages > Admin > MataKuliah > MataKuliah.jsx > ...
22 const MataKuliah = () => {
92 const openAddModal = () => {
95   setIsEdit(false);
96 };
97
98 const openEditModal = (item) => {
99   setForm({
100     id: item.id,
101     kode: item.kode,
102     nama: item.nama,
103     sks: item.sks,
104     semester: item.semester,
105   });
106   setIsEdit(true);
107   setIsModalOpen(true);
108 };
109
110 const handleDelete = (id) => {
111   confirmDelete(async () => {
112     try {
113       await deleteMataKuliah(id);
114       toastSuccess("Data berhasil dihapus");
115       fetchMataKuliah();
116     } catch (err) {
117       toastError("Gagal menghapus data");
118     }
119   });
120 };
121
122 return (
123   <Card>
124     <div className="flex justify-between items-center mb-4">
125       <Heading as="h2" className="mb-0 text-left">Daftar Mata Kuliah</Heading>
126       {user?.permission?.includes("matakuliah.create") && (
127         <Button onClick={() => openAddModal()}>+ Tambah Mata Kuliah</Button>
128       )}
129     </div>
130   </Card>
131 );
132
133 {user?.permission?.includes("matakuliah.read") && (
134   <MataKuliahTable
135     data={matakuliah}
136     onEdit={openEditModal}
137     onDelete={handleDelete}
138     onDetail={(id) => navigate("/admin/matakuliah/${id}")}
139   />
140 )}
141
142 {isModalOpen && (
143   <MataKuliahModal
144     isOpen={isModalOpen}
145     isEdit={isEdit}
146     form={form}
147     onChange={handleChange}
148     onCancel={() => setIsModalOpen(false)}
149     onSubmit={handleSubmit}
150   />
151 )}
152 </>
153 );
154 };
155
156 export default MataKuliah;
157
```

```
File Edit Selection View Go Run Terminal Help ← → tugas8
MataKuliah.jsx
src > Pages > Admin > MataKuliah > MataKuliah.jsx > ...
22 const MataKuliah = () => {
123   <Card>
124     <div className="flex justify-between items-center mb-4">
125       <Heading as="h2" className="mb-0 text-left">Daftar Mata Kuliah</Heading>
126       {user?.permission?.includes("matakuliah.create") && (
127         <Button onClick={() => openAddModal()}>+ Tambah Mata Kuliah</Button>
128       )}
129     </div>
130   </Card>
131 );
132
133 {user?.permission?.includes("matakuliah.read") && (
134   <MataKuliahTable
135     data={matakuliah}
136     onEdit={openEditModal}
137     onDelete={handleDelete}
138     onDetail={(id) => navigate("/admin/matakuliah/${id}")}
139   />
140 )}
141
142 {isModalOpen && (
143   <MataKuliahModal
144     isOpen={isModalOpen}
145     isEdit={isEdit}
146     form={form}
147     onChange={handleChange}
148     onCancel={() => setIsModalOpen(false)}
149     onSubmit={handleSubmit}
150   />
151 )}
152 </>
153 );
154 };
155
156 export default MataKuliah;
157
```



```
1 import { useState } from "react";
2 import { Link, Navigate, useNavigate } from "react-router-dom";
3
4 import { toastSuccess, toastError } from "@Utils/helpers/toastHelpers";
5 import { useAuthStateContext } from "@Utils/Contexts/AuthContext";
6
7 import Input from "@Pages/Auth/Components/Input";
8 import Label from "@Pages/Auth/Components/Label";
9 import Button from "@Pages/Auth/Components/Button";
10 import Card from "@Pages/Auth/Components/Card";
11 import Heading from "@Pages/Auth/Components/Heading";
12 import Form from "@Pages/Auth/Components/Form";
13
14 import { register } from "@Utils/Api/AuthApi";
15
16 const Register = () => {
17   const { user } = useAuthStateContext();
18   const navigate = useNavigate();
19
20   const [form, setForm] = useState({
21     name: "",
22     email: "",
23     password: "",
24     confirmPassword: "",
25   });
26
27   if (user) return <Navigate to="/admin" />;
28
29   const handleChange = (e) => {
30     setForm({ ...form, [e.target.name]: e.target.value });
31   };
32
33   const handleSubmit = async (e) => {
34     e.preventDefault();
35     const { name, email, password, confirmPassword } = form;
36     if (!name || !email || !password || !confirmPassword) {
37
```




```
37       toastError("Semua field wajib diisi");
38       return;
39     }
40
41     if (password !== confirmPassword) {
42       toastError("Konfirmasi password tidak cocok");
43       return;
44     }
45
46     if (password.length < 6) {
47       toastError("Password minimal 6 karakter");
48       return;
49     }
50
51     try {
52       await register({ name, email, password });
53       toastSuccess("Registrasi berhasil! silakan login.");
54       setTimeout(() => navigate("/"), 1500);
55     } catch (err) {
56       toastError(err.message);
57     }
58   };
59
60   return (
61     <Card className="max-w-md">
62       <Heading as="h2">Registrasi Akun</Heading>
63       <Form onSubmit={handleSubmit}>
64         <div>
65           <Label htmlFor="name">Nama Lengkap</Label>
66           <Input
67             type="text"
68             value={form.name}
69             onChange={handleChange}
70           />
71         </div>
72       </Form>
73     </Card>
74   );
75 }
```




```
File Edit Selection View Go Run Terminal Help tugas8
EXPLORER
src > Pages > Auth > Register > Register.jsx
TUGAS8
src
  Pages
    Admin
      Dashboard
      Dosen
        Dosen.jsx
        DosenModal.jsx
        DosenTable.jsx
      DosenDetail
      DosenDetail
      Mahasiswa
        MahasiswaDetail
      Matakuliah
        Matakuliah.jsx
        MatakuliahModal.jsx
        MatakuliahTable.jsx
        MatakuliahDetail
      AdminLayout.jsx
    Auth
      Register.jsx
      AuthLayout.jsx
    Error
    Utils
    Apis
      AuthApi.js
      DosenApi.js
  OUTLINE
  TIMELINE
src > Pages > Auth > Register > Register.jsx
16 const Register = () => {
65   <div>
66     <label htmlFor="name">Nama Lengkap</label>
67     <input
68       type="text"
69       name="name"
70       value={form.name}
71       onChange={handleChange}
72       placeholder="Masukkan nama lengkap"
73       required
74     />
75   </div>
76   <div>
77     <label htmlFor="email">Email</label>
78     <input
79       type="email"
80       name="email"
81       value={form.email}
82       onChange={handleChange}
83       placeholder="Masukkan email"
84       required
85     />
86   </div>
87   <div>
88     <label htmlFor="password">Password</label>
89     <input
90       type="password"
91       name="password"
92       value={form.password}
93       onChange={handleChange}
94       placeholder="Masukkan password"
95       required
96     />
97   </div>
98   <div>
99     <label htmlFor="confirmPassword">Konfirmasi Password</label>
100    <input
```

```
File Edit Selection View Go Run Terminal Help tugas8
EXPLORER
src > Pages > Auth > Register > Register.jsx
TUGAS8
src
  Pages
    Admin
      Dashboard
      Dosen
        Dosen.jsx
        DosenModal.jsx
        DosenTable.jsx
      DosenDetail
      DosenDetail
      Mahasiswa
        MahasiswaDetail
      Matakuliah
        Matakuliah.jsx
        MatakuliahModal.jsx
        MatakuliahTable.jsx
        MatakuliahDetail
      AdminLayout.jsx
    Auth
      Register.jsx
      AuthLayout.jsx
    Error
    Utils
    Apis
      AuthApi.js
      DosenApi.js
  OUTLINE
  TIMELINE
src > Pages > Auth > Register > Register.jsx
16 const Register = () => {
92     value={form.password}
93     onChange={handleChange}
94     placeholder="Masukkan password"
95     required
96   />
97 </div>
98 <div>
99   <label htmlFor="confirmPassword">Konfirmasi Password</label>
100   <input
101     type="password"
102     name="confirmPassword"
103     value={form.confirmPassword}
104     onChange={handleChange}
105     placeholder="Ulangi password"
106     required
107   />
108 </div>
109 <button type="submit" className="w-full">
110   Daftarkan
111 </button>
112 </Form>
113 <p className="text-sm text-center text-gray-600 mt-4">
114   Sudah punya akun? (" ")
115 <Link to="/login" className="text-blue-500 hover:underline">
116   Login
117 </Link>
118 </p>
119 </Card>
120 </div>
121 </div>
122 </div>
123 </div>
124 </div>
export default Register;
```



```
src> main.jsx > ...
1 import ReactDOM from "react-dom/client";
2 import { Navigate, createBrowserRouter, RouterProvider } from "react-router-dom";
3
4 import './App.css'
5
6 import AuthLayout from "@Pages/Auth/AuthLayout";
7 import AdminLayout from "@Pages/Admin/AdminLayout";
8 import ProtectedRoute from "@Pages/Admin/Components/ProtectedRoute";
9
10 import Login from "@Pages/Auth/Login/Login";
11 import Register from "@Pages/Auth/Register/Register";
12 import Dashboard from "@Pages/Admin/Dashboard/Dashboard";
13 import Mahasiswa from "@Pages/Admin/Mahasiswa/Mahasiswa";
14 import MahasiswaDetail from "@Pages/Admin/MahasiswaDetail/MahasiswaDetail";
15 import Dosen from "@Pages/Admin/Dosen/Dosen";
16 import DosenDetail from "@Pages/Admin/DosenDetail/DosenDetail";
17 import Matakuliah from "@Pages/Admin/Matakuliah/Matakuliah";
18 import MatakuliahDetail from "@Pages/Admin/MatakuliahDetail/MatakuliahDetail";
19 import PageNotFound from "@Pages/Error/PageNotFound";
20
21 import { Toast } from "react-hot-toast";
22
23 import { AuthProvider } from "@utils/contexts/AuthContext";
24
25 const router = createBrowserRouter([
26   {
27     path: "/",
28     element: <AuthLayout />,
29     children: [
30       {
31         index: true,
32         element: <Login />,
33       },
34       {
35         path: "register",
36         element: <Register />,
37       },
38     ],
39   },
40 ],
```



```
25 const router = createBrowserRouter([
26   children: [
27     {
28       path: "register",
29       element: <Register />,
30     },
31   ],
32 },
33 ],
34 {
35   path: "/admin",
36   element: (
37     <ProtectedRoute>
38     <AdminLayout />
39     </ProtectedRoute>
40   ),
41   children: [
42     {
43       index: true,
44       element: <Navigate to="dashboard" />,
45     },
46     {
47       path: "dashboard",
48       element: <Dashboard />,
49     },
50     {
51       path: "mahasiswa",
52       children: [
53         {
54           index: true,
55           element: <Mahasiswa />,
56         },
57         {
58           path: "id",
59           element: <MahasiswaDetail />,
60         },
61       ],
62     },
63   ],
64 },
65 ],
66 ],
67 ],
68 ],
69 ],
70 ],
```

VS Code editor showing the initial setup of a React application. The Explorer sidebar shows the project structure with folders like Pages, Auth, Login, Register, Error, Utilities, and APIs. The main editor displays the src/main.jsx file with a partial Router configuration.

```
src > main.jsx > ...
25 const router = createBrowserRouter([
47   children: [
58     children: [
67       ],
68     ],
69   },
70   path: "dosen",
71   children: [
72     {
73       index: true,
74       element: <Dosen />,
75     },
76     {
77       path: ":id",
78       element: <DosenDetail />,
79     },
80   ],
81 },
82 {
83   path: "matakuliah",
84   children: [
85     {
86       index: true,
87       element: <Matakuliah />,
88     },
89     {
90       path: ":id",
91       element: <MatakuliahDetail />,
92     },
93   ],
94 },
95 ],
96 ],
97 {
98   path: "*",
99   element: <PageNotFound />,
100 },
]);
```



VS Code editor showing the completed main.jsx file. The Router configuration is now complete, and the ReactDOM.render method is called with the necessary providers.



```
src > main.jsx > ...
25 const router = createBrowserRouter([
47   children: [
73     children: [
80       ],
81     ],
82   },
83   path: "matakuliah",
84   children: [
85     {
86       index: true,
87       element: <Matakuliah />,
88     },
89     {
90       path: ":id",
91       element: <MatakuliahDetail />,
92     },
93   ],
94 },
95 ],
96 ],
97 {
98   path: "*",
99   element: <PageNotFound />,
100 },
101 ],
102 );
103 ReactDOM.createRoot(document.getElementById("root")).render(
104   <AuthProvider>
105     <Toaster position="top-right" />
106     <RouterProvider router={router} />
107   </AuthProvider>
108 );
109
```



```
1 import { NavLink } from "react-router-dom";
2 import { useAuthStateContext } from "@utils/Contexts/AuthContext";
3
4 const Sidebar = () => {
5   const { user } = useAuthStateContext();
6
7   return (
8     <aside className="bg-blue-800 text-white min-h-screen transition-all duration-300 w-20 lg:w-64">
9       <div className="p-4 border-b border-blue-700">
10        <span className="text-2xl font-bold hidden lg:block">Admin</span>
11      </div>
12      <nav className="p-4 space-y-2">
13        {user?.permission?.includes("dashboard.page") && (
14          <NavLink
15            to="/admin/dashboard"
16            className={({ isActive }) =>
17              <span className="flex items-center space-x-2 px-4 py-2 rounded ${
18                isActive ? "bg-blue-700" : "hover:bg-blue-700"
19              }">
20                <span></span>
21                <span className="menu-text hidden lg:inline">Dashboard</span>
22              </span>
23            </NavLink>
24          )
25        )
26        {user?.permission?.includes("mahasiswa.page") && (
27          <NavLink
28            to="/admin/mahasiswa"
29            className={({ isActive }) =>
30              <span className="flex items-center space-x-2 px-4 py-2 rounded ${
31                isActive ? "bg-blue-700" : "hover:bg-blue-700"
32              }">
33                <span></span>
34                <span className="menu-text hidden lg:inline">Mahasiswa</span>
35              </span>
36            </NavLink>
37          )
38        )
39      </nav>
40    </aside>
41  );
42
43 export default Sidebar;
```



```
36 <span className="menu-text hidden lg:inline">Mahasiswa</span>
37 </NavLink>
38 )
39 }
40 {user?.permission?.includes("dosen.page") && (
41   <NavLink
42     to="/admin/dosen"
43     className={({ isActive }) =>
44       <span className="flex items-center space-x-2 px-4 py-2 rounded ${
45         isActive ? "bg-blue-700" : "hover:bg-blue-700"
46       }">
47         <span></span>
48         <span className="menu-text hidden lg:inline">Dosen</span>
49       </span>
50     </NavLink>
51   )
52   {user?.permission?.includes("matakuliah.page") && (
53     <NavLink
54       to="/admin/matakuliah"
55       className={({ isActive }) =>
56         <span className="flex items-center space-x-2 px-4 py-2 rounded ${
57           isActive ? "bg-blue-700" : "hover:bg-blue-700"
58         }">
59           <span></span>
60           <span className="menu-text hidden lg:inline">Mata Kuliah</span>
61         </span>
62       </NavLink>
63     )
64   )
65 }
66 </nav>
67 </aside>
68 );
69
70 export default Sidebar;
```



Tampilan















JSON Server

tugas3

Ask Gemini

localhost:5174/admin/dosen

toolsGoogle KeepGoogle Calendar ...YouTube Music(18) YouTubeInstagramAIHoyoGitHub: Let's build f...Kotak Masuk (1.115)...(2) Reddit - Dwe int... (14) Feed | LinkedIn»

Admin

DashboardMahasiswaDosenMata Kuliah

Login sebagai: admin

Daftar Dosen

+ Tambah Dosen

NIDN	Nama	Prodi	Aksi
0012345678	Dr. Ahmad Wijaya, M.Kom	Teknik Informatika S1	Detail Edit Hapus
0023456789	Siti Nurhaliza, S.Kom, M.T	Sistem Informasi	Detail Edit Hapus
0034567890	Prof. Bambang Hartono, Ph.D	Teknik Informatika	Detail Edit Hapus

© 2025 Admin Dashboard. All rights reserved.

32°C Cerah14:3315/06/2026

JSON Server

tugas3

Ask Gemini

localhost:5174/admin/matakuliah

toolsGoogle KeepGoogle Calendar ...YouTube Music(18) YouTubeInstagramAIHoyoGitHub: Let's build f...Kotak Masuk (1.115)...(2) Reddit - Dwe int... (14) Feed | LinkedIn»

Admin

DashboardMahasiswaDosenMata Kuliah

Login sebagai: admin

Daftar Mata Kuliah

+ Tambah Mata Kuliah

Kode	Nama	Aksi
A11.44201	Perencanaan	Detail Edit Hapus
A11.44202	Perencanaan	Detail Edit Hapus
A11.44203	Perencanaan	Detail Edit Hapus

Yakin ingin menghapus data ini?

Ya, hapusBatal

© 2025 Admin Dashboard. All rights reserved.

32°C Cerah14:3315/06/2026

