Peptides Unlocked.

Your 48-hour blueprint *for safe, research-backed results — for the reader ready to move past the basics.*

Greenstone Peptides
PEPTIDE SOLUTIONS

Greenstone
RESEARCH-GRADE PEPTIDES

VOL II THE SERIES
FOR RESEARCH & EDUCATION
GREENSTONEWELLNESS.STORE

A NOTE BEFORE YOU BEGIN

Important Notice.

Read this page first. The rest of the guide assumes you have.

All content in this guide is for research and educational purposes only. Greenstone products are sold for in-vitro research and laboratory use.

Nothing in this guide constitutes medical advice. Consult a licensed physician before making any health decisions.

Statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure, or prevent any disease.

Throughout this volume, language describing dosage ranges, cycle lengths, and protocol design refers to what is commonly reported in published research literature — not personal recommendations. Decisions about your own health belong to you and your physician.

TABLE OF CONTENTS

Inside Volume II.

00 Continuing the Conversation 04
A letter from the Greenstone team

01 Peptides 101 — Stop Guessing 06
Categories, mechanisms, realistic expectations

02 Results First — Match Goal to Family 09
Decision matrix · evidence hierarchy · constraints

03 Quality & Legitimacy 12
The Greenstone trust signals checklist

04 Safety Screening 15
Green / yellow / red — before any research begins

05 48-Hour Research Plan Framework 17
Hour 0 · Hour 24 · Hour 48 — informational structure

06 Troubleshooting & Optimization 20
Observation → adjustment → pause logic

07 Your Next Three Research Steps 22
Closing framework & back cover

WELCOME BACK

Continuing the conversation.

If *Peptides Made Easy* taught you the language, *Peptides Unlocked* teaches you the framework.

You already understand that peptides are short amino-acid chains, not steroids. You know that quality matters more than novelty, and that the loudest products online are rarely the most credible. You're past the introduction.

This volume is the next step. Less explaining, more deciding. We've built it for the reader who wants a structured way to think — how to match a goal to a peptide family, how to evaluate a vendor in under sixty seconds, how to design a 48-hour research plan that actually has a beginning, a middle, and a checkpoint.

Two things to keep in mind as you read.

One: every recommendation here is informational. We describe what the published research community commonly reports — not what you should personally inject, ingest, or attempt. Your physician is the only person qualified to answer that question.

Two: the Greenstone standard is not a marketing line. Third-party Certificates of Analysis, US-shipped logistics, GMP-aligned compounding, batch-printed traceability — these exist because the alternative is unacceptable. When you finish this guide, you'll know exactly what to look for, whether you research with us or anywhere else.

Clarity beats complexity. Let's build yours.

Onward,

The Greenstone Team

RESEARCH-GRADE PEPTIDES · US-SHIPPED · THIRD-PARTY VERIFIED

SECTION ONE · FOUNDATIONS

01

Peptides 101 — stop guessing.

- What peptides actually are at the molecular level — and how they differ from steroids, SARMs, and hormones.
- The five working categories: regenerative, metabolic, performance, cosmetic, immune.
- Why "fast results" is the wrong frame, and what realistic timelines look like in the literature.

SECTION 01 / FOUNDATIONS

Understand what they are (so you stop guessing).

Before any research framework matters, the underlying biology has to make sense. Peptides are short chains of amino acids — typically between two and fifty residues — and they sit between single amino acids and full proteins on the size spectrum. In the body, they function as signaling molecules. They bind to receptors and instruct cells: grow, repair, regulate, recover. Think of them as text messages, not loudspeakers.

How peptides differ from steroids, SARMs, and hormones.

The three are routinely confused, and the confusion is expensive. **Steroids** mimic testosterone and act broadly on androgen receptors — broad effect, broad side-effect surface. **SARMs** are synthetic small molecules that bind to specific androgen receptors in muscle and bone. **Hormones** are larger systemic regulators that direct entire organ systems. Peptides are precise: short, targeted, often half-lives measured in minutes to hours. The literature treats them as a fundamentally different class, and so should you.

> RESEARCH INSIGHT
>
> Peptide effect is governed by three variables that consistently appear in the literature: receptor binding affinity, half-life, and frequency of administration. Most reported "non-responders" are explained by one of these three before anything else.

The five working categories.

- **Regenerative.** Tissue repair, wound and connective-tissue healing.
- **Metabolic.** Energy regulation, body composition signaling, insulin pathways.
- **Performance & Recovery.** Muscle repair signaling, training adaptation, post-exertion recovery.
- **Cosmetic.** Skin, hair, collagen-adjacent pathways.
- **Immune & Inflammation.** Modulating the body's response to stress and injury.

What you should realistically expect.

Some peptides produce reportable effects in hours; others take weeks of consistent use before any measurable shift. The literature tends to describe early changes in subjective domains (sleep quality, recovery feel) and slower changes in measured domains (body composition, lab values). Diet, sleep, and training never stop mattering — peptides modify a baseline, they do not replace one.

DECISION FRAMEWORK · THE FIVE BEGINNER FAILURE MODES

- Believing in "super-fast" results — the literature rarely supports the timelines marketing implies.
- Ignoring diet, sleep, and exercise — the multiplier effect collapses without them.
- Stacking too many compounds at once — isolating cause and effect becomes impossible.
- Sourcing from unverified vendors — underdosed or mislabeled product produces fake non-response.
- Tracking nothing — without baselines, you cannot know whether anything worked.

The half-life rule of thumb.

When you compare two peptides claiming similar effects, the question to ask is rarely *which is stronger*. The more useful question is *which has a half-life and dosing frequency compatible with the lifestyle of the researcher*. A compound that requires precise four-times-daily dosing is functionally less effective than a longer-acting alternative for someone with a travel-heavy schedule — not because the molecule is weaker, but because adherence collapses.

> **RESEARCH INSIGHT**
>
> In the published literature, adherence is the most consistent predictor of reported outcome — ahead of dose, ahead of stack design, ahead of subject demographics. Plan for the protocol you will actually follow.

When the underlying biology is clear, the rest of this guide becomes a sequence of decisions rather than guesses. That is the entire point of Volume II.

SECTION TWO · STRATEGY

02

Results first — match goal to peptide family.

- How to pick a single primary outcome and build everything else around it.
- The evidence hierarchy: how to weigh trials, off-label use, case data, and animal models.
- The decision matrix: peptide families across recovery, performance, and longevity goals.

SECTION 02 / STRATEGY

Match the right peptide strategy to your exact goal.

Copy-pasting someone else's protocol is the most common reason researchers fail to reproduce reported results. The single most useful exercise in Volume II is the one most readers skip: pick one primary outcome, write it down, and refuse to add a second until the first has a baseline measurement, a four-week observation window, and a documented response.

Pick one primary outcome.

- Fat loss / body composition
- Lean muscle / strength
- Recovery (muscle, joint, connective tissue)
- Injury or tendon support
- Sleep quality
- Libido
- Skin or hair

One goal — not three. Focus is what makes the next four weeks measurable.

The evidence hierarchy.

Not every claim is backed by the same quality of evidence. When the literature is mixed, this is the order to trust:

1. **Human clinical trials (RCTs).** The strongest signal.
2. **Off-label clinical use.** Documented physician use, weaker than RCTs but real-world.
3. **Case studies.** Useful directional clues, not population-level conclusions.
4. **Animal-only studies.** Promising mechanistic data, low translational confidence.

> RESEARCH INSIGHT
>
> Stacking two compounds with overlapping pathways is the single fastest way to lose the ability to explain your own results. Start with one. Add only when isolation is no longer possible without it.

The goal → family decision matrix.

The matrix below maps the most-discussed peptide families across three goal columns. **No dosing is shown.** Dosage decisions belong to a researcher and their physician, not to a guide.

FAMILY	RECOVERY	PERFORMANCE	LONGEVITY
REGENERATIVE	Tissue-repair signalers Most-discussed family for tendon, joint, and connective-tissue recovery research.	Indirect — supports training adaptation by reducing recovery friction between sessions.	Frequently referenced in research on age-related collagen and tissue maintenance.
PERFORMANCE	Lean-mass and strength signaling, common in post-training recovery research.	GH-axis signalers The category most associated with body-composition and strength outcomes.	Mixed signal — literature supports cycling and monitoring rather than continuous use.
METABOLIC	Indirect — better sleep and metabolic signaling improve recovery cascades.	Limited direct performance data; stronger signal for body-composition goals.	Insulin / energy regulators One of the most active research areas in the longevity literature.
COSMETIC	Limited recovery relevance.	Limited performance relevance.	Skin / collagen signalers Active research area for visible-aging biomarkers.
IMMUNE & INFLAMMATION	Strong category for stress-response and chronic-inflammation research.	Indirect — lower systemic inflammation improves training adaptation.	Frequently studied in the context of inflammatory aging mechanisms.

DECISION FRAMEWORK · CONSTRAINT CHECK

- **Budget.** What can you sustain for a full observation window, not just one purchase?
- **Administration preference.** Oral, sublingual, or alternative routes.
- **Travel pattern.** Cold-chain logistics matter more than most researchers admit.
- **Existing health context.** Medications, conditions, and physician-flagged interactions.
- **Measurement appetite.** The peptide you can *track* outperforms the one you cannot.

SECTION THREE · SOURCING

03

Quality & legitimacy — the trust signals.

- The five Greenstone trust signals every credible vendor should be able to demonstrate.
- How to read a Certificate of Analysis — and how to spot a fake one.
- Storage, cold-chain, and reconstitution principles drawn from the research literature.

SECTION 03 / SOURCING

How to avoid bad products and costly mistakes.

Even the most-cited compound is worthless if the vial is mislabeled, contaminated, or underdosed. Quality is not a preference; it is a precondition. The peptide market has well-documented gray areas — counterfeits, mislabeling, sterility breakdowns — and the only defensible response is a vendor checklist applied consistently before any research begins.

The Greenstone trust-signal checklist.

- **Third-party COA included**
  Independent lab, not the seller's own facility.
- **US-shipped**
  Domestic logistics, no customs ambiguity, predictable cold-chain.
- **GMP-aligned facility**
  Documented compounding standards, not a marketing line.
- **Batch ID printed**
  Every vial traceable to a specific lot and a specific COA.
- **Consistent reorder identity**
  Same product behaves the same way batch over batch.
- **Sterile, sealed, cold-pack ship**
  Arrival temperature & seal integrity are observable signals.

> RESEARCH INSIGHT
>
> If a vendor cannot produce a third-party COA tied to a specific batch number, the conversation ends. Every other trust signal collapses without that single document.

How to read a COA without being fooled.

A Certificate of Analysis should answer four questions on a single page: **what was tested, by whom, on which batch, and against what specification**. If any of those four answers are missing, the document is decorative, not informative. Verify the lab's name independently. Verify the batch number against the vial in your hand. Verify the test date is recent and lot-specific.

DECISION FRAMEWORK · THE COA FOUR-POINT CHECK

- **Identity.** Mass spec confirmation that the compound is what the label claims.
- **Purity.** A reported percentage with a method (HPLC, etc.) and a threshold.
- **Lot & date.** A traceable batch number and a recent issuance date.
- **Lab attribution.** A named, independent laboratory — verifiable on the open web.

Storage, cold-chain, and handling.

Most research-grade peptides are temperature-sensitive and degrade quickly under the wrong conditions. The published handling consensus is consistent:

- Reconstitute (when applicable) under clean conditions, with bacteriostatic or sterile water as specified.
- Store cold and out of light. Refrigerate reconstituted product; freeze lyophilized stock if longer shelf life is needed.
- Use within the window the literature describes for that compound — days to weeks, not months, once reconstituted.
- For travel, plan for cold-pack continuity; ambient exposure compounds quickly.

> RESEARCH INSIGHT
>
> The most common cause of "this batch didn't work" reports is not a bad batch — it is a degraded one. Cold-chain discipline is part of the research, not a footnote to it.

SECTION FOUR · SAFETY

04

Safety screening — before any research begins.

— The green / yellow / red screen — how to triage your own context.

— Why a documented physician conversation is the single most important pre-step.

— Conditions, medications, and contexts that the literature flags as "pause first."

SECTION 04 / SAFETY

The green / yellow / red screen.

Every research framework worth its name begins with a personal context check. The triage below is informational — it is the structure used to decide whether to proceed, to pause, or to stop entirely. None of these categories is a substitute for a conversation with a licensed clinician.

GREEN

Proceed with structure.

Generally healthy adult, no flagged medications, established baseline measurements, physician aware.

- Documented baseline labs
- Single-goal protocol
- Tracking system in place
- Stop-criteria defined in writing

YELLOW

Pause — consult first.

Mixed signals. Decision is not yours alone — it requires informed clinical input before research begins.

- Existing prescription medications
- Family history flagged by physician
- Previous adverse responses to similar pathways
- Recent surgery or hospitalization

RED

Do not proceed.

Conditions and contexts the literature consistently flags as incompatible with self-directed research.

- Active or history of cancer
- Pregnancy or active conception planning
- Uncontrolled cardiovascular conditions
- Under the age of medical majority
- Acute mental-health crisis context

DECISION FRAMEWORK · THE PRE-RESEARCH CONVERSATION

- Bring the compound name, the published category, and the reported mechanism to your physician.
- Ask specifically about interactions with current medications.
- Establish a baseline lab panel relevant to the chosen goal.
- Document a stop-rule in writing — what observation triggers you halting the research.

SECTION FIVE · FRAMEWORK

05

The 48-hour research plan framework.

- Hour 0: establish baseline measurements before any research begins.
- Hour 24: first journal entry — what changed, what didn't, what surprised you.
- Hour 48: structured review and the first decision point on cycle commonly cited in literature.

SECTION 05 / FRAMEWORK

Design a clear, safe 48-hour research plan.

This framework is informational. It does not prescribe a personal protocol. It describes the *structure* commonly used in published research designs and journaling literature. Specific compounds, frequencies, and durations are decisions for you and your physician.

HOUR 0 · BASELINE

Establish the starting line.

- Record your two-to-four chosen metrics.
- Document baseline labs if applicable.
- Write down your single primary goal.
- Define your stop-rule in advance.
- Confirm sourcing & COA in hand.

HOUR 24 · FIRST CHECK

First journal entry.

- Sleep quality vs. baseline.
- Subjective energy & mood.
- Any unexpected observation.
- Adherence note — did the plan match reality?
- No protocol change yet. Observe only.

HOUR 48 · DECISION

Structured review.

- Re-record baseline metrics.
- Compare to Hour 0.
- Decide: continue, adjust one variable, or pause.
- If adjusting — one change only.
- Schedule the next review window.

RESEARCH INSIGHT

Research literature commonly references cycle lengths in the 4–12 week range, with structured pauses thereafter. This is descriptive, not prescriptive — specific timing belongs to the researcher and their physician.

The supporting structure.

Every research framework worth following has a baseline lifestyle layer underneath it. The literature is consistent: outcomes attributed to peptides routinely fail to replicate when the foundation is missing. Common approaches in the research community include:

- **Sleep.** Seven to nine hours, consistent timing — the single most-cited adherence variable.
- **Protein.** Adequate protein intake, frequently calibrated to lean body mass in the literature.
- **Resistance training.** Even bodyweight progression is enough to produce a usable signal.
- **Hydration & electrolytes.** Underrated; affects subjective measurements significantly.

Measurement, not memory.

Two to four metrics, tracked weekly, beats subjective recall every single time. Common research-community approaches include:

- Anthropometric measurements — waist, hip, weight, body composition.
- Goal-relevant labs at fixed intervals.
- Sleep score from a wearable, recorded daily.
- Pain or recovery scale (1–10), recorded morning and evening.
- Training-log numbers — load, reps, perceived exertion.
- Neutral journaling — written observations, dated, with measurements alongside.

DECISION FRAMEWORK · THE ONE-VARIABLE RULE

- When you adjust, change one thing. Dose, timing, or supporting habit — one.
- Wait at least one full review window before changing a second variable.
- Document the change. Without documentation, the protocol becomes invisible.
- Patience is not a soft skill in this context — it is the research methodology.

A focused, structured plan beats a confusing pile of products every single time.

SECTION SIX · OPTIMIZATION

06

Troubleshooting & optimization.

- The most-discussed reasons researchers report "no response" — ranked by frequency.
- The observation → adjustment → pause matrix.
- How research literature describes structured breaks and reassessment cycles.

SECTION 06 / OPTIMIZATION

Get results without escalating risk.

Most "non-response" reports in the research community trace back to the same five causes — in this order: wrong compound for the chosen goal, inconsistent adherence, inadequate baseline lifestyle, sourcing failures, and incomplete tracking. Before adjusting any variable inside the research itself, work through that list.

The observation matrix.

Each row is informational — framed in research terms, not as personal directives. Adjustment decisions belong to a researcher and their physician.

OBSERVATION	POSSIBLE ADJUSTMENT DESCRIBED IN LITERATURE	WHEN TO PAUSE
Appetite shifts	Often dose-related in the published research. Researchers commonly report titrating downward and re-observing across a fresh window.	Persistent > 7 days
Lethargy or fatigue	Frequently a sleep-and-nutrition signal before a compound signal. Researchers commonly check the foundation first.	If unrelieved by basics
Water retention / swelling	Often dose-correlated in the literature. Pause and reassess is the most-described approach.	Immediately if marked
Disrupted sleep	Timing shift — many researchers report moving administration earlier in the day.	If > 3 nights
Anxiety or mood change	A category the literature flags as physician-conversation-required, not self-adjustment.	Pause & consult
Plateau (no change)	Most-described first step is auditing the baseline — sleep, nutrition, training — before adjusting anything inside the protocol.	After full window
Diminishing returns	Literature commonly describes cycling off and observing across a wash-out window.	Pause & reassess

RESEARCH INSIGHT

The strongest predictor of long-term reportable progress in the literature is the willingness to pause early. Researchers who pause when an observation is ambiguous outperform researchers who escalate.

When literature describes pausing or cycling off.

Common signals described in the research community as triggers for stepping back:

- New observations the literature flags as concerning.
- No measurable change after a fair observation window with adjusted basics.
- Diminishing returns — signal degrading even as side observations grow.
- Physical or mental fatigue that does not resolve with rest.

Long-term framework.

Research literature consistently describes three habits that separate sustainable researchers from cycle-burners:

DECISION FRAMEWORK · THE THREE LONG-TERM HABITS

- **Planned breaks.** Maintenance phases are described in the literature as part of the design, not a failure mode.
- **Regular check-ins.** Lab panels, weight, neutral journaling, training logs — on a schedule, not on a feeling.
- **Continuous learning.** The research base updates monthly. The serious researcher updates with it.

Volume II's central claim is the same one Volume I started with, refined: the safest framework is, almost without exception, the most effective one over a long enough horizon. Speed is overrated. Compounding adherence is everything.

Slow, measured, documented — that is the operating mode of every researcher whose results you would actually trust.

CLOSING FRAMEWORK

Your next three research steps.

Volume II is a structure, not a script. The exercise that closes the guide is short on purpose — three actions you can complete this week, before you ever consider sourcing a compound.

01

Pick one goal & three metrics.

Choose your single primary outcome. Choose two-to-four metrics that will measure it. Set up a baseline tracking sheet for the next four-week window. Date everything.

02

Run a safety & quality check.

List any health context that lands in the yellow or red columns of Section 04. Schedule the physician conversation. Write your stop-rule in advance. Confirm your COA & batch ID before purchase.

03

Draft your 48-hour framework.

Document Hour 0, Hour 24, and Hour 48 as the structure of your first observation window. Define what you will measure, when you will pause, and what triggers a one-variable adjustment.

DECISION FRAMEWORK · THE GREENSTONE STANDARD

- **Third-party COA.** On every batch, every order, no exceptions.
- **US-shipped.** Domestic logistics, predictable cold-chain.
- **GMP-aligned facility.** Documented compounding standards.
- **Batch traceability.** Every vial tied to a specific lot and a specific COA.
- **Reorder consistency.** What worked last batch should behave the same in the next.

A CLOSING THOUGHT

"Clarity beats complexity. Safe progress is the fastest progress."

— THE GREENSTONE TEAM

CONTINUE YOUR RESEARCH WITH GREENSTONE

Use code RESEARCH15

Save 15% on your next research-grade order. Every product third-party verified, US-shipped, batch-traceable.

greenstonewellness.store

FOR RESEARCH AND EDUCATIONAL USE ONLY. NOT MEDICAL ADVICE. GREENSTONE PRODUCTS ARE SOLD FOR IN-VITRO RESEARCH AND LABORATORY USE. STATEMENTS HAVE NOT BEEN EVALUATED BY THE FDA. THESE PRODUCTS ARE NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE. CONSULT A LICENSED PHYSICIAN BEFORE MAKING ANY HEALTH DECISIONS.