



MATTERMOST- QA (JIRA TIMELINE)









JIRA BACKLOG



FULL BUG DETAIL (MMQA-32) ON JIRA





message, delete a post or archive the channel. Alternatively, interrupt member2's network connection, post messages, then restore the connection.

Observe member2's channel view without refreshing.

Manually refresh member2's page.

h3. Expected Result
Server-side changes appear live in all open sessions without a manual refresh. After a reconnect, the client automatically recovers any events missed during the gap.

h3. Actual Result
The idle client session shows no change until the page is manually refreshed or the user switches channels and back. After a refresh, the data is correct.

h3. Analysis

- In every scenario, the server-side state is correct (confirmed by refreshing). Only the live client-side update mechanism fails.
- The failure occurs across multiple event types (messages, deletions, archive events, unread state) and with different actors, including the same user across their own sessions. This rules out a cause specific to one user, one event type or one permission.
- The failure occurs both with an uninterrupted connection (MMQA-6) and after a reconnect (MMQA-31).

h3. Suspected Root Cause
A shared fault in the websocket event handling or the client-side state reconciliation layer. Server-pushed events are either not received or not applied to already-rendered client state, and the client does not request missed events after a reconnect.

h3. Recommendation
Investigate the websocket message handler and the client store update logic as a single root-cause area, rather than treating these issues as independent fixes. After a fix, re-run all linked test cases to confirm.

h3. Impact
Highest. Real-time delivery is a core expectation of a chat application. Users can silently miss messages, deletions and state changes until they happen to refresh, and users on unstable connections are most affected.

Spaces / Mattermost QA - Manu... / MMQA-3 / MMQA-32

they happen to refresh, and users on unstable connections are most affected.

Subtasks


Add subtask

Linked work items

relates to

MMQA-6	Systemic: Server-pushed state changes are not applied to idle client sessions (cr...	To Do	
MMQA-31	Websocket reconnects after network interruption but does not backfill message...	To Do	
MMQA-19	Threading	In Progress	
MMQA-18	Real-Time Message Delivery	In Progress	
MMQA-23	Unread State Behavior	In Progress	

JIRA BOARD


Spaces
Mattermost QA - Manual Testing
Summary
Timeline
Board
Calendar
List
Forms
Development
Docs
Zephyr
Backlog
Search board
Filter
Group
To Do 10
Systemic: Server-pushed state changes are not applied to idle client...
Real-Time
websocket
Channels & Messaging Core
MMQA-6
Regular Members can remove other members from a channel in some...
inconsistent-behavior
permission-leak
Roles & Permissions
MMQA-27
Channel Members panel does not offer role-change option for other users; on...
Roles & Permissions
MMQA-28
Demoted Channel Admin's open session still shows Delete option on...
rbac
ui-stale-state
websocket
Roles & Permissions
MMQA-29
Channel creation allows invalid characters and duplicate channel names
Channels & Messaging Core
MMQA-30
In Progress 9
Regular Member Permission Boundaries
Roles & Permissions
MMQA-13
Channel-Level Role Permissions
Roles & Permissions
MMQA-14
Channel Creation & Management
Channels & Messaging Core
MMQA-15
Real-Time Message Delivery
Channels & Messaging Core
MMQA-18
Threading
Channels & Messaging Core
MMQA-19
@Mention Notifications
Notifications & Mentions
MMQA-20
Channel-Wide Mentions (@here/@all)
Notifications & Mentions
Done 11
System Admin Capabilities
Roles & Permissions
MMQA-11
Team Admin Capabilities
Roles & Permissions
MMQA-12
Channel Visibility & Membership
Channels & Messaging Core
MMQA-16
Messaging (Send/Edit/Delete)
Channels & Messaging Core
MMQA-17
Message Search
Search & File Sharing
MMQA-24
File Upload & Sharing
Search & File Sharing
MMQA-25
File Access Permissions
Search & File Sharing
MMQA-26
In Review 0