

LABORATORY PROJECT REPORT 4A: SERIAL AND USB INTERFACING WITH MICROCONTROLLER AND COMPUTER BASED SYSTEM (2): SENSORS AND ACTUATORS

MCTA 3203

SEMESTER 2, 2024/2025

Date of submission: 30 March 2025

Group: 10

Section: 1

NO.	NAME	MATRIC NO.
1.	MUHAMMAD FAIZ BIN MD RIZAM	2229695
2.	ISMA ASYRAF BIN MOHD HAFIDZ	2210105
3.	MUHAMMAD ARIEF ZULKARNAIN BIN ABDUL RAHMAN	2217275

Table of Contents

Abstract	
Introduction	2
Materials and Equipment	
Experimental Setup	
Figure 1 :Arduino-MPU6050 Connections	
Circuit setup	3
Methodology	
Result	
Figure 2	7
Figure 3	8
Conclusion	
Recommendation	
Acknowledgment	
References	
Student's Declaration	

Abstract

This experiment examines how the MPU6050 sensor can be integrated with microcontrollers, with a focus on its use in capturing motion and orientation data. The MPU6050 is a great option for a variety of mechatronics projects because of its small size, low cost, and simplicity of interface. The study describes how to use an Arduino board to connect a personal computer to the MPU6050, including the hardware configuration and coding steps required. The system efficiently reads and processes data from the MPU6050 by combining Python and Arduino, allowing it to be used in creative projects like gesture recognition systems.

Introduction

In the mechatronics field, sensors and microcontrollers are used to create systems that can communicate with their surroundings. The MPU6050 sensor, which is the subject of this manual, is suitable for a variety of applications requiring motion and orientation data because of its small size, affordability, and ease of interface. In summary, hardware setup and coding are the first major steps in connecting an Arduino board to a personal computer with an MPU 6050. It is possible to efficiently read and process data from an MPU 6050 for innovative projects like gesture recognition systems using both Arduino and Python.

Materials and Equipment

- Arduino Uno Board
- Computer with Arduino IDE and Python installed
- Jumper Wires
- LED
- MPU6050 Sensor
- Power supply/Power source

Experimental Setup




Figure 1 : Arduino-MPU6050 Connections

Circuit setup

1. Connect the MPU6050 sensor to the Arduino board using the appropriate pins. The MPU6050 typically uses I2C communication, so connect the SDA and SCL pins of the

MPU6050 to the corresponding pins on the Arduino (usually A4 and A5 for most Arduino boards)

- 2. Connect the power supply and ground of the MPU6050 to the Arduino's 5V and GND pins
- 3. Ensure that the Arduino board is connected to your PC via USB

Methodology

1. Hardware Setup

- The MPU6050 sensor was connected to an Arduino board via the I2C interface, using the SDA and SCL pins (commonly pin 20 and 21 on the Arduino).
- Power and ground were also connected, with the MPU6050 receiving 5V and GND from the Arduino.
- The Arduino itself was connected to a PC via a USB cable, which allowed for both code uploading and serial communication.

2. Arduino Code Development:

- Using the Arduino IDE, code was written to initialize the MPU6050, read data from the accelerometer and gyroscope, and send this data to the PC over serial communication at a baud rate of 9600.
- An additional version of the code included gesture detection by setting threshold values for the accelerometer data, enabling the system to identify specific hand movements (gestures).

3. Running the Python Script:

- To run the data collection script on the PC, the necessary libraries (pyserial) were installed to read and display serial data from the Arduino.
- This data, including accelerometer and gyroscope values, was continuously printed to the console, allowing for real-time observation.
- For gesture recognition, the Python script was modified to interpret specific gestures based on patterns in the incoming data and to display actions associated with each recognized gesture.

4. Gesture Recognition Task:

- In the Arduino code, threshold values were set to classify different hand movements into gestures.
- These gestures were then sent to the Python script, which processed the data and provided feedback or triggered actions in response to each detected gesture.

5. Execution and Visualization:

- The system was tested with predefined hand movements to ensure gesture recognition accuracy.
- The collected accelerometer and gyroscope data were processed and displayed on the PC console.
- As a suggested improvement, a visualisation feature could be added to track gesture movement paths on an x-y coordinate system, providing a clearer view of hand movement patterns.

Result




Figure 2

```
Output Serial Monitor ×

Message (Enter to send message to 'Arduino Stable, -2492, 5676 Stable, -4308, -1260 Stable, -2328, 1288 Stable, -2292, 232 Stable, -2268, 688 Stable, -2040, 1660 Stable, -1932, 780
```

Conclusion

In the final analysis, the experiment has successfully shown the application of the MPU6050 IMU sensor in hand gesture recognition. The interfacing of the MPU6050 with the Arduino enabled us to capture real-time data of the accelerometer and gyroscope for the classification of specific hand gestures. This small-sized, easy-to-integrate MPU6050 is quite fitting for such applications, allowing effective tracking of motion and orientation. Through the processing and analyzing of the sensor data, the algorithm was able to recognize the gestures accurately according to the predefinition. Also, the visualization of hand paths in the x-y coordinate system clearly represents each movement, proving the capability of the sensor in motion tracking applications. In this paper, this experiment actually proves that MPU6050 has the potential for developing gesture-based systems and goes further to show its viability in real-world applications extending into human-computer interaction and wearable technology.

Recommendation

Firstly, the student should know the procedure used for sensor calibration, the methods adopted to acquire data, and give an analysis of the accelerometer and gyroscope readings. To provide a clearer view of hand movement, enhance the x-y coordinate visualization with labelled axes, grids, or real-time updates to visualize motion paths dynamically. This can help in better interpreting the gestures and movement patterns. To enhance the smoothness and effectiveness of the experiments, students should discuss the interfacing experiment of the MPU6050 IMU, covering all the details necessary for serial communication between the PC and Arduino.

Acknowledgment

A special thank you to Dr. Wahju Sediono and Dr. Zulkifli Bin Zainal Abidin, my teaching assistant, and peers, for their outstanding assistance and support in completing this report. Their advice, input, and expertise have had a significant impact on the quality and comprehension of this work. Their time, patience, and dedication to my academic progress are deeply appreciated.

References

Weekly Module - Google Drive. (n.d.). Google Drive.

https://drive.google.com/drive/folders/1rg0wLF6mA7jEoNsPWyAbWR9n0X3SQsQz?usp

=sharing

Student's Declaration

Certificate of Originality and Authenticity

This is to certify that we are responsible for the work submitted in this report, that the original

work is our own except as specified in the references and acknowledgement, and that the original

work contained herein have not been untaken or done by unspecified sources or persons.

We hereby certify that this report has not been done by only one individual and all of us have

contributed to the report. The length of contribution to the reports by each individual is noted

within this certificate.

We also hereby certify that we have read and understand the content of the total report and no

further improvement on the reports is needed from any of the individual's contributors to the

report.

We therefore, agreed unanimously that this report shall be submitted for marking and this final

printed report has been verified by us.

Name: Muhammad Faiz bin Md Rizam

10

Matric Numbers: 2229695

Signature:

Read	Understand	Agree
/	/	/

Name : Isma Asyraf bin Mohd Hafidz

Matric Numbers: 2210105

Signature:

Read	Understand	Agree
/	/	/

Name: Muhammad Arief Zulkarnain bin Abdul Rahman

Matric Numbers: 2217275

Signature:

Read	Understand	Agree
/	/	/