

Table Create table

airport

```
CREATE TABLE `airport` (  
  `airport_id` int(11) NOT NULL AUTO_INCREMENT,  
  `name` varchar(20) NOT NULL,  
  `country` varchar(10) NOT NULL,  
  `city` varchar(20) NOT NULL,  
  `IATA_Code` int(4) NOT NULL,  
  PRIMARY KEY (`airport_id`)  
);
```

flight

```
CREATE TABLE `flight` (  
  `flight_id` int(8) NOT NULL,  
  `flight_number` varchar(7) NOT NULL,  
  `estimated_dep_time` time NOT NULL,  
  `arr_time` time NOT NULL,  
  `from` varchar(60) NOT NULL,  
  `to` varchar(60) NOT NULL,  
  `gate` varchar(6) NOT NULL,  
  `seat` varchar(5) NOT NULL,  
  `status` text NOT NULL,  
  `current_time` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE  
  current_timestamp(),  
  PRIMARY KEY (`flight_id`)  
);
```

users

```
CREATE TABLE `users` (  
  `id` varchar(60) NOT NULL,
```

```
`password` varchar(255) NOT NULL,
```

```
PRIMARY KEY (`id`)
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci
```