Website-scraper

Website-scraper is a PHP-based web tool that allows users to fetch and locally replicate the frontend structure of any website, including:

- HTML files
- CSS stylesheets
- JavaScript files
- Images
- Fonts

It provides an interactive interface where users can extract, preview, and download assets into a structured local directory.

Features

- Fetch any website using a URL
- Extract HTML pages
- Clone CSS stylesheets
- Extract JavaScript files
- Download images locally
- Extract font files (`.eot`, `.ttf`, `.woff`, `.woff2`)
- Organized directory structure
- Hide/Show assets dynamically
- One-click asset generation

System Requirements

Before running the project, make sure you have:

- PHP (7.x or higher)
- Apache Server
- XAMPP (recommended)

Download XAMPP from: https://www.apachefriends.org/

Installation Guide

Step 1: Install XAMPP

1. Download and install XAMPP
2. Open XAMPP Control Panel
3. Start:
    - Apache
    - MySQL (optional)

Step 2: Setup Project

1. Copy the project folder:
   website-scraper
2. Paste it into:
   C:\xampp\htdocs\

Step 3: Run the Project

1. Open your browser
2. Go to:
   http://localhost/website-scraper/
3. You will see the main interface

How the System Works

1. URL Input & Fetch

- Enter any website URL in the input field
- Click Fetch Button
- The system retrieves:
    - HTML
    - CSS
    - JS
    - Images
    - Fonts

---

2. Sessions Overview

After fetching, the system displays 4 main sessions:

HTML Session

- Displays all HTML file links
- Click Generate Button to save HTML locally

CSS Session

- Displays all CSS files
- Click Generate Button to save CSS locally

JS Session

- Displays all JavaScript files
- Click Generate Button to save JS locally

Image Session

- Displays all image links
- Click Generate Button to download images locally

Top Control Buttons

Above the sessions, there are 3 buttons:

1. Image Fetch Button

- Fetches all images from HTML files
- Stores them in:
  /images/
- Includes:
  - Hide/Show functionality
  - Only appears when HTML exists

---

2. CSS Clone Button

- Extracts all `.css` files
- Stores them in:
  /css/
- Includes:
  - Hide/Show functionality
  - Active only when CSS exists

---

3. Fonts Extract Button

- Extracts font files:
  - `.eot`
  - `.ttf`
  - `.woff`
  - `.woff2`
- Stores them in:
  /css/
- Includes:
  - Hide/Show functionality
  - Depends on CSS availability

Error Handling

If you encounter this error:

Invalid URL or unable to fetch page

Solution:

- Use a VPN
- Some websites block automated requests

Visual Representation

Input Interface

Displays the main interface with the URL input field and Fetch button.

URL Interface

Shows a sample website URL entered before fetching begins.

Image Interface

Displays extracted images and their local storage.



HTML Interface

Shows extracted HTML pages and saved structure.



CSS and JavaScript Interface

Displays CSS and JS files stored locally.



Control Buttons

Shows action buttons appearing after data is loaded.



Image Cloner Output

Displays downloaded images in `/images/`.



CSS Clone Output

Shows locally saved CSS files.



Fonts Extraction Output

Displays downloaded font files.



Directory Structure

```
Website-scraper
│
├── docs
├── system
│   ├── assets
│   │   ├── css
│   │   │   └── bootstrap.min.css
│   │   ├── js
│   │     └── jquery.js
│   │
│   ├── config
│   │   └── config.txt
│   │
│   ├── inc
│       ├── common.php
│       ├── functions.php
│       ├── repair-links.php
│       ├── replicator-css.php
│       ├── replicator-fonts.php
│       ├── replicator-images.php
│       ├── validator-css.php
│       ├── validator-fonts.php
│       ├── validator-html.php
│
├── themazine.com
│   ├── css
│   ├── images
│   ├── js
│   ├── about.html
│   ├── blog.html
│   ├── index.html
│
└── index.php
```

Core Modules Explanation

functions.php

Contains helper functions for:

- Fetching content
- Parsing URLs
- File handling

---

replicator-*.php

Responsible for downloading assets:

- replicator-css.php → CSS files
- replicator-images.php → Images
- replicator-fonts.php → Fonts

---

validator-*.php

Validates fetched data:

- Ensures files exist
- Prevents invalid downloads

---

repair-links.php

- Fixes broken or relative URLs
- Converts them into absolute paths

Use Cases

- Website cloning for learning
- UI/UX analysis
- Offline website storage
- Theme extraction

Disclaimer

This tool is for educational purposes only.

- Do not use it to violate copyrights
- Always respect website terms and policies

Author

Developed by Faizan Mahmood

Support

If you like this project:

- Star the repository
- Fork it
- Contribute improvements