untitled10

July 25, 2023

#NAVIES BAYES

STEP 1 IMPORT LABORARY

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

STEP 2 DATASET

```
[2]: df=sns.load_dataset("iris")
    df.head()
```

```
[2]:
       sepal_length sepal_width petal_length petal_width species
                5.1
                             3.5
                                           1.4
                                                        0.2 setosa
                4.9
                                                        0.2 setosa
    1
                             3.0
                                           1.4
                4.7
                                           1.3
    2
                             3.2
                                                        0.2 setosa
                                           1.5
                                                        0.2 setosa
                4.6
                             3.1
                5.0
    4
                             3.6
                                           1.4
                                                        0.2 setosa
```

STEP 3 SELECTING INPUT AND OUTPUT

```
[3]: X=df.iloc[:,:-1]
y=df.iloc[:,-1:]
```

STEP_4 MODEL CREATION

```
[5]: from sklearn.naive_bayes import GaussianNB model=GaussianNB().fit(X,y) model
```

/usr/local/lib/python3.10/dist-packages/sklearn/utils/validation.py:1143: DataConversionWarning: A column-vector y was passed when a 1d array was expected. Please change the shape of y to (n_samples,), for example using ravel().

```
y = column_or_1d(y, warn=True)
```

```
[5]: GaussianNB()
 [6]: # train test split and checking accuracy
      from sklearn.model_selection import train_test_split
      X_train,X_test,y_train,y_test=train_test_split(X,y, test_size=0.
       \hookrightarrow 2, random state=0)
 [7]: #training the model on training data
      from sklearn.naive_bayes import GaussianNB
      model=GaussianNB().fit(X_train,y_train)
      model
     /usr/local/lib/python3.10/dist-packages/sklearn/utils/validation.py:1143:
     DataConversionWarning: A column-vector y was passed when a 1d array was
     expected. Please change the shape of y to (n samples, ), for example using
     ravel().
       y = column_or_1d(y, warn=True)
 [7]: GaussianNB()
 [8]: #making prediction on testing data
      y_pred=model.predict(X_test)
      y_pred
 [8]: array(['virginica', 'versicolor', 'setosa', 'virginica', 'setosa',
             'virginica', 'setosa', 'versicolor', 'versicolor', 'versicolor',
             'versicolor', 'versicolor', 'versicolor',
             'versicolor', 'setosa', 'versicolor', 'versicolor', 'setosa',
             'setosa', 'virginica', 'versicolor', 'setosa', 'setosa',
             'virginica', 'setosa', 'setosa', 'versicolor', 'versicolor',
             'setosa'], dtype='<U10')
 [9]: from sklearn.metrics import accuracy_score
      score=accuracy_score(y_test,y_pred)
      print("Naive bayes model accuracy is",score*100)
     Naive bayes model accuracy is 96.6666666666667
[10]: from sklearn.metrics import confusion_matrix
      cm=confusion_matrix(y_test,y_pred)
      sns.heatmap(cm,annot=True)
```

[10]: <Axes: >

