OPEN ENDED LAB

Faizan Manshad

Department of Civil Engineering

CEE310: Civil Engineering Construction and Graphics

Dr. Rana Faisal Tufail

June 18, 2025



Comsats University Islamabad, Wah Campus

1. Project Introduction

The objective of this project was to design a double-storey residential house, applying architectural design principles and BIM technology to generate both 2D and 3D documentation. The design adheres to the Capital Development Authority (CDA) by-laws applicable to Islamabad sectors.

2. Plot Selection & CDA Compliance

Selected Plot Size: 40' x 80' (approximate simulated plot based on provided drawing dimensions)

Key CDA Requirements Applied:

- Minimum front, rear, and side setbacks
- Maximum permissible covered area
- Permissible height restrictions for double-storey house
- Provision for open spaces, ventilation shafts, and service areas
- Structural stability, safety, and utilities incorporated in design

3. Design Objectives & Key Decisions

- **Optimal Space Utilization:** Efficient distribution of living spaces, bedrooms, guest rooms, utility areas, and service ducts.
- **Functionality:** Separate formal and informal living areas, a gym, adequate storage, and balanced circulation routes.
- **Accessibility:** Staircase and lift shaft designed for elderly and accessibility needs.
- **Natural Lighting & Ventilation:** Incorporation of multiple ventilation shafts and duct spaces ensures adequate airflow and natural light.
- **Service Integration:** Inclusion of MEP provisions for future integration.
- **Aesthetic Modern Elevation:** Clean, minimal elevation with contemporary façade treatment.

4. Sustainability Features

- **Energy Efficiency:**
    - Large, glazed windows (W1, W2) for maximum daylight penetration.
    - Provision for rooftop solar panels.
- **Water Management:**
    - Design includes rooftop rainwater harvesting potential.
    - Underground and overhead water tanks modeled in Revit.
- **Material Selection:**
    - Common brick masonry and RCC framing system (sustainable local materials).
    - M20 grade concrete for durable structural elements.
- **Space Efficiency:** Multi-functional spaces such as gym, balconies, and store areas.

5. BIM Modeling Process (Revit)

- Imported CAD base plans into Revit.
- Modeled architectural elements: walls, doors, windows, slabs, stairs, roofs, and water tanks.
- Created 3D perspectives, sectional views, and elevation sheets.
- Generated schedules for rooms, doors, windows, and quantities.
- Conducted quantity takeoffs for brickwork and plaster (as per SC101 schedule).

Key BIM Deliverables:

- Complete 3D model file (.RVT)
- Sheets: Plans, Elevations, Sections, Stair Details, Doors & Windows Schedule
- Quantity Take-offs for bricks, plaster, and structural elements

6. Challenges Faced & Solutions

Challenge	Solution
Importing CAD base into Revit with correct scaling	Verified unit systems and used precise insertion points
Complex stair detailing	Developed custom Revit stair families and manual detailing
CDA regulation adaptation	Reviewed multiple CDA regulations and modified setbacks and open spaces accordingly
Quantity take-off inaccuracies	Cross-verified Revit schedules with manual calculations
Rendering limitations	Used Revit native rendering with optimal lighting configuration

7. Conclusion

This project enabled the application of both architectural design principles and Building Information Modeling (BIM) to create a complete, sustainable, and CDA-compliant residential design. The integration of 2D drafting and 3D modeling improved coordination, visualization, and quantification, demonstrating the efficiency and advantages of BIM in modern architectural practice.

ARCHITECTURAL

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	XYZ
ARCHITECTURE CONSULTANT:	XYZ
STRUCTURE CONSULTANT:	XYZ
MEP CONSULTANT:	XYZ

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

ARCHITECTURAL

STATUS:

CONSTRUCTION

DRAWING TITLE: ARCHITECTURAL		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET:
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		



1 PERSPECTIVE SE



2 PERSPECTIVE EW



3 PERSPECTIVE SN

PROJECT:
HAROON RESIDENCE

BUILDING ADDRESS:
MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT

ARCHITECTURE CONSULTANT:

STRUCTURE CONSULTANT:

MEP CONSULTANT:

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

ARCHITECTURAL

STATUS:
CONSTRUCTION


DRAWING TITLE:
PERSPECTIVE VIEW AND RENDERS

DESIGNED:	CHECKED:	APPROVED:
DSG	CHK	APR
DRAWN:	**DATE:**	**SCALE/SHEET:**
MH	3/29/2025	


PROJECT CODE: 0022

REV:


DRAWING NO: PTS-A101



2 GROUND FLOOR PLAN
1 : 100



1 FIRST FLOOR PLAN
1 : 100



3 SECOND FLOOR PLAN
1 : 100

4 ROOF PLAN
1 : 100

5 MUMTY PLAN
1 : 100

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	
ARCHITECTURE CONSULTANT:	
STRUCTURE CONSULTANT:	
MEP CONSULTANT:	

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


ARCHITECTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: FLOOR PLANS		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: 1 : 100
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		




1 Section 1
1 : 100



2 Section 2
1 : 100



3 FRONT ELEVATION
1 : 100



6 EAST ELEVATION
1 : 100

PROJECT: HAROON RESIDENCE	CLIENT	ARCHITECTURE CONSULTANT:
BUILDING ADDRESS: MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM		

STRUCTURE CONSULTANT:	MEP CONSULTANT:

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

ARCHITECTURAL


STATUS: CONSTRUCTION

DRAWING TITLE: SECTION & ELEVATIONS		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: 1 : 100
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		



D1 - 1050 x 2250 | **D2 - 900 x 2250** | **D3 - 2100 x 2250** | **D4 - 900 x 2250** | **D5 - 1050 x 2250**

DOORS DETAIL
1 : 25



W1 - 1800 x 1500 | **W2 - 1800 x 1350**

WINDOWS DETAIL
1 : 25

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	
ARCHITECTURE CONSULTANT:	
STRUCTURE CONSULTANT:	
MEP CONSULTANT:	

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


ARCHITECTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: DOOR WINDOW DETAIL		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: 1 : 25
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		



1 STAIR CASE
1 : 40



2 SECTION
1 : 50



3 STAIR DETAIL
1 : 10

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	
ARCHITECTURE CONSULTANT:	
STRUCTURE CONSULTANT:	
MEP CONSULTANT:	

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


ARCHITECTURAL

STATUS: CONSTRUCTION


DRAWING TITLE:	STAIRCASE DETAIL	
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: As indicated
PROJECT CODE:	0022	REV:
DRAWING NO:	PTS-A101	




1 GROUND FLOOR
1 : 100



2 FIRST FLOOR
1 : 100



3 SECOND FLOOR
1 : 100



4 ROOF FLOOR
1 : 100

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	XYZ
ARCHITECTURE CONSULTANT:	XYZ
STRUCTURE CONSULTANT:	XYZ
MEP CONSULTANT:	XYZ

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


ARCHITECTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: FURNITURE / EQUIPMENT LAYOUT		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: 1 : 100
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		




1 GROUND FLOOR WP
1 : 100




2 FIRST FLOOR WP
1 : 100



3 SECOND FLOOR WP
1 : 100



4 ROOF FLOOR WP
1 : 100



5 MUMTY PLAN WP
1 : 100

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	
ARCHITECTURE CONSULTANT:	
STRUCTURE CONSULTANT:	
MEP CONSULTANT:	

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


ARCHITECTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: WORKING DRAWINGS		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: 1 : 100
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		




1 LEFT RIGHT GATE




2 MIDDLE DOOR



3 RIGHT DOOR



4 MAIN GATE ELEVATION
1 : 25



5 CENTER DESIGN DETAIL
1 : 15

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	XYZ
ARCHITECTURE CONSULTANT:	XYZ
STRUCTURE CONSULTANT:	XYZ
MEP CONSULTANT:	XYZ

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

ARCHITECTURAL

STATUS: CONSTRUCTION

DRAWING TITLE: MAIN GATE DETAIL		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET: As indicated
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		

STRUCTURAL

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	
ARCHITECTURE CONSULTANT:	
STRUCTURE CONSULTANT:	
MEP CONSULTANT:	

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


STRUCTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: STRUCTURAL		
DESIGNED: Designer	CHECKED: Checker	APPROVED: Approver
DRAWN: Author	DATE: 3/29/2025	SCALE/SHEET:
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		




1 FOUNDATION PLAN
1 : 100



2 SECTION A-A
1 : 100




3 SECTION B-B
1 : 100



FT - 1 (2100 x 1800)
1 : 50

FT - 2 (1500 x 2100)
1 : 50



FT - 3 (1800 x 2000)
1 : 50

FT - 4 (2100 x 1800)
1 : 50

4 EXCAVATION PLAN
1 : 100

NOTES:

1. ALL DIMENSIONS OF EXCAVATION PLAN ARE GIVEN FROM COLUMNS.
2. M20 GRADE CONCRETE IS TO BE USED IN ALL FOOTINGS
3. EARTH IS TO BE COMPACTED TO 95% OMC.
4. ALL STEEL USED MUST BE OF 60 GRADE.
5. #6 STEEL BARS AS PRIMARY REINFORCEMENTS IN FOOTINGS.
6. #6 STEEL BARS AS SECONDARY REINFORCEMENT.
7. ALL BENTS AND HOOKS MUST BE GIVEN ACCORDING TO ACI 318.
8. EARTH IS TO BE REFILLED AND COMPACTED AFTER FOOTINGS HAVE BE BEEN CASTED AND CURED FOR 14 DAYS.
9. 2 COATS OF BITUMEN MUST BE APPLIED ON ALL THE SIDES ACCESSIBLE BY THE LABOUR
10. IN THE UN ACCESSIBLE SIDES OF FOOTINGS SPRAY FOAM SHOULD BE USED.
11. CLEAR COVER OF REBARS MUST BE 50 MM.

STRUCTURAL FOUNDATION SCHEDULE

Name	Footing Type	Count	Width	Depth	Volume	Area	Elevation at Bottom (mm)	Elevation at Top (mm)
FT - 1 (2100 x 1500)	Sloped Footing	4	2100	1800	2.62 m³	3.78 m²	-2800	-1800
FT - 2 (1500 x 2100)	Sloped Footing	4	1500	2100	2.17 m³	3.15 m²	-2800	-1800
FT - 3 (1800 x 2000)	Sloped Footing	4	1800	2000	2.47 m³	3.60 m²	-2800	-1800
FT - 4 (2100 x 1500)	Sloped Footing	4	2100	1800	2.62 m³	3.78 m²	-2800	-1800
Grand total		16						

PROJECT: HAROON RESIDENCE

BUILDING ADDRESS: MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT | **ARCHITECTURE CONSULTANT:** | **STRUCTURE CONSULTANT:** | **MEP CONSULTANT:**

XYZ

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


STRUCTURAL

STATUS: **CONSTRUCTION**


DRAWING TITLE: FOUNDATION LAYOUT AND DETAILS

DESIGNED:	CHECKED:	APPROVED:
Designer	Checker	Approver
DRAWN:	DATE:	SCALE/SHEET:
Author	3/29/2025	As indicated
PROJECT CODE: 0022		REV:


DRAWING NO: PTS-A101




1 COLUMN LAYOUT FROM FOUNDATION TO FIRST FLOOR
1 : 100




2 SECOND FLOOR COLUMN LAYOUT
1 : 100




3 ROOF COLUMN LAYOUT
1 : 100




COLUMN C1 AND FOOTING FT - 4 PLAN



COLUMN C1 AND FOOTING FT - 1 PLAN



COLUMN C2 AND FOOTING FT - 3 PLAN



COLUMN C2 AND FOOTING FT - 2 PLAN

4 COLUMN AND FOOTING PLANS
1 : 25

PROJECT:	**HAROON RESIDENCE**
BUILDING ADDRESS:	**MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM**
CLIENT	XYZ
ARCHITECTURE CONSULTANT:	XYZ
STRUCTURE CONSULTANT:	XYZ
MEP CONSULTANT:	XYZ

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


STRUCTURAL

STATUS: **CONSTRUCTION**


DRAWING TITLE:	COLUMN LAYOUT	
DESIGNED: Designer	CHECKED: Checker	APPROVED: Approver
DRAWN: Author	DATE: 3/29/2025	SCALE/SHEET: As indicated
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		




SEC A - A




COLUMN C1 AND FOOTING FT - 4 PLAN



COLUMN C1 AND FOOTING FT - 1 PLAN



COLUMN C2 AND FOOTING FT - 3 PLAN



COLUMN C2 AND FOOTING FT - 2 PLAN

1 COLUMNS SECTIONS
1 : 25

PROJECT:	HAROON RESIDENCE	
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM	
CLIENT	XYZ	
ARCHITECTURE CONSULTANT:	XYZ	
STRUCTURE CONSULTANT:	XYZ	
MEP CONSULTANT:	XYZ	

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


STRUCTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: COLUMN DETAILING		
DESIGNED: Designer	CHECKED: Checker	APPROVED: Approver
DRAWN: Author	DATE: 3/29/2025	SCALE/SHEET: 1 : 25
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		




1 PLINTH BEAM LAYOUT
1 : 100



2 FIRST FLOOR BEAM LAYOUT
1 : 100



3 SECOND FLOOR BEAM LAYOUT
1 : 100



4 ROOF BEAM LAYOUT
1 : 100

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	XYZ
ARCHITECTURE CONSULTANT:	XYZ
STRUCTURE CONSULTANT:	XYZ
MEP CONSULTANT:	XYZ

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


STRUCTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: BEAM LAYOUT		
DESIGNED: Designer	CHECKED: Checker	APPROVED: Approver
DRAWN: Author	DATE: 3/29/2025	SCALE/SHEET: 1 : 100
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		



PB - 300 x 650



FFB - 300 x 600



SFB - 300 x 550

1 BEAM SECTION
1 : 25

PROJECT: HAROON RESIDENCE	CLIENT	ARCHITECTURE CONSULTANT:
BUILDING ADDRESS: MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM		

STRUCTURE CONSULTANT:	MEP CONSULTANT:

REV NO	Revision Date	Revision Description


REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval


STRUCTURAL

STATUS: CONSTRUCTION


DRAWING TITLE: BEAM SECTIONS		
DESIGNED: Designer	CHECKED: Checker	APPROVED: Approver
DRAWN: Author	DATE: 3/29/2025	SCALE/SHEET: 1 : 25
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		



PB - 300 x 650



FFB - 300 x 600



SFB - 300 x 550

1 BEAM SECTION 2
1 : 25

PROJECT: HAROON RESIDENCE	CLIENT	ARCHITECTURE CONSULTANT:
BUILDING ADDRESS: MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM		

STRUCTURE CONSULTANT:	MEP CONSULTANT:

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

STRUCTURAL

STATUS: CONSTRUCTION

DRAWING TITLE: BEAM SECTIONS		
DESIGNED: Designer	CHECKED: Checker	APPROVED: Approver
DRAWN: Author	DATE: 3/29/2025	SCALE/SHEET: 1 : 25
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		

SCHEDULES AND QUANTITIES

PROJECT:	HAROON RESIDENCE
BUILDING ADDRESS:	MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM
CLIENT	XYZ
ARCHITECTURE CONSULTANT:	XYZ
STRUCTURE CONSULTANT:	XYZ
MEP CONSULTANT:	XYZ

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

SCHEDULES

STATUS: CONSTRUCTION

DRAWING TITLE: SCHEDULE AND QUANTITIES		
DESIGNED: DSG	CHECKED: CHK	APPROVED: APR
DRAWN: MH	DATE: 3/29/2025	SCALE/SHEET:
PROJECT CODE: 0022		REV:
DRAWING NO: PTS-A101		

NO OF BRICKS

Name	Length (ft)	Thickness (in)	Level	Volume (CF)	No of Bricks
00 RD LVL					
Brick, Common	4.7 ft	10.0 in	00 RD LVL	39.20 CF	558
Brick, Common	43.5 ft	10.0 in	00 RD LVL	354.77 CF	5046
Brick, Common	4.7 ft	10.0 in	00 RD LVL	32.33 CF	460
Brick, Common	43.6 ft	10.0 in	00 RD LVL	36.77 CF	523
Brick, Common	43.5 ft	10.0 in	00 RD LVL	229.58 CF	3265
Brick, Common	4.9 ft	5.7 in	00 RD LVL	60.72 CF	864
Brick, Common	5.7 ft	10.0 in	00 RD LVL	30.58 CF	435
Brick, Common	44.3 ft	10.0 in	00 RD LVL	269.54 CF	3833
Brick, Common	44.3 ft	10.0 in	00 RD LVL	244.87 CF	3483
Brick, Common	5.7 ft	5.7 in	00 RD LVL	76.53 CF	1088
00 RD LVL				1374.89 CF	19554
01-A GF T.O.C					
Brick, Common	2.6 ft	5.7 in	01-A GF T.O.C	9.27 CF	132
Brick, Common	2.6 ft	5.7 in	01-A GF T.O.C	9.27 CF	132
Brick, Common	6.6 ft	5.7 in	01-A GF T.O.C	15.50 CF	220
Brick, Common	2.6 ft	5.7 in	01-A GF T.O.C	7.44 CF	106
Brick, Common	3.8 ft	5.7 in	01-A GF T.O.C	12.72 CF	181
Brick, Common	2.6 ft	5.7 in	01-A GF T.O.C	5.98 CF	85
Brick, Common	2.6 ft	5.7 in	01-A GF T.O.C	9.27 CF	132
Brick, Common	5.4 ft	5.7 in	01-A GF T.O.C	20.41 CF	290
Brick, Common	2.0 ft	5.7 in	01-A GF T.O.C	5.65 CF	80
Brick, Common	2.6 ft	5.7 in	01-A GF T.O.C	7.44 CF	106
Brick, Common	9.9 ft	5.7 in	01-A GF T.O.C	22.11 CF	314
01-A GF T.O.C				125.06 CF	1779
02-A FF T.O.C					
Brick, Common	43.6 ft	10.0 in	02-A FF T.O.C	150.57 CF	2141
Brick, Common	17.1 ft	5.7 in	02-A FF T.O.C	45.23 CF	643
Brick, Common	13.7 ft	5.7 in	02-A FF T.O.C	39.18 CF	557
Brick, Common	5.4 ft	5.7 in	02-A FF T.O.C	18.76 CF	267
Brick, Common	10.8 ft	5.7 in	02-A FF T.O.C	30.68 CF	436
Brick, Common	43.5 ft	5.7 in	02-A FF T.O.C	85.98 CF	1223
Brick, Common	16.1 ft	5.7 in	02-A FF T.O.C	42.44 CF	604
Brick, Common	7.7 ft	5.7 in	02-A FF T.O.C	26.84 CF	382

NO OF BRICKS

Name	Length (ft)	Thickness (in)	Level	Volume (CF)	No of Bricks
Brick, Common	16.1 ft	5.7 in	02-A FF T.O.C	49.01 CF	697
Brick, Common	6.4 ft	5.7 in	02-A FF T.O.C	24.21 CF	344
Brick, Common	6.8 ft	5.7 in	02-A FF T.O.C	14.66 CF	208
Brick, Common	6.8 ft	5.7 in	02-A FF T.O.C	14.66 CF	208
Brick, Common	5.9 ft	5.7 in	02-A FF T.O.C	21.87 CF	311
Brick, Common	48.6 ft	10.0 in	02-A FF T.O.C	307.80 CF	4378
Brick, Common	48.6 ft	10.0 in	02-A FF T.O.C	283.57 CF	4033
Brick, Common	43.5 ft	10.0 in	02-A FF T.O.C	187.48 CF	2666
Brick, Common	3.8 ft	5.7 in	02-A FF T.O.C	12.72 CF	181
Brick, Common	2.6 ft	5.7 in	02-A FF T.O.C	7.46 CF	106
Brick, Common	5.4 ft	5.7 in	02-A FF T.O.C	18.82 CF	268
Brick, Common	13.1 ft	5.7 in	02-A FF T.O.C	30.67 CF	436
Brick, Common	2.6 ft	5.7 in	02-A FF T.O.C	5.92 CF	84
Brick, Common	43.5 ft	10.0 in	02-A FF T.O.C	321.18 CF	4568
Brick, Common	3.3 ft	5.7 in	02-A FF T.O.C	10.73 CF	153
Brick, Common	11.3 ft	5.7 in	02-A FF T.O.C	12.22 CF	174
Brick, Common	8.7 ft	5.7 in	02-A FF T.O.C	12.45 CF	177
02-A FF T.O.C				1775.11 CF	25246
03-A SF T.O.C					
Brick, Common	43.6 ft	10.0 in	03-A SF T.O.C	158.93 CF	2260
Brick, Common	17.1 ft	5.7 in	03-A SF T.O.C	45.30 CF	644
Brick, Common	13.7 ft	5.7 in	03-A SF T.O.C	40.81 CF	580
Brick, Common	5.4 ft	5.7 in	03-A SF T.O.C	18.77 CF	267
Brick, Common	10.8 ft	5.7 in	03-A SF T.O.C	30.68 CF	436
Brick, Common	43.5 ft	5.7 in	03-A SF T.O.C	89.88 CF	1278
Brick, Common	16.1 ft	5.7 in	03-A SF T.O.C	44.34 CF	631
Brick, Common	7.7 ft	5.7 in	03-A SF T.O.C	26.86 CF	382
Brick, Common	16.1 ft	5.7 in	03-A SF T.O.C	49.92 CF	710
Brick, Common	6.4 ft	5.7 in	03-A SF T.O.C	24.25 CF	345
Brick, Common	6.8 ft	5.7 in	03-A SF T.O.C	14.67 CF	209
Brick, Common	6.8 ft	5.7 in	03-A SF T.O.C	14.67 CF	209
Brick, Common	5.9 ft	5.7 in	03-A SF T.O.C	21.88 CF	311
Brick, Common	48.6 ft	10.0 in	03-A SF T.O.C	312.44 CF	4444
Brick, Common	48.6 ft	10.0 in	03-A SF T.O.C	291.87 CF	4151

NO OF BRICKS

Name	Length (ft)	Thickness (in)	Level	Volume (CF)	No of Bricks
Brick, Common	43.5 ft	10.0 in	03-A SF T.O.C	195.85 CF	2785
Brick, Common	3.8 ft	5.7 in	03-A SF T.O.C	12.72 CF	181
Brick, Common	2.6 ft	5.7 in	03-A SF T.O.C	7.47 CF	106
Brick, Common	5.4 ft	5.7 in	03-A SF T.O.C	18.82 CF	268
Brick, Common	13.1 ft	5.7 in	03-A SF T.O.C	31.26 CF	445
Brick, Common	2.6 ft	5.7 in	03-A SF T.O.C	6.03 CF	86
Brick, Common	43.5 ft	10.0 in	03-A SF T.O.C	321.18 CF	4568
Brick, Common	11.3 ft	5.7 in	03-A SF T.O.C	12.22 CF	174
Brick, Common	8.7 ft	5.7 in	03-A SF T.O.C	12.45 CF	177
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	0.2 ft	5.7 in	03-A SF T.O.C	1.96 CF	28
Brick, Common	5.1 ft	5.7 in	03-A SF T.O.C	19.77 CF	281
03-A SF T.O.C				1838.73 CF	26151
04-A ROOF T.O.C					
Brick, Common	11.3 ft	10.0 in	04-A ROOF T.O.C	67.89 CF	966
Brick, Common	43.8 ft	5.7 in	04-A ROOF T.O.C	51.81 CF	737
Brick, Common	46.0 ft	5.7 in	04-A ROOF T.O.C	54.13 CF	770
Brick, Common	53.8 ft	5.7 in	04-A ROOF T.O.C	63.92 CF	909
Brick, Common	3.0 ft	5.7 in	04-A ROOF T.O.C	6.25 CF	89
Brick, Common	3.2 ft	5.7 in	04-A ROOF T.O.C	11.36 CF	162
Brick, Common	5.7 ft	5.7 in	04-A ROOF T.O.C	20.21 CF	287
Brick, Common	4.9 ft	10.0 in	04-A ROOF T.O.C	33.97 CF	483
Brick, Common	11.3 ft	5.7 in	04-A ROOF T.O.C	12.22 CF	174
Brick, Common	8.7 ft	5.7 in	04-A ROOF T.O.C	12.45 CF	177
Brick, Common	5.1 ft	5.7 in	04-A ROOF T.O.C	17.97 CF	256
Brick, Common	2.6 ft	5.7 in	04-A ROOF T.O.C	7.19 CF	102
04-A ROOF T.O.C				359.37 CF	5111
Total Number of Bricks: 91				5473.16 CF	77840

WALL PLASTER

NAME	Length	Thickness	Base Constraint	Volume	Cement (Bags 50kg)	Sand (1/5)
00 RD LVL						
Plaster For Wall	1440	30	00 RD LVL	0.15 m³	0.9	213.1 kg
Plaster For Wall	13245	30	00 RD LVL	1.34 m³	7.7	1928.8 kg
Plaster For Wall	1440	30	00 RD LVL	0.12 m³	0.7	175.8 kg
Plaster For Wall	13300	30	00 RD LVL	0.14 m³	0.8	199.9 kg
Plaster For Wall	13245	30	00 RD LVL	0.87 m³	5.0	1248.2 kg
Plaster For Wall	1480	30	00 RD LVL	0.45 m³	2.6	645.9 kg
Plaster For Wall	1732	30	00 RD LVL	0.12 m³	0.7	166.3 kg
Plaster For Wall	13500	30	00 RD LVL	1.02 m³	5.9	1465.5 kg
Plaster For Wall	13500	30	00 RD LVL	0.92 m³	5.3	1331.3 kg
Plaster For Wall	1735	30	00 RD LVL	0.57 m³	3.3	814.1 kg
00 RD LVL				5.69 m³	32.8	8188.8 kg
01-A GF T.O.C						
Plaster For Wall	800	30	01-A GF T.O.C	0.07 m³	0.4	98.6 kg
Plaster For Wall	800	30	01-A GF T.O.C	0.07 m³	0.4	98.6 kg
Plaster For Wall	2000	30	01-A GF T.O.C	0.11 m³	0.7	164.9 kg
Plaster For Wall	800	30	01-A GF T.O.C	0.05 m³	0.3	79.2 kg
Plaster For Wall	1155	30	01-A GF T.O.C	0.09 m³	0.5	135.3 kg
Plaster For Wall	800	30	01-A GF T.O.C	0.04 m³	0.3	63.6 kg
Plaster For Wall	800	30	01-A GF T.O.C	0.07 m³	0.4	98.6 kg
Plaster For Wall	1640	30	01-A GF T.O.C	0.15 m³	0.9	217.1 kg
Plaster For Wall	605	30	01-A GF T.O.C	0.04 m³	0.2	60.1 kg
Plaster For Wall	800	30	01-A GF T.O.C	0.05 m³	0.3	79.2 kg
Plaster For Wall	3028	30	01-A GF T.O.C	0.16 m³	0.9	235.2 kg
01-A GF T.O.C				0.92 m³	5.3	1330.3 kg
02-A FF T.O.C						
Plaster For Wall	13300	30	02-A FF T.O.C	0.57 m³	3.3	818.6 kg
Plaster For Wall	5200	30	02-A FF T.O.C	0.33 m³	1.9	481.1 kg
Plaster For Wall	4170	30	02-A FF T.O.C	0.29 m³	1.7	416.7 kg
Plaster For Wall	1645	30	02-A FF T.O.C	0.14 m³	0.8	199.5 kg
Plaster For Wall	3280	30	02-A FF T.O.C	0.23 m³	1.3	326.4 kg
Plaster For Wall	13245	30	02-A FF T.O.C	0.64 m³	3.7	914.6 kg
Plaster For Wall	4900	30	02-A FF T.O.C	0.31 m³	1.8	451.4 kg
Plaster For Wall	2340	30	02-A FF T.O.C	0.20 m³	1.1	285.6 kg
Plaster For Wall	4900	30	02-A FF T.O.C	0.36 m³	2.1	521.4 kg
Plaster For Wall	1945	30	02-A FF T.O.C	0.18 m³	1.0	257.5 kg
Plaster For Wall	2070	30	02-A FF T.O.C	0.11 m³	0.6	155.9 kg
Plaster For Wall	2070	30	02-A FF T.O.C	0.11 m³	0.6	155.9 kg
Plaster For Wall	1800	30	02-A FF T.O.C	0.16 m³	0.9	232.7 kg
Plaster For Wall	14820	30	02-A FF T.O.C	1.16 m³	6.7	1673.4 kg
Plaster For Wall	14820	30	02-A FF T.O.C	1.07 m³	6.2	1541.7 kg
Plaster For Wall	13245	30	02-A FF T.O.C	0.71 m³	4.1	1019.3 kg

WALL PLASTER

NAME	Length	Thickness	Base Constraint	Volume	Cement (Bags 50kg)	Sand (1/5)
Plaster For Wall	1155	30	02-A FF T.O.C	0.09 m³	0.5	135.3 kg
Plaster For Wall	800	30	02-A FF T.O.C	0.06 m³	0.3	79.3 kg
Plaster For Wall	1640	30	02-A FF T.O.C	0.14 m³	0.8	200.2 kg
Plaster For Wall	3985	30	02-A FF T.O.C	0.23 m³	1.3	326.3 kg
Plaster For Wall	800	30	02-A FF T.O.C	0.04 m³	0.3	63.0 kg
Plaster For Wall	13245	30	02-A FF T.O.C	1.21 m³	7.0	1746.2 kg
Plaster For Wall	1000	30	02-A FF T.O.C	0.08 m³	0.5	114.2 kg
Plaster For Wall	3445	30	02-A FF T.O.C	0.09 m³	0.5	130.0 kg
Plaster For Wall	2665	30	02-A FF T.O.C	0.09 m³	0.5	132.4 kg
02-A FF T.O.C				8.60 m³	49.5	12378.7 kg
03-A SF T.O.C						
Plaster For Wall	13300	30	03-A SF T.O.C	0.60 m³	3.5	864.1 kg
Plaster For Wall	5200	30	03-A SF T.O.C	0.33 m³	1.9	481.9 kg
Plaster For Wall	4170	30	03-A SF T.O.C	0.30 m³	1.7	434.1 kg
Plaster For Wall	1645	30	03-A SF T.O.C	0.14 m³	0.8	199.7 kg
Plaster For Wall	3280	30	03-A SF T.O.C	0.23 m³	1.3	326.4 kg
Plaster For Wall	13245	30	03-A SF T.O.C	0.66 m³	3.8	956.1 kg
Plaster For Wall	4900	30	03-A SF T.O.C	0.33 m³	1.9	471.6 kg
Plaster For Wall	2340	30	03-A SF T.O.C	0.20 m³	1.1	285.7 kg
Plaster For Wall	4900	30	03-A SF T.O.C	0.37 m³	2.1	531.0 kg
Plaster For Wall	1945	30	03-A SF T.O.C	0.18 m³	1.0	257.9 kg
Plaster For Wall	2070	30	03-A SF T.O.C	0.11 m³	0.6	156.1 kg
Plaster For Wall	2070	30	03-A SF T.O.C	0.11 m³	0.6	156.1 kg
Plaster For Wall	1800	30	03-A SF T.O.C	0.16 m³	0.9	232.8 kg
Plaster For Wall	14820	30	03-A SF T.O.C	1.18 m³	6.8	1698.7 kg
Plaster For Wall	14820	30	03-A SF T.O.C	1.10 m³	6.3	1586.9 kg
Plaster For Wall	13245	30	03-A SF T.O.C	0.74 m³	4.3	1064.8 kg
Plaster For Wall	1155	30	03-A SF T.O.C	0.09 m³	0.5	135.3 kg
Plaster For Wall	800	30	03-A SF T.O.C	0.06 m³	0.3	79.4 kg
Plaster For Wall	1640	30	03-A SF T.O.C	0.14 m³	0.8	200.2 kg
Plaster For Wall	3985	30	03-A SF T.O.C	0.23 m³	1.3	332.5 kg
Plaster For Wall	800	30	03-A SF T.O.C	0.04 m³	0.3	64.2 kg
Plaster For Wall	13245	30	03-A SF T.O.C	1.21 m³	7.0	1746.2 kg
Plaster For Wall	3445	30	03-A SF T.O.C	0.09 m³	0.5	130.0 kg
Plaster For Wall	2665	30	03-A SF T.O.C	0.09 m³	0.5	132.4 kg
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg

WALL PLASTER

NAME	Length	Thickness	Base Constraint	Volume	Cement (Bags 50kg)	Sand (1/5)
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg
Plaster For Wall	75	30	03-A SF T.O.C	0.01 m³	0.1	20.9 kg
Plaster For Wall	1555	30	03-A SF T.O.C	0.15 m³	0.8	210.3 kg
03-A SF T.O.C				8.96 m³	51.6	12901.1 kg
04-A ROOF T.O.C						
Plaster For Wall	3445	30	04-A ROOF T.O.C	0.26 m³	1.5	369.1 kg
Plaster For Wall	13355	30	04-A ROOF T.O.C	0.38 m³	2.2	551.1 kg
Plaster For Wall	14028	30	04-A ROOF T.O.C	0.40 m³	2.3	575.8 kg
Plaster For Wall	16413	30	04-A ROOF T.O.C	0.47 m³	2.7	679.9 kg
Plaster For Wall	920	30	04-A ROOF T.O.C	0.05 m³	0.3	66.5 kg
Plaster For Wall	975	30	04-A ROOF T.O.C	0.08 m³	0.5	120.8 kg
Plaster For Wall	1746	30	04-A ROOF T.O.C	0.15 m³	0.9	215.0 kg
Plaster For Wall	1500	30	04-A ROOF T.O.C	0.13 m³	0.7	184.7 kg
Plaster For Wall	3445	30	04-A ROOF T.O.C	0.09 m³	0.5	130.0 kg
Plaster For Wall	2665	30	04-A ROOF T.O.C	0.09 m³	0.5	132.4 kg
Plaster For Wall	1555	30	04-A ROOF T.O.C	0.13 m³	0.8	191.2 kg
Plaster For Wall	800	30	04-A ROOF T.O.C	0.05 m³	0.3	76.5 kg
04-A ROOF T.O.C				2.29 m³	13.2	3293.0 kg
Grand Total				26.45 m³	152.4	38091.9 kg

PROJECT: HAROON RESIDENCE

BUILDING ADDRESS: MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT

ARCHITECTURE CONSULTANT:

STRUCTURE CONSULTANT:

MEP CONSULTANT:

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

SCHEDULES

STATUS: **CONSTRUCTION**

DRAWING TITLE: NUMBER OF BIRCKS / PLASTER TAKEOFF

DESIGNED:	CHECKED:	APPROVED:
DSG	CHK	APR
DRAWN:	**DATE:**	**SCALE/SHEET:**
MH	3/29/2025	

PROJECT CODE: 0022 | REV:

DRAWING NO: PTS-A101

COLUMN PLASTER

NAME	LENGTH	THICKNESS	LEVEL	VOLUME	CEMENT (KG)	CEMENT (BAGS)
01-A GF T.O.C						
Wall Plaster	195	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	645	15	01-A GF T.O.C	0.023 m³	6.7 kg	0.13
Wall Plaster	195	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	383	15	01-A GF T.O.C	0.019 m³	5.6 kg	0.11
Wall Plaster	195	15	01-A GF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	495	15	01-A GF T.O.C	0.017 m³	4.9 kg	0.10
Wall Plaster	158	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	495	15	01-A GF T.O.C	0.017 m³	4.9 kg	0.10
Wall Plaster	495	15	01-A GF T.O.C	0.017 m³	4.9 kg	0.10
Wall Plaster	195	15	01-A GF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	615	15	01-A GF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	195	15	01-A GF T.O.C	0.000 m³	0.0 kg	0.00
Wall Plaster	158	15	01-A GF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	615	15	01-A GF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	315	15	01-A GF T.O.C	0.012 m³	3.4 kg	0.07
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.9 kg	0.16
Wall Plaster	383	15	01-A GF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	765	15	01-A GF T.O.C	0.033 m³	9.5 kg	0.19
Wall Plaster	315	15	01-A GF T.O.C	0.007 m³	2.1 kg	0.04
Wall Plaster	645	15	01-A GF T.O.C	0.024 m³	6.9 kg	0.14
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	645	15	01-A GF T.O.C	0.023 m³	6.7 kg	0.13
Wall Plaster	645	15	01-A GF T.O.C	0.024 m³	6.9 kg	0.14
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	645	15	01-A GF T.O.C	0.023 m³	6.7 kg	0.13
Wall Plaster	765	15	01-A GF T.O.C	0.034 m³	9.7 kg	0.19
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	765	15	01-A GF T.O.C	0.034 m³	9.7 kg	0.19
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	316	15	01-A GF T.O.C	0.013 m³	3.7 kg	0.07
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.7 kg	0.15
Wall Plaster	316	15	01-A GF T.O.C	0.013 m³	3.7 kg	0.07
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.7 kg	0.15
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.7 kg	0.15
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.8 kg	0.08
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.7 kg	0.15
Wall Plaster	765	15	01-A GF T.O.C	0.034 m³	9.7 kg	0.19
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	765	15	01-A GF T.O.C	0.034 m³	9.9 kg	0.20
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	3200	145	01-A GF T.O.C	0.084 m³	24.1 kg	0.48
Wall Plaster	3445	145	01-A GF T.O.C	0.103 m³	29.8 kg	0.60
Wall Plaster	3445	145	01-A GF T.O.C	0.087 m³	25.1 kg	0.50
Wall Plaster	158	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	383	15	01-A GF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	158	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	383	15	01-A GF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	195	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.7 kg	0.15
Wall Plaster	195	15	01-A GF T.O.C	0.003 m³	0.7 kg	0.01
Wall Plaster	195	15	01-A GF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	615	15	01-A GF T.O.C	0.027 m³	7.7 kg	0.15
Wall Plaster	195	15	01-A GF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	645	15	01-A GF T.O.C	0.024 m³	6.9 kg	0.14
Wall Plaster	315	15	01-A GF T.O.C	0.013 m³	3.6 kg	0.07
Wall Plaster	645	15	01-A GF T.O.C	0.023 m³	6.8 kg	0.14
Wall Plaster	1200	145	01-A GF T.O.C	0.056 m³	16.1 kg	0.32
Wall Plaster	1200	145	01-A GF T.O.C	0.048 m³	13.7 kg	0.27
Wall Plaster	1800	145	01-A GF T.O.C	0.076 m³	22.0 kg	0.44
Wall Plaster	3200	145	01-A GF T.O.C	0.103 m³	29.6 kg	0.59
Wall Plaster	128	15	01-A GF T.O.C	0.012 m³	3.4 kg	0.07
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
Wall Plaster	315	15	01-A GF T.O.C	0.009 m³	2.4 kg	0.05
01-A GF T.O.C					437.8 kg	8.76
02-A FF T.O.C						
Wall Plaster	4465	145	02-A FF T.O.C	0.134 m³	38.7 kg	0.77
Wall Plaster	3445	145	02-A FF T.O.C	0.107 m³	30.9 kg	0.62
Wall Plaster	5200	145	02-A FF T.O.C	0.169 m³	48.6 kg	0.97
Wall Plaster	645	15	02-A FF T.O.C	0.024 m³	6.9 kg	0.14
Wall Plaster	195	15	02-A FF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	195	15	02-A FF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	495	15	02-A FF T.O.C	0.017 m³	4.9 kg	0.10

COLUMN PLASTER

NAME	LENGTH	THICKNESS	LEVEL	VOLUME	CEMENT (KG)	CEMENT (BAGS)
Wall Plaster	158	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	158	15	02-A FF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	495	15	02-A FF T.O.C	0.016 m³	4.7 kg	0.09
Wall Plaster	495	15	02-A FF T.O.C	0.017 m³	4.9 kg	0.10
Wall Plaster	195	15	02-A FF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	550	15	02-A FF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	550	15	02-A FF T.O.C	0.022 m³	6.2 kg	0.12
Wall Plaster	158	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	158	15	02-A FF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	550	15	02-A FF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	250	15	02-A FF T.O.C	0.008 m³	2.2 kg	0.04
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	250	15	02-A FF T.O.C	0.008 m³	2.2 kg	0.04
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	250	15	02-A FF T.O.C	0.008 m³	2.2 kg	0.04
Wall Plaster	645	15	02-A FF T.O.C	0.023 m³	6.7 kg	0.13
Wall Plaster	645	15	02-A FF T.O.C	0.024 m³	6.9 kg	0.14
Wall Plaster	250	15	02-A FF T.O.C	0.007 m³	2.0 kg	0.04
Wall Plaster	195	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	550	15	02-A FF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	158	15	02-A FF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	550	15	02-A FF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	158	15	02-A FF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	550	15	02-A FF T.O.C	0.021 m³	6.0 kg	0.12
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	250	15	02-A FF T.O.C	0.007 m³	2.0 kg	0.04
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	315	15	02-A FF T.O.C	0.013 m³	3.7 kg	0.07
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	195	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	195	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	383	15	02-A FF T.O.C	0.014 m³	3.9 kg	0.08
Wall Plaster	645	15	02-A FF T.O.C	0.024 m³	6.9 kg	0.14
Wall Plaster	195	15	02-A FF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	495	15	02-A FF T.O.C	0.016 m³	4.7 kg	0.09
Wall Plaster	495	15	02-A FF T.O.C	0.017 m³	4.9 kg	0.10
Wall Plaster	158	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	495	15	02-A FF T.O.C	0.017 m³	4.9 kg	0.10
Wall Plaster	158	15	02-A FF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	3445	145	02-A FF T.O.C	0.082 m³	23.5 kg	0.47
Wall Plaster	1200	145	02-A FF T.O.C	0.056 m³	16.1 kg	0.32
Wall Plaster	1800	145	02-A FF T.O.C	0.076 m³	22.0 kg	0.44
02-A FF T.O.C					339.0 kg	6.78
03-A SF T.O.C						
Wall Plaster	545	15	03-A SF T.O.C	0.019 m³	5.6 kg	0.11
Wall Plaster	195	15	03-A SF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	333	15	03-A SF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	333	15	03-A SF T.O.C	0.012 m³	3.5 kg	0.07
Wall Plaster	195	15	03-A SF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	445	15	03-A SF T.O.C	0.015 m³	4.3 kg	0.09
Wall Plaster	158	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	158	15	03-A SF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	445	15	03-A SF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	445	15	03-A SF T.O.C	0.015 m³	4.3 kg	0.09
Wall Plaster	195	15	03-A SF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	500	15	03-A SF T.O.C	0.019 m³	5.4 kg	0.11
Wall Plaster	500	15	03-A SF T.O.C	0.019 m³	5.6 kg	0.11
Wall Plaster	158	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	158	15	03-A SF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	500	15	03-A SF T.O.C	0.019 m³	5.4 kg	0.11
Wall Plaster	250	15	03-A SF T.O.C	0.008 m³	2.2 kg	0.04
Wall Plaster	333	15	03-A SF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	250	15	03-A SF T.O.C	0.008 m³	2.2 kg	0.04
Wall Plaster	333	15	03-A SF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	250	15	03-A SF T.O.C	0.008 m³	2.2 kg	0.04
Wall Plaster	545	15	03-A SF T.O.C	0.019 m³	5.4 kg	0.11
Wall Plaster	545	15	03-A SF T.O.C	0.019 m³	5.6 kg	0.11
Wall Plaster	250	15	03-A SF T.O.C	0.007 m³	2.0 kg	0.04
Wall Plaster	195	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	500	15	03-A SF T.O.C	0.019 m³	5.4 kg	0.11
Wall Plaster	158	15	03-A SF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	500	15	03-A SF T.O.C	0.019 m³	5.4 kg	0.11
Wall Plaster	158	15	03-A SF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	500	15	03-A SF T.O.C	0.019 m³	5.4 kg	0.11
Wall Plaster	333	15	03-A SF T.O.C	0.012 m³	3.5 kg	0.07
Wall Plaster	250	15	03-A SF T.O.C	0.007 m³	2.0 kg	0.04
Wall Plaster	333	15	03-A SF T.O.C	0.018 m³	5.2 kg	0.10
Wall Plaster	315	15	03-A SF T.O.C	0.013 m³	3.8 kg	0.08
Wall Plaster	333	15	03-A SF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	195	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02

COLUMN PLASTER

NAME	LENGTH	THICKNESS	LEVEL	VOLUME	CEMENT (KG)	CEMENT (BAGS)
Wall Plaster	333	15	03-A SF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	195	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	333	15	03-A SF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	545	15	03-A SF T.O.C	0.019 m³	5.6 kg	0.11
Wall Plaster	195	15	03-A SF T.O.C	0.002 m³	0.7 kg	0.01
Wall Plaster	195	15	03-A SF T.O.C	0.003 m³	0.9 kg	0.02
Wall Plaster	445	15	03-A SF T.O.C	0.014 m³	4.1 kg	0.08
Wall Plaster	445	15	03-A SF T.O.C	0.015 m³	4.3 kg	0.09
Wall Plaster	158	15	03-A SF T.O.C	0.006 m³	1.8 kg	0.04
Wall Plaster	445	15	03-A SF T.O.C	0.015 m³	4.3 kg	0.09
Wall Plaster	158	15	03-A SF T.O.C	0.006 m³	1.8 kg	0.04
Wall Plaster	4465	145	03-A SF T.O.C	0.131 m³	37.7 kg	0.75
Wall Plaster	3445	145	03-A SF T.O.C	0.112 m³	32.2 kg	0.64
Wall Plaster	3200	145	03-A SF T.O.C	0.115 m³	33.0 kg	0.66
Wall Plaster	3445	145	03-A SF T.O.C	0.082 m³	23.5 kg	0.47
Wall Plaster	1200	145	03-A SF T.O.C	0.056 m³	16.1 kg	0.32
Wall Plaster	1800	145	03-A SF T.O.C	0.083 m³	23.8 kg	0.48
03-A SF T.O.C					310.5 kg	6.21
04-A ROOF T.O.C						
Wall Plaster	4465	145	04-A ROOF T.O.C	0.138 m³	39.7 kg	0.79
Wall Plaster	3445	145	04-A ROOF T.O.C	0.121 m³	35.0 kg	0.70
Wall Plaster	3265	145	04-A ROOF T.O.C	0.113 m³	32.4 kg	0.65
Wall Plaster	3445	145	04-A ROOF T.O.C	0.076 m³	22.0 kg	0.44
Wall Plaster	1200	145	04-A ROOF T.O.C	0.051 m³	14.8 kg	0.30
Wall Plaster	1800	145	04-A ROOF T.O.C	0.077 m³	22.2 kg	0.44
Wall Plaster	333	15	04-A ROOF T.O.C	0.015 m³	4.2 kg	0.08
Wall Plaster	315	15	04-A ROOF T.O.C	0.013 m³	3.9 kg	0.08
Wall Plaster	333	15	04-A ROOF T.O.C	0.011 m³	3.1 kg	0.06
Wall Plaster	333	15	04-A ROOF T.O.C	0.011 m³	3.3 kg	0.07
Wall Plaster	315	15	04-A ROOF T.O.C	0.013 m³	3.9 kg	0.08
Wall Plaster	333	15	04-A ROOF T.O.C	0.011 m³	3.1 kg	0.06
Wall Plaster	158	15	04-A ROOF T.O.C	0.004 m³	1.1 kg	0.02
Wall Plaster	565	15	04-A ROOF T.O.C	0.024 m³	7.0 kg	0.14
Wall Plaster	158	15	04-A ROOF T.O.C	0.006 m³	1.8 kg	0.04
Wall Plaster	158	15	04-A ROOF T.O.C	0.007 m³	2.0 kg	0.04
Wall Plaster	565	15	04-A ROOF T.O.C	0.024 m³	7.0 kg	0.14
Wall Plaster	158	15	04-A ROOF T.O.C	0.010 m³	2.7 kg	0.05
04-A ROOF T.O.C					209.1 kg	4.18
Grand total					1296.4 kg	25.93

PROJECT: HAROON RESIDENCE

BUILDING ADDRESS: MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT XYZ

ARCHITECTURE CONSULTANT: XYZ

STRUCTURE CONSULTANT: XYZ

MEP CONSULTANT: XYZ

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE: Issue Date
ISSUED TO: Client
ISSUED FOR: Approval

SCHEDULES

STATUS: CONSTRUCTION

DRAWING TITLE: COLUMN PLASTER

DESIGNED:	CHECKED:	APPROVED:
DSG	CHK	APR
DRAWN:	**DATE:**	**SCALE/SHEET:**
MH	3/29/2025	

PROJECT CODE: 0022
REV:
DRAWING NO: PTS-A101

Door Schedule

Type	Type Mark	Height	Width	Thickness	Level	Sill Height	Count
01 GF F.F.L							
Lift Door 1200 x 2250	LD	2125	900	30	01 GF F.F.L	0	1
Staircase Door 1050 x 2250	D5	2250	1050	35	01 GF F.F.L	0	2
Store Door 900 x 2250	D4	2250	900	51	01 GF F.F.L	0	2
02 FF F.F.L							
Door 900 X 2250	D2	2250	900	35	02 FF F.F.L	0	5
Lift Door 1200 x 2250	LD	2125	900	30	02 FF F.F.L	0	1
Room Door 1050 X 2250	D1	2250	1050	35	02 FF F.F.L	0	4
Staircase Door 1050 x 2250	D5	2250	1050	35	02 FF F.F.L	0	1
Store Door 900 x 2250	D4	2250	900	51	02 FF F.F.L	0	2
03 SF F.F.L							
Door 900 X 2250	D2	2250	900	35	03 SF F.F.L	0	5
Lift Door 1200 x 2250	LD	2125	900	30	03 SF F.F.L	0	1
Room Door 1050 X 2250	D1	2250	1050	35	03 SF F.F.L	0	4
Staircase Door 1050 x 2250	D5	2250	1050	35	03 SF F.F.L	0	1
Store Door 900 x 2250	D4	2250	900	51	03 SF F.F.L	0	2
04 ROOF F.F.L							
Lift Door 1200 x 2250	LD	2125	900	30	04 ROOF F.F.L	0	1
Staircase Door 1050 x 2250	D5	2250	1050	35	04 ROOF F.F.L	0	1
Store Door 900 x 2250	D4	2250	900	51	04 ROOF F.F.L	0	1
Total							34

Window Schedule

Type	Type Mark	Height	Width	Level	Count	Mark	Sill Height
02 FF F.F.L							
Bedroom Door 2100 x 2250	D3	2300	2120	02 FF F.F.L	1	9	0
Bedroom Window 1800 X 1350	W1	1550	1820	02 FF F.F.L	1	10	900
Bedroom Window 1800 X 1350	W1	1550	1820	02 FF F.F.L	1	11	900
Bedroom Door 2100 x 2250	D3	2300	2120	02 FF F.F.L	1	19	0
Kitchen Window 1500 X 1500	W2	1400	1820	02 FF F.F.L	1	22	900
03 SF F.F.L							
Kitchen Window 1500 X 1500	W2	1400	1820	03 SF F.F.L	1	12	900
Bedroom Window 1800 X 1350	W1	1550	1820	03 SF F.F.L	1	15	900
Bedroom Window 1800 X 1350	W1	1550	1820	03 SF F.F.L	1	16	900
Bedroom Door 2100 x 2250	D3	2300	2120	03 SF F.F.L	1	20	0
Bedroom Door 2100 x 2250	D3	2300	2120	03 SF F.F.L	1	21	0

PROJECT:
HAROON RESIDENCE

BUILDING ADDRESS:
MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT

ARCHITECTURE CONSULTANT:

STRUCTURE CONSULTANT:

MEP CONSULTANT:

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE:	Issue Date
ISSUED TO:	Client
ISSUED FOR:	Approval

SCHEDULES

STATUS:
CONSTRUCTION

DRAWING TITLE:
DOOR WINDOW SCHEDULE

DESIGNED:	CHECKED:	APPROVED:
DSG	CHK	APR
DRAWN:	**DATE:**	**SCALE/SHEET:**
MH	3/29/2025	
PROJECT CODE:		**REV:**
0022		

DRAWING NO:
PTS-A101

COLUMN CONCRETE

NAME	TYPE	LENGTH	BASE LEVEL	TOP LEVEL	VOLUME	CEMENT (BAGS)	SAND	AGGREGATE
-01 FOUNDATION								
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C1 - 300 x 750	8800	-01 FOUNDATION	03-A SF T.O.C	1.86 m³	7.6	763.7 kg	1527.4 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
Concrete columns	C2 - 300 x 600	8800	-01 FOUNDATION	03-A SF T.O.C	1.49 m³	6.1	611.0 kg	1221.9 kg
-01 FOUNDATION					26.73 m³	110.0	10997.5 kg	21995.0 kg
00 RD LVL								
Concrete columns	GC - 1 (225 x 225)	2250	00 RD LVL	02-A FF T.O.C	0.10 m³	0.4	42.7 kg	85.4 kg
Concrete columns	GC - 1 (225 x 225)	2250	00 RD LVL	02-A FF T.O.C	0.10 m³	0.4	42.7 kg	85.4 kg
Concrete columns	AC - 1 (300 x 300)	2250	00 RD LVL	02-A FF T.O.C	0.18 m³	0.8	75.9 kg	151.8 kg
Concrete columns	AC - 1 (300 x 300)	2250	00 RD LVL	02-A FF T.O.C	0.18 m³	0.8	75.9 kg	151.8 kg
00 RD LVL					0.58 m³	2.4	237.2 kg	474.4 kg
03-A SF T.O.C								
Concrete columns	C3 - 300 x 650	6300	03-A SF T.O.C	05-A MUMTY T.O.C	1.16 m³	4.8	477.4 kg	954.7 kg
Concrete columns	C3 - 300 x 650	6300	03-A SF T.O.C	05-A MUMTY T.O.C	1.16 m³	4.8	477.4 kg	954.7 kg
Concrete columns	C3 - 300 x 650	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.60 m³	2.5	248.7 kg	497.4 kg
Concrete columns	C3 - 300 x 650	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.60 m³	2.5	248.7 kg	497.4 kg
Concrete columns	C4 - 300 x 550	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.51 m³	2.1	210.4 kg	420.9 kg
Concrete columns	C4 - 300 x 550	6300	03-A SF T.O.C	05-A MUMTY T.O.C	0.98 m³	4.0	403.9 kg	807.8 kg
Concrete columns	C3 - 300 x 650	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.60 m³	2.5	248.7 kg	497.4 kg
Concrete columns	C3 - 300 x 650	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.60 m³	2.5	248.7 kg	497.4 kg
Concrete columns	C3 - 300 x 650	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.60 m³	2.5	248.7 kg	497.4 kg
Concrete columns	C3 - 300 x 650	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.60 m³	2.5	248.7 kg	497.4 kg
Concrete columns	C4 - 300 x 550	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.51 m³	2.1	210.4 kg	420.9 kg
Concrete columns	C4 - 300 x 550	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.51 m³	2.1	210.4 kg	420.9 kg
Concrete columns	C4 - 300 x 550	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.51 m³	2.1	210.4 kg	420.9 kg
Concrete columns	C4 - 300 x 550	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.51 m³	2.1	210.4 kg	420.9 kg
Concrete columns	C4 - 300 x 550	6300	03-A SF T.O.C	05-A MUMTY T.O.C	0.98 m³	4.0	403.9 kg	807.8 kg
Concrete columns	C4 - 300 x 550	3300	03-A SF T.O.C	04-A ROOF T.O.C	0.51 m³	2.1	210.4 kg	420.9 kg
03-A SF T.O.C					10.98 m³	45.2	4517.5 kg	9035.0 kg
04-A ROOF T.O.C								
Concrete columns	C5 - 225 x 225	3000	04-A ROOF T.O.C	05-A MUMTY T.O.C	0.19 m³	0.8	79.1 kg	158.3 kg
Concrete columns	C5 - 225 x 225	3000	04-A ROOF T.O.C	05-A MUMTY T.O.C	0.19 m³	0.8	79.1 kg	158.3 kg
Concrete columns	SC - 1 (150 x 150)	3001	04-A ROOF T.O.C	05-A MUMTY T.O.C	0.07 m³	0.3	27.3 kg	54.6 kg
Concrete columns	SC - 1 (150 x 150)	3001	04-A ROOF T.O.C	05-A MUMTY T.O.C	0.07 m³	0.3	27.3 kg	54.6 kg
Concrete columns	SC - 1 (150 x 150)	3001	04-A ROOF T.O.C	05-A MUMTY T.O.C	0.07 m³	0.3	27.3 kg	54.6 kg
Concrete columns	SC - 1 (150 x 150)	3001	04-A ROOF T.O.C	05-A MUMTY T.O.C	0.07 m³	0.3	27.3 kg	54.6 kg
04-A ROOF T.O.C					0.65 m³	2.7	267.6 kg	535.1 kg
Grand total					38.94 m³	160.2	16019.7 kg	32039.5 kg

BEAM CONCRETE

NAME	TYPE	LENGTH	Elevation at Bottom	Elevation at Top	VOLUME	CEMENT (BAGS)	SAND	AGGREGATE
-250								
Concrete, Cast-in-Place gray	PB - 300 X 650	4470	-250	400	0.58 m³	2.39	238.8 kg	477.7 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	3765	-250	400	0.47 m³	1.95	195.3 kg	390.7 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	4770	-250	400	0.63 m³	2.57	257.3 kg	514.7 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	4770	-250	400	0.67 m³	2.76	275.9 kg	551.7 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	3465	-250	400	0.47 m³	1.95	195.3 kg	390.7 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	5070	-250	400	0.72 m³	2.94	294.4 kg	588.8 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	12945	-250	400	1.71 m³	7.02	701.7 kg	1403.4 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	13005	-250	400	1.68 m³	6.92	691.5 kg	1383.0 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	12945	-250	400	1.71 m³	7.02	701.7 kg	1403.4 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	13305	-250	400	1.86 m³	7.66	765.6 kg	1531.1 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	12945	-250	400	1.71 m³	7.02	701.7 kg	1403.4 kg
Concrete, Cast-in-Place gray	PB - 300 X 650	12945	-250	400	1.71 m³	7.02	701.7 kg	1403.4 kg
-250					13.90 m³	57.21	5720.9 kg	11441.8 kg
-50								
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	-50	400	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	-50	400	0.12 m³	0.50	50.5 kg	100.9 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	-50	400	0.11 m³	0.45	45.1 kg	90.3 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	-50	400	0.12 m³	0.48	47.6 kg	95.1 kg
-50					0.48 m³	1.96	195.9 kg	391.8 kg
3100								
Concrete, Cast-in-Place gray	FFB - 300 X 600	4470	3100	3700	0.52 m³	2.15	215.0 kg	429.9 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	3765	3100	3700	0.43 m³	1.76	175.8 kg	351.6 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	4770	3100	3700	0.56 m³	2.32	231.6 kg	463.2 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	4770	3100	3700	0.60 m³	2.48	248.3 kg	496.6 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	3465	3100	3700	0.43 m³	1.76	175.8 kg	351.6 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	5070	3100	3700	0.64 m³	2.65	264.9 kg	529.9 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	12945	3100	3700	1.53 m³	6.32	631.5 kg	1263.0 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	13005	3100	3700	1.51 m³	6.22	622.4 kg	1244.7 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	12945	3100	3700	1.53 m³	6.32	631.5 kg	1263.0 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	13305	3100	3700	1.67 m³	6.89	689.0 kg	1378.0 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	12945	3100	3700	1.53 m³	6.32	631.5 kg	1263.0 kg
Concrete, Cast-in-Place gray	FFB - 300 X 600	12945	3100	3700	1.53 m³	6.32	631.5 kg	1263.0 kg
3100					12.51 m³	51.49	5148.8 kg	10297.6 kg
3250								
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	3250	3700	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	3250	3700	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	3250	3700	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	3250	3700	0.13 m³	0.53	52.8 kg	105.5 kg
3250					0.51 m³	2.11	211.1 kg	422.1 kg
6450								
Concrete, Cast-in-Place gray	FFB - 300 X 550	4470	6450	7000	0.46 m³	1.91	191.1 kg	382.1 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	3765	6450	7000	0.38 m³	1.56	156.3 kg	312.5 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	4770	6450	7000	0.50 m³	2.06	205.9 kg	411.8 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	4770	6450	7000	0.54 m³	2.21	220.7 kg	441.4 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	3465	6450	7000	0.38 m³	1.56	156.3 kg	312.5 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	5070	6450	7000	0.57 m³	2.36	235.5 kg	471.0 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	12945	6450	7000	1.36 m³	5.61	561.4 kg	1122.7 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	13005	6450	7000	1.34 m³	5.53	553.2 kg	1106.4 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	12945	6450	7000	1.36 m³	5.61	561.4 kg	1122.7 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	13305	6450	7000	1.49 m³	6.12	612.5 kg	1224.9 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	12945	6450	7000	1.36 m³	5.61	561.4 kg	1122.7 kg
Concrete, Cast-in-Place gray	FFB - 300 X 550	12945	6450	7000	1.36 m³	5.61	561.4 kg	1122.7 kg
6450					11.12 m³	45.77	4576.7 kg	9153.5 kg
6550								
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	6550	7000	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	6550	7000	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	6550	7000	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	6550	7000	0.13 m³	0.53	52.8 kg	105.5 kg
6550					0.51 m³	2.11	211.1 kg	422.1 kg
9800								
Concrete, Cast-in-Place gray	SFB - 300 X 500	4770	9800	10300	0.42 m³	1.72	171.5 kg	343.0 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	3465	9800	10300	0.33 m³	1.37	136.7 kg	273.5 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	5070	9800	10300	0.45 m³	1.84	184.5 kg	368.9 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	4770	9800	10300	0.47 m³	1.93	193.1 kg	386.2 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	3465	9800	10300	0.33 m³	1.37	136.7 kg	273.5 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	5070	9800	10300	0.50 m³	2.06	206.1 kg	412.1 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	12945	9800	10300	1.21 m³	5.00	499.8 kg	999.6 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	13305	9800	10300	1.20 m³	4.93	492.7 kg	985.4 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	12945	9800	10300	1.21 m³	5.00	499.8 kg	999.6 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	13305	9800	10300	1.30 m³	5.36	535.9 kg	1071.8 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	12945	9800	10300	1.21 m³	5.00	499.8 kg	999.6 kg
Concrete, Cast-in-Place gray	SFB - 300 X 500	12945	9800	10300	1.21 m³	5.00	499.8 kg	999.6 kg
9800					9.86 m³	40.56	4056.5 kg	8113.0 kg
9850								
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	9850	10300	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	9850	10300	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	9850	10300	0.13 m³	0.53	52.8 kg	105.5 kg
Concrete, Cast-in-Place gray	CB - 300 x 450	1575	9850	10300	0.13 m³	0.53	52.8 kg	105.5 kg
9850					0.51 m³	2.11	211.1 kg	422.1 kg
Grand total					49.42 m³	203.32	20332.0 kg	40664.1 kg

PROJECT:
HAROON RESIDENCE

BUILDING ADDRESS:
MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT

ARCHITECTURE CONSULTANT:

STRUCTURE CONSULTANT:

MEP CONSULTANT:

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE: Issue Date
ISSUED TO: Client
ISSUED FOR: Approval

SCHEDULES

STATUS:
CONSTRUCTION

DRAWING TITLE: CONCRETE QUANTITY

DESIGNED:	CHECKED:	APPROVED:
DSG	CHK	APR
DRAWN:	**DATE:**	**SCALE/SHEET:**
MH	3/29/2025	
PROJECT CODE: 0022		**REV:**

DRAWING NO: PTS-A101

SHEAR WALL CONCRETE

NAME	LEVEL	LENGTH	WIDTH	VOLUME	CEMENT (BAGS)	SAND	AGGREGATE
01-A GF T.O.C							
Concrete, Cast-in-Place gray	01-A GF T.O.C	3200	145	0.64 m³	2.64	263.60 kg	527.20 kg
Concrete, Cast-in-Place gray	01-A GF T.O.C	3445	145	0.92 m³	3.81	380.52 kg	761.03 kg
Concrete, Cast-in-Place gray	01-A GF T.O.C	3445	145	0.67 m³	2.75	275.35 kg	550.69 kg
Concrete, Cast-in-Place gray	01-A GF T.O.C	1200	145	0.43 m³	1.76	176.01 kg	352.02 kg
Concrete, Cast-in-Place gray	01-A GF T.O.C	1200	145	0.37 m³	1.50	150.46 kg	300.92 kg
Concrete, Cast-in-Place gray	01-A GF T.O.C	1800	145	0.59 m³	2.41	241.10 kg	482.19 kg
Concrete, Cast-in-Place gray	01-A GF T.O.C	3200	145	0.79 m³	3.24	324.11 kg	648.23 kg
01-A GF T.O.C				4.40 m³	18.11	1811.14 kg	3622.28 kg
02-A FF T.O.C							
Concrete, Cast-in-Place gray	02-A FF T.O.C	4465	145	1.03 m³	4.24	423.78 kg	847.56 kg
Concrete, Cast-in-Place gray	02-A FF T.O.C	3445	145	0.94 m³	3.85	385.16 kg	770.33 kg
Concrete, Cast-in-Place gray	02-A FF T.O.C	5200	145	1.29 m³	5.33	532.71 kg	1065.42 kg
Concrete, Cast-in-Place gray	02-A FF T.O.C	3445	145	0.63 m³	2.58	257.53 kg	515.06 kg
Concrete, Cast-in-Place gray	02-A FF T.O.C	1200	145	0.43 m³	1.76	176.01 kg	352.02 kg
Concrete, Cast-in-Place gray	02-A FF T.O.C	1800	145	0.59 m³	2.41	241.28 kg	482.56 kg
02-A FF T.O.C				4.90 m³	20.16	2016.48 kg	4032.95 kg
03-A SF T.O.C							
Concrete, Cast-in-Place gray	03-A SF T.O.C	4465	145	1.00 m³	4.13	413.01 kg	826.01 kg
Concrete, Cast-in-Place gray	03-A SF T.O.C	3445	145	0.97 m³	3.98	398.22 kg	796.44 kg
Concrete, Cast-in-Place gray	03-A SF T.O.C	3200	145	0.88 m³	3.62	361.72 kg	723.44 kg
Concrete, Cast-in-Place gray	03-A SF T.O.C	3445	145	0.63 m³	2.58	257.90 kg	515.80 kg
Concrete, Cast-in-Place gray	03-A SF T.O.C	1200	145	0.43 m³	1.76	176.01 kg	352.02 kg
Concrete, Cast-in-Place gray	03-A SF T.O.C	1800	145	0.63 m³	2.60	260.33 kg	520.66 kg
03-A SF T.O.C				4.54 m³	18.67	1867.18 kg	3734.36 kg
04-A ROOF T.O.C							
Concrete, Cast-in-Place gray	04-A ROOF T.O.C	4465	145	1.06 m³	4.34	434.36 kg	868.71 kg
Concrete, Cast-in-Place gray	04-A ROOF T.O.C	3445	145	0.99 m³	4.06	406.11 kg	812.21 kg
Concrete, Cast-in-Place gray	04-A ROOF T.O.C	3265	145	0.86 m³	3.55	355.32 kg	710.64 kg
Concrete, Cast-in-Place gray	04-A ROOF T.O.C	3445	145	0.59 m³	2.41	240.98 kg	481.97 kg
Concrete, Cast-in-Place gray	04-A ROOF T.O.C	1200	145	0.39 m³	1.62	161.81 kg	323.63 kg
Concrete, Cast-in-Place gray	04-A ROOF T.O.C	1800	145	0.59 m³	2.43	242.72 kg	485.44 kg
04-A ROOF T.O.C				4.48 m³	18.41	1841.30 kg	3682.60 kg

FLOOR CONCRETE

NAME	LEVEL	Elevation at Top Core	Elevation at Bottom Core	VOLUME	CEMENT (BAGS)	SAND	AGGREGATE
01 GF F.F.L							
Concrete, Cast-in-Place gray	01 GF F.F.L	400	250	32.84 m³	135.10	13510.0 kg	27020.0 kg
01 GF F.F.L				32.84 m³	135.10	13510.0 kg	27020.0 kg
02 FF F.F.L							
Concrete, Cast-in-Place gray	02 FF F.F.L	3700	3550	31.16 m³	128.22	12821.5 kg	25643.0 kg
Concrete, Cast-in-Place gray	02 FF F.F.L	4485	4435	0.18 m³	0.74	73.9 kg	147.8 kg
02 FF F.F.L				31.34 m³	128.95	12895.4 kg	25790.8 kg
03 SF F.F.L							
Concrete, Cast-in-Place gray	03 SF F.F.L	7000	6850	31.16 m³	128.21	12821.5 kg	25642.9 kg
Concrete, Cast-in-Place gray	03 SF F.F.L	7785	7735	0.18 m³	0.74	73.9 kg	147.8 kg
03 SF F.F.L				31.34 m³	128.95	12895.3 kg	25790.7 kg
04 ROOF F.F.L							
Concrete, Cast-in-Place gray	04 ROOF F.F.L	10300	10150	31.37 m³	129.05	12905.0 kg	25810.0 kg
04 ROOF F.F.L				31.37 m³	129.05	12905.0 kg	25810.0 kg
05 MUMTY F.F.L							
Concrete, Cast-in-Place gray	05 MUMTY F.F.L	13300	13200	3.03 m³	12.48	1247.7 kg	2495.4 kg
Concrete, Cast-in-Place gray	05 MUMTY F.F.L	13300	13200	7.15 m³	29.41	2940.7 kg	5881.4 kg
05 MUMTY F.F.L				10.18 m³	41.88	4188.4 kg	8376.8 kg
Grand total				137.07 m³	563.94	56394.1 kg	112788.3 kg

PROJECT:
HAROON RESIDENCE

BUILDING ADDRESS:
MAIN STADIUM ROAD, NEAR OLD BOULEVARD, H7, JHELUM

CLIENT

ARCHITECTURE CONSULTANT:

STRUCTURE CONSULTANT:

MEP CONSULTANT:

REV NO	Revision Date	Revision Description

REVISIONS

DATE OF ISSUE: Issue Date
ISSUED TO: Client
ISSUED FOR: Approval

SCHEDULES

STATUS:
CONSTRUCTION

DRAWING TITLE:
SHEAR WALL AND FLOOR CONCRETE

DESIGNED:	CHECKED:	APPROVED:
DSG	CHK	APR
DRAWN:	**DATE:**	**SCALE/SHEET:**
MH	3/29/2025	
PROJECT CODE:		**REV:**
0022		

DRAWING NO:
PTS-A101