NEAR MARKAZI JAMIA MASJID,MALL ROAD WAH CANTT

EPA STORM WATER MANAGEMENT MODEL - VERSION 5.2 (Build 5.2.4)

NEAR MARKAZI JAMIA MASJID,MALL ROAD WAH CANTT
COMBINED SEWERAGE SYSTEM DESIGN

****
Analysis Options
****
Flow Units ..... CFS
Process Models:
  Rainfall/Runoff ..... YES
  RDII ..... NO
  Snowmelt ..... NO
  Groundwater ..... NO
  Flow Routing ..... YES
  Ponding Allowed ..... NO
  Water Quality ..... NO
Infiltration Method ..... CURVE_NUMBER
Flow Routing Method ..... DYNWAVE
Surcharge Method ..... EXTRAN
Starting Date 12/06/2025 00:00:00
Ending Date 12/06/2025 06:00:00
Antecedent Dry Days 0.0
Report Time Step 00:15:00
Wet Time Step 00:05:00
Dry Time Step 01:00:00
Routing Time Step ..... 20.00 sec
Variable Time Step ..... YES
Maximum Trials 8
Number of Threads 1
Head Tolerance ..... 0.005000 ft

Runoff Quantity Continuity	Volume acre-feet	Depth inches
Total Precipitation	5.502	3.598
Evaporation Loss	0.000	0.000
Infiltration Loss	1.714	1.121
Surface Runoff	3.775	2.469
Final Storage	0.070	0.046
Continuity Error (%)	-1.031	

********** Volume Volume

Flow Routing Continuity	acre-feet	10^6 gal
Dry Weather Inflow	6.414	2.090
Wet Weather Inflow	3.775	1.230
Groundwater Inflow	0.000	0.000
RDII Inflow	0.000	0.000
External Inflow	2.985	0.973
External Outflow	12.973	4.227
Flooding Loss	0.126	0.041
Evaporation Loss	0.000	0.000
Exfiltration Loss	0.000	0.000
Initial Stored Volume	0.001	0.000
Final Stored Volume	0.076	0.025
Continuity Error (%)	-0.007	

****
Time-Step Critical Elements
****
Link C423 (99.21%)

****
Highest Flow Instability Indexes
****
All links are stable.

****
Most Frequent Nonconverging Nodes
****
Node OF1 (0.18%)
Node OF2 (0.18%)
Node OF3 (0.18%)
Node OF4 (0.18%)
Node OF5 (0.18%)

****
Routing Time Step Summary
****

Minimum Time Step	:	0.28 sec
Average Time Step	:	0.54 sec
Maximum Time Step	:	1.97 sec
% of Time in Steady State	:	0.00
Average Iterations per Step	:	2.03
% of Steps Not Converging	:	0.18

NEAR MARKAZI JAMIA MASJID,MALL ROAD WAH CANTT

Time Step Frequencies :
20.000 - 9.564 sec : 0.00 %
9.564 - 4.573 sec : 0.00 %
4.573 - 2.187 sec : 0.00 %
2.187 - 1.046 sec : 0.02 %
1.046 - 0.500 sec : 99.98 %

****
Subcatchment Runoff Summary
****

Subcatchment	Total Precip in	Total Runon in	Total Evap in	Total Infil in	Imperv Runoff in	Perv Runoff in	Total Runoff in	Total Runoff 10^6 gal	Peak Runoff CFS	Runoff Coeff
S2	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S3	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.75	0.687
S4	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S5	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S6	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S7	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S8	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S9	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S10	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S11	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.75	0.687
S12	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S13	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S14	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S15	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S16	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.75	0.687
S17	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S18	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.87	0.687
S19	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.75	0.687
S20	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	2.23	0.688
S21	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S22	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.87	0.687
S23	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S24	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.59	0.688
S25	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S26	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S27	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S28	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S29	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	2.23	0.688
S30	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S31	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684

S32	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.87	0.687
S33	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.59	0.688
S34	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	3.05	0.688
S35	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.70	0.688
S36	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.70	0.688
S37	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S38	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S39	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.59	0.688
S40	3.60	0.00	0.00	1.13	0.90	1.58	2.48	0.02	3.51	0.688
S41	3.60	0.00	0.00	1.13	0.90	1.58	2.48	0.02	3.84	0.688
S42	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S43	3.60	0.00	0.00	1.13	0.90	1.58	2.48	0.02	3.51	0.688
S44	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S45	3.60	0.00	0.00	1.14	0.89	1.57	2.46	0.04	6.33	0.685
S46	3.60	0.00	0.00	1.13	0.90	1.58	2.47	0.02	3.95	0.688
S47	3.60	0.00	0.00	1.13	0.90	1.58	2.47	0.03	4.60	0.687
S48	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.70	0.688
S49	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	2.94	0.688
S50	3.60	0.00	0.00	1.14	0.89	1.56	2.46	0.04	7.39	0.683
S51	3.60	0.00	0.00	1.14	0.89	1.56	2.46	0.05	7.57	0.683
S52	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.70	0.688
S53	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S54	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.75	0.687
S55	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	3.05	0.688
S56	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S57	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S58	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S59	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.87	0.687
S60	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S61	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S62	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S63	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S64	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S65	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S66	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S67	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S68	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.87	0.687
S69	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	2.82	0.688
S70	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	2.23	0.688
S71	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S72	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S73	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.01	2.59	0.688
S74	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S75	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	3.05	0.688
S76	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S77	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S78	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686

S79	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S80	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S81	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S82	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	2.11	0.687
S83	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.63	0.683
S84	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S85	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S86	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683
S87	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683
S88	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.25	0.685
S89	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S90	3.60	0.00	0.00	1.11	0.90	1.56	2.45	0.00	0.38	0.682
S91	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.63	0.683
S92	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683
S93	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S94	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.88	0.684
S95	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683
S96	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.88	0.684
S97	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683
S98	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.88	0.684
S99	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.63	0.683
S100	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.50	0.682
S101	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.50	0.682
S102	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.50	0.682
S103	3.60	0.00	0.00	1.11	0.90	1.56	2.45	0.00	0.38	0.682
S104	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.50	0.682
S105	3.60	0.00	0.00	1.11	0.90	1.56	2.45	0.00	0.38	0.682
S106	3.60	0.00	0.00	1.11	0.90	1.56	2.45	0.00	0.38	0.682
S107	3.60	0.00	0.00	1.12	0.90	1.58	2.47	0.01	1.99	0.687
S108	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S109	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S110	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S111	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.38	0.685
S112	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S113	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S114	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S115	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S116	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S117	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	2.94	0.688
S118	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S119	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.62	0.686
S121	3.60	0.00	0.00	1.12	0.90	1.57	2.47	0.01	1.50	0.686
S122	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.88	0.684
S123	3.60	0.00	0.00	1.12	0.90	1.58	2.48	0.02	3.40	0.688
S124	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S125	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S126	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683

S162	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S163	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.75	0.683
S164	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.13	0.685
S165	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.63	0.683
S166	3.60	0.00	0.00	1.12	0.90	1.57	2.46	0.01	1.00	0.684
S167	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.63	0.683
S168	3.60	0.00	0.00	1.11	0.90	1.56	2.46	0.00	0.88	0.684

****
Node Depth Summary
****

Node	Type	Average Depth Feet	Maximum Depth Feet	Maximum HGL Feet	Time of Max Occurrence days hr:min	Reported Max Depth Feet
MH1	JUNCTION	0.05	0.47	1582.47	0 00:50	0.23
MH2	JUNCTION	0.04	0.38	1580.38	0 00:50	0.19
MH3	JUNCTION	0.07	0.53	1578.53	0 00:50	0.25
MH4	JUNCTION	0.38	0.66	1564.66	0 00:50	0.45
MH5	JUNCTION	0.33	0.57	1561.57	0 00:50	0.39
MH6	JUNCTION	0.31	0.58	1558.58	0 00:50	0.38
MH8	JUNCTION	0.66	1.77	1551.27	0 00:50	0.97
MH9	JUNCTION	0.42	1.07	1550.07	0 00:50	0.64
MH10	JUNCTION	0.31	0.77	1547.77	0 00:50	0.45
MH11	JUNCTION	0.19	0.43	1546.43	0 00:51	0.27
MH12	JUNCTION	0.26	0.77	1542.77	0 00:50	0.43
MH13	JUNCTION	0.46	1.65	1541.65	0 00:50	0.85
MH14	JUNCTION	0.27	0.92	1540.72	0 00:50	0.50
MH15	JUNCTION	0.38	1.45	1539.95	0 00:50	0.74
MH16	JUNCTION	0.43	1.74	1538.74	0 00:50	0.86
MH17	JUNCTION	0.33	1.47	1537.47	0 00:50	0.72
MH18	JUNCTION	0.31	0.84	1541.64	0 00:50	0.48
MH19	JUNCTION	0.37	0.68	1541.68	0 00:50	0.45
MH20	JUNCTION	0.18	0.37	1543.37	0 00:50	0.24
MH21	JUNCTION	0.11	0.58	1544.58	0 00:50	0.21
MH22	JUNCTION	0.10	0.45	1543.45	0 00:50	0.24
MH23	JUNCTION	0.11	0.49	1537.49	0 00:50	0.27
MH24	JUNCTION	0.10	0.20	1547.20	0 00:50	0.13
MH25	JUNCTION	0.30	0.58	1546.58	0 00:50	0.39
MH26	JUNCTION	0.19	0.30	1548.30	0 00:50	0.24
MH27	JUNCTION	0.12	0.32	1547.32	0 00:50	0.19
MH28	JUNCTION	0.12	0.52	1545.52	0 00:50	0.27
MH29	JUNCTION	0.15	0.68	1541.68	0 00:50	0.34
MH30	JUNCTION	0.27	0.92	1537.92	0 00:50	0.49

MH31	JUNCTION	0.37	1.27	1544.27	0	00:50	0.66
MH32	JUNCTION	0.14	0.52	1545.52	0	00:50	0.27
MH33	JUNCTION	0.14	0.67	1547.67	0	00:50	0.32
MH34	JUNCTION	0.16	0.90	1548.40	0	00:50	0.39
MH35	JUNCTION	0.11	0.59	1548.59	0	00:50	0.27
MH36	JUNCTION	0.12	0.53	1549.53	0	00:50	0.26
MH37	JUNCTION	0.09	0.30	1549.80	0	00:50	0.16
MH38	JUNCTION	0.02	0.21	1550.21	0	00:50	0.10
MH39	JUNCTION	0.03	0.32	1556.32	0	00:50	0.15
MH40	JUNCTION	0.14	0.43	1555.43	0	00:50	0.23
MH41	JUNCTION	0.11	0.43	1554.93	0	00:50	0.22
MH42	JUNCTION	0.21	0.75	1554.75	0	00:50	0.38
MH43	JUNCTION	0.11	0.39	1552.39	0	00:50	0.21
MH44	JUNCTION	0.22	0.67	1550.67	0	00:50	0.36
MH45	JUNCTION	0.28	0.82	1544.82	0	00:50	0.45
MH46	JUNCTION	0.25	0.81	1545.81	0	00:50	0.43
MH47	JUNCTION	0.20	0.54	1551.04	0	00:50	0.31
MH48	JUNCTION	0.23	0.60	1552.60	0	00:50	0.34
MH49	JUNCTION	0.16	0.38	1555.38	0	00:50	0.23
MH50	JUNCTION	0.07	0.15	1557.15	0	00:50	0.10
MH51	JUNCTION	0.12	0.28	1557.78	0	00:50	0.18
MH52	JUNCTION	0.04	0.45	1558.45	0	00:50	0.21
MH53	JUNCTION	0.08	0.94	1561.94	0	00:50	0.36
MH54	JUNCTION	0.39	0.49	1559.49	0	00:00	0.39
MH55	JUNCTION	0.29	0.46	1557.46	0	00:50	0.34
MH56	JUNCTION	0.35	0.67	1556.67	0	00:50	0.44
MH57	JUNCTION	0.23	0.45	1553.45	0	00:50	0.29
MH58	JUNCTION	0.25	0.58	1551.58	0	00:50	0.34
MH59	JUNCTION	0.19	0.94	1547.44	0	00:50	0.39
MH60	JUNCTION	0.05	0.86	1575.86	0	00:50	0.23
MH61	JUNCTION	0.08	3.54	1578.04	0	00:48	0.32
MH62	JUNCTION	0.09	3.79	1577.79	0	00:47	0.32
MH63	JUNCTION	0.13	3.02	1576.52	0	00:47	0.56
MH64	JUNCTION	0.10	1.66	1574.66	0	00:48	0.42
MH65	JUNCTION	0.05	0.46	1571.46	0	00:50	0.16
MH66	JUNCTION	0.04	0.56	1574.56	0	00:50	0.18
MH67	JUNCTION	0.06	0.89	1572.89	0	00:50	0.22
MH68	JUNCTION	0.10	0.88	1568.88	0	00:50	0.41
MH69	JUNCTION	0.11	0.93	1568.43	0	00:50	0.42
MH70	JUNCTION	0.11	0.95	1566.95	0	00:50	0.43
MH72	JUNCTION	0.16	0.57	1558.57	0	00:50	0.34
MH73	JUNCTION	0.10	0.24	1561.24	0	00:50	0.15
MH74	JUNCTION	0.03	0.30	1562.30	0	00:50	0.14
MH75	JUNCTION	0.13	0.52	1558.02	0	00:50	0.27
MH76	JUNCTION	0.20	0.96	1549.96	0	00:50	0.47
MH77	JUNCTION	0.05	0.44	1565.44	0	00:50	0.21
MH78	JUNCTION	0.31	0.60	1558.10	0	00:50	0.41

MH79	JUNCTION	0.30	0.74	1557.74	0	00:50	0.44
MH80	JUNCTION	0.23	0.66	1557.16	0	00:50	0.36
MH82	JUNCTION	0.19	1.05	1558.05	0	00:50	0.47
MH83	JUNCTION	0.14	0.66	1558.66	0	00:50	0.34
MH84	JUNCTION	0.12	0.40	1559.40	0	00:50	0.21
MH85	JUNCTION	0.10	0.20	1560.20	0	00:50	0.13
MH86	JUNCTION	0.04	0.34	1564.84	0	00:50	0.17
MH87	JUNCTION	0.06	0.65	1564.65	0	00:50	0.26
MH88	JUNCTION	0.08	1.91	1565.41	0	00:49	0.35
MH89	JUNCTION	0.22	0.51	1563.51	0	00:50	0.30
MH90	JUNCTION	0.11	0.38	1562.88	0	00:50	0.20
MH91	JUNCTION	0.48	1.25	1553.05	0	00:50	0.73
MH92	JUNCTION	0.44	0.83	1553.33	0	00:50	0.57
MH93	JUNCTION	0.33	0.57	1554.07	0	00:50	0.41
MH94	JUNCTION	0.25	0.34	1559.34	0	00:50	0.31
MH95	JUNCTION	0.29	0.41	1561.41	0	00:50	0.38
MH96	JUNCTION	0.05	0.31	1561.81	0	00:50	0.16
MH97	JUNCTION	0.06	0.72	1569.72	0	00:50	0.32
MH98	JUNCTION	0.04	0.32	1562.32	0	00:50	0.16
MH99	JUNCTION	0.03	0.19	1566.19	0	00:50	0.10
MH100	JUNCTION	0.02	0.24	1568.24	0	00:50	0.12
MH101	JUNCTION	0.07	0.69	1567.69	0	00:50	0.33
MH102	JUNCTION	0.07	0.66	1565.66	0	00:50	0.31
MH103	JUNCTION	0.06	0.57	1563.57	0	00:50	0.24
MH104	JUNCTION	0.14	0.27	1551.27	0	00:50	0.17
MH105	JUNCTION	0.21	0.55	1553.05	0	00:50	0.29
MH106	JUNCTION	0.15	0.27	1554.77	0	00:50	0.18
MH107	JUNCTION	0.29	0.62	1555.62	0	00:50	0.39
MH108	JUNCTION	0.43	1.20	1557.20	0	00:50	0.57
MH109	JUNCTION	0.35	0.69	1558.69	0	00:50	0.45
MH110	JUNCTION	0.08	0.70	1559.70	0	00:50	0.31
MH111	JUNCTION	0.08	0.73	1560.23	0	00:51	0.30
MH112	JUNCTION	0.07	0.55	1560.55	0	00:50	0.26
MH113	JUNCTION	0.06	0.63	1563.13	0	00:50	0.27
MH114	JUNCTION	0.05	0.43	1561.43	0	00:50	0.20
MH115	JUNCTION	0.04	0.37	1558.87	0	00:50	0.18
MH116	JUNCTION	0.24	0.66	1558.16	0	00:50	0.38
MH117	JUNCTION	0.29	0.72	1556.52	0	00:50	0.42
MH118	JUNCTION	0.36	0.91	1555.41	0	00:50	0.52
MH119	JUNCTION	0.37	0.94	1554.44	0	00:50	0.53
MH120	JUNCTION	0.39	1.04	1553.04	0	00:50	0.58
MH121	JUNCTION	0.40	1.09	1551.09	0	00:50	0.58
MH122	JUNCTION	0.10	0.35	1553.35	0	00:50	0.19
MH123	JUNCTION	0.11	0.26	1556.26	0	00:50	0.15
MH124	JUNCTION	0.03	0.26	1558.26	0	00:50	0.13
MH125	JUNCTION	0.03	0.29	1560.29	0	00:50	0.14
MH126	JUNCTION	0.03	0.30	1561.30	0	00:50	0.14

MH127	JUNCTION	0.23	1.73	1559.73	0	00:50	0.79
MH128	JUNCTION	0.08	0.65	1565.65	0	00:50	0.32
MH129	JUNCTION	0.72	1.57	1555.57	0	00:50	0.96
MH130	JUNCTION	0.36	0.60	1564.10	0	00:50	0.43
MH131	JUNCTION	0.57	1.17	1562.67	0	00:50	0.75
MH132	JUNCTION	0.06	0.55	1569.55	0	00:50	0.24
MH133	JUNCTION	0.07	0.61	1573.11	0	00:50	0.26
MH134	JUNCTION	0.06	0.59	1576.09	0	00:50	0.26
MH135	JUNCTION	0.05	0.58	1578.58	0	00:50	0.27
MH136	JUNCTION	0.31	0.64	1567.64	0	00:50	0.37
MH137	JUNCTION	1.15	1.54	1568.04	0	00:49	1.44
MH138	JUNCTION	0.15	1.24	1566.24	0	00:50	0.58
MH139	JUNCTION	0.12	0.98	1572.98	0	00:50	0.47
MH140	JUNCTION	0.11	0.89	1576.39	0	00:50	0.44
MH141	JUNCTION	0.05	0.45	1578.45	0	00:50	0.22
MH142	JUNCTION	0.01	0.14	1588.14	0	00:50	0.07
MH143	JUNCTION	0.04	0.49	1582.49	0	00:50	0.21
MH145	JUNCTION	0.01	0.29	1580.29	0	00:00	0.02
MH146	JUNCTION	0.06	0.61	1578.11	0	00:50	0.25
MH147	JUNCTION	0.03	0.24	1576.24	0	00:50	0.12
MH148	JUNCTION	0.02	0.23	1580.23	0	00:00	0.10
MH149	JUNCTION	0.05	0.41	1579.41	0	00:50	0.20
MH150	JUNCTION	0.33	0.47	1564.97	0	00:01	0.33
MH151	JUNCTION	0.32	0.47	1566.47	0	00:50	0.35
MH152	JUNCTION	0.06	0.49	1569.99	0	00:50	0.23
MH153	JUNCTION	0.05	0.41	1570.41	0	00:50	0.20
MH154	JUNCTION	0.05	0.50	1570.00	0	00:50	0.22
MH155	JUNCTION	0.04	0.37	1567.37	0	00:50	0.18
MH156	JUNCTION	0.40	0.99	1563.99	0	00:50	0.57
MH157	JUNCTION	0.28	0.62	1565.62	0	00:50	0.38
MH158	JUNCTION	0.06	0.48	1567.48	0	00:50	0.22
MH159	JUNCTION	0.37	3.80	1573.80	0	00:47	0.76
MH160	JUNCTION	0.05	0.41	1573.41	0	00:50	0.20
MH161	JUNCTION	0.05	0.38	1576.88	0	00:50	0.19
MH162	JUNCTION	0.05	0.37	1580.37	0	00:50	0.18
MH163	JUNCTION	0.33	4.10	1563.10	0	00:49	0.49
MH165	JUNCTION	0.18	0.49	1551.49	0	00:50	0.29
MH166	JUNCTION	0.33	1.73	1552.23	0	00:51	0.79
MH167	JUNCTION	0.14	0.78	1552.78	0	00:50	0.39
MH168	JUNCTION	0.13	0.73	1557.73	0	00:50	0.35
MH169	JUNCTION	0.09	0.44	1558.44	0	00:50	0.22
MH170	JUNCTION	0.08	0.32	1560.32	0	00:50	0.17
MH171	JUNCTION	0.19	1.15	1552.15	0	00:50	0.42
MH172	JUNCTION	0.84	2.13	1552.13	0	00:50	1.22
MH173	JUNCTION	0.07	0.53	1572.53	0	00:50	0.25
MH174	JUNCTION	0.05	0.36	1570.36	0	00:50	0.18
MH175	JUNCTION	0.08	0.60	1568.60	0	00:50	0.29

MH176	JUNCTION	0.05	0.37	1568.87	0	00:50	0.18
MH177	JUNCTION	0.12	4.41	1573.41	0	00:46	0.38
MH178	JUNCTION	0.04	3.10	1574.10	0	00:49	0.18
MH179	JUNCTION	0.05	0.43	1574.43	0	00:50	0.20
MH180	JUNCTION	0.08	5.16	1580.16	0	00:47	0.25
MH181	JUNCTION	0.06	0.53	1572.53	0	00:50	0.24
MH182	JUNCTION	0.05	0.41	1568.41	0	00:50	0.18
MH183	JUNCTION	0.05	0.39	1568.39	0	00:50	0.19
MH184	JUNCTION	0.08	2.59	1568.09	0	00:49	0.37
MH185	JUNCTION	0.50	0.51	1566.51	0	00:01	0.50
MH187	JUNCTION	0.21	0.53	1564.53	0	00:50	0.31
MH188	JUNCTION	0.91	1.87	1563.87	0	00:50	1.21
MH189	JUNCTION	0.21	0.48	1564.48	0	00:50	0.29
MH190	JUNCTION	0.15	1.16	1571.16	0	00:50	0.56
MH191	JUNCTION	0.06	0.47	1572.47	0	00:50	0.22
MH192	JUNCTION	0.03	0.22	1575.22	0	00:50	0.11
MH193	JUNCTION	0.03	0.24	1578.24	0	00:50	0.12
MH194	JUNCTION	0.05	0.57	1580.57	0	00:50	0.25
MH195	JUNCTION	0.04	0.35	1566.35	0	00:50	0.17
MH196	JUNCTION	0.68	2.59	1563.09	0	00:50	1.44
MH197	JUNCTION	0.45	2.30	1563.30	0	00:50	1.21
MH198	JUNCTION	0.16	1.18	1563.18	0	00:50	0.59
MH199	JUNCTION	0.11	1.10	1569.60	0	00:49	0.42
MH200	JUNCTION	0.07	0.63	1577.63	0	00:50	0.28
MH201	JUNCTION	0.05	0.38	1578.38	0	00:50	0.18
MH202	JUNCTION	0.04	0.33	1573.83	0	00:50	0.16
MH203	JUNCTION	0.03	0.25	1573.25	0	00:50	0.13
MH204	JUNCTION	0.09	0.65	1570.65	0	00:50	0.31
MH205	JUNCTION	0.10	1.54	1573.54	0	00:49	0.38
MH206	JUNCTION	0.03	0.23	1579.23	0	00:50	0.12
MH207	JUNCTION	0.04	0.29	1579.29	0	00:50	0.15
MH208	JUNCTION	0.05	0.34	1578.84	0	00:50	0.17
MH209	JUNCTION	0.03	0.28	1581.28	0	00:50	0.14
MH210	JUNCTION	0.04	0.36	1579.36	0	00:50	0.17
MH211	JUNCTION	0.01	1.00	1582.00	0	00:00	0.01
MH213	JUNCTION	0.05	0.51	1580.51	0	00:50	0.23
MH214	JUNCTION	0.05	0.42	1580.92	0	00:50	0.20
MH215	JUNCTION	0.06	0.53	1580.03	0	00:50	0.24
MH216	JUNCTION	0.04	0.36	1579.36	0	00:50	0.18
MH217	JUNCTION	0.10	0.86	1576.86	0	00:50	0.41
MH219	JUNCTION	0.06	0.69	1581.69	0	00:50	0.30
MH221	JUNCTION	0.04	0.32	1582.32	0	00:50	0.16
MH222	JUNCTION	0.04	0.25	1579.25	0	00:50	0.13
MH223	JUNCTION	0.10	1.30	1574.30	0	00:49	0.41
MH224	JUNCTION	0.03	0.26	1576.26	0	00:50	0.13
MH225	JUNCTION	0.02	0.21	1578.21	0	00:50	0.10
MH226	JUNCTION	0.09	1.34	1577.34	0	00:50	0.42

MH227	JUNCTION	0.06	0.52	1575.52	0	00:50	0.24
MH228	JUNCTION	0.07	0.31	1562.31	0	00:50	0.16
MH229	JUNCTION	0.17	1.00	1561.00	0	00:50	0.42
MH230	JUNCTION	0.27	0.77	1556.77	0	00:50	0.43
MH231	JUNCTION	0.39	1.72	1536.72	0	00:50	0.85
MH232	JUNCTION	0.08	0.18	1556.18	0	00:50	0.12
MH233	JUNCTION	0.38	0.40	1558.40	0	00:00	0.38
MH234	JUNCTION	0.07	0.16	1556.66	0	00:50	0.11
MH235	JUNCTION	0.76	1.69	1554.69	0	00:50	1.02
MH236	JUNCTION	0.29	0.75	1560.75	0	00:50	0.37
MH238	JUNCTION	0.08	0.97	1571.97	0	00:50	0.45
MH239	JUNCTION	0.05	0.61	1573.61	0	00:50	0.29
MH240	JUNCTION	0.07	0.88	1567.88	0	00:50	0.41
MH241	JUNCTION	1.02	1.56	1570.56	0	00:50	1.25
MH242	JUNCTION	0.38	0.72	1555.72	0	00:50	0.47
MH243	JUNCTION	0.69	1.00	1568.00	0	00:24	1.00
MH244	JUNCTION	1.00	1.00	1566.50	0	00:00	1.00
MH245	JUNCTION	0.40	1.01	1549.01	0	00:50	0.60
MH246	JUNCTION	0.51	1.15	1554.95	0	00:50	0.70
MH247	JUNCTION	0.38	1.28	1541.28	0	00:50	0.66
OF1	OUTFALL	0.26	0.91	1535.81	0	00:50	0.49
OF2	OUTFALL	0.22	0.44	1540.94	0	00:50	0.29
OF3	OUTFALL	0.18	0.50	1546.50	0	00:50	0.28
OF4	OUTFALL	0.00	0.00	1546.00	0	00:00	0.00
OF5	OUTFALL	0.15	1.45	1559.40	0	00:50	0.72
OF6	OUTFALL	0.00	0.00	1543.00	0	00:00	0.00
OF7	OUTFALL	0.38	0.84	1552.54	0	00:50	0.53
OF8	OUTFALL	0.14	0.50	1560.30	0	00:50	0.26
OF9	OUTFALL	0.00	0.00	1549.00	0	00:00	0.00
OF10	OUTFALL	0.28	0.86	1536.66	0	00:50	0.48
OF11	OUTFALL	0.17	0.60	1557.40	0	00:50	0.33

****
Node Inflow Summary
****

Node	Type	Maximum Lateral Inflow CFS	Maximum Total Inflow CFS	Time of Max Occurrence days hr:min	Lateral Inflow Volume 10^6 gal	Total Inflow Volume 10^6 gal	Flow Balance Error Percent
MH1	JUNCTION	3.40	3.40	0 00:50	0.0194	0.0194	0.016
MH2	JUNCTION	0.00	3.36	0 00:50	0.000273	0.0197	0.006
MH3	JUNCTION	0.00	3.36	0 00:50	0.000273	0.02	0.040
MH4	JUNCTION	0.00	6.45	0 00:50	0.000273	0.33	0.149

MH5	JUNCTION	0.00	6.39	0	00:50	0.000273	0.329	0.062
MH6	JUNCTION	1.50	7.68	0	00:50	0.00804	0.337	0.094
MH8	JUNCTION	0.00	44.43	0	00:50	0.000273	1.24	0.018
MH9	JUNCTION	1.87	15.59	0	00:50	0.0103	0.404	0.084
MH10	JUNCTION	0.00	18.04	0	00:50	0.000273	0.509	0.093
MH11	JUNCTION	0.01	6.75	0	00:51	1.05e-08	0.219	0.065
MH12	JUNCTION	7.57	13.57	0	00:50	0.046	0.265	0.084
MH13	JUNCTION	7.39	20.76	0	00:50	0.045	0.31	0.155
MH14	JUNCTION	0.00	20.62	0	00:50	0.000273	0.31	0.078
MH15	JUNCTION	2.94	23.31	0	00:50	0.0164	0.326	0.178
MH16	JUNCTION	2.71	25.51	0	00:50	0.0151	0.34	0.099
MH17	JUNCTION	1.20	26.28	0	00:50	0.118	0.459	0.007
MH18	JUNCTION	0.63	7.72	0	00:50	0.00334	0.299	0.029
MH19	JUNCTION	0.00	6.27	0	00:50	0.000273	0.262	0.025
MH20	JUNCTION	1.13	2.11	0	00:50	0.00629	0.0719	0.117
MH21	JUNCTION	1.62	4.86	0	00:50	0.00899	0.0731	0.051
MH22	JUNCTION	1.75	4.23	0	00:50	0.00966	0.0394	0.089
MH23	JUNCTION	1.13	7.30	0	00:50	0.00629	0.0713	0.018
MH24	JUNCTION	1.15	1.74	0	00:50	0.0632	0.0668	0.118
MH25	JUNCTION	0.00	4.30	0	00:50	0.000273	0.19	0.255
MH26	JUNCTION	2.85	4.39	0	00:50	0.244	0.265	0.087
MH27	JUNCTION	1.50	4.52	0	00:50	0.00831	0.0911	0.113
MH28	JUNCTION	2.75	5.86	0	00:50	0.015	0.0638	0.098
MH29	JUNCTION	1.00	7.65	0	00:50	0.00535	0.0826	0.105
MH30	JUNCTION	0.00	24.10	0	00:50	0.000273	0.358	0.035
MH31	JUNCTION	1.00	18.59	0	00:50	0.00562	0.301	0.134
MH32	JUNCTION	1.62	10.12	0	00:50	0.00899	0.127	0.057
MH33	JUNCTION	0.00	7.82	0	00:50	0.000273	0.0727	0.102
MH34	JUNCTION	1.50	7.78	0	00:50	0.00831	0.0724	0.076
MH35	JUNCTION	1.62	5.69	0	00:50	0.00899	0.0481	0.103
MH36	JUNCTION	1.99	5.75	0	00:50	0.011	0.0608	0.094
MH37	JUNCTION	0.00	2.40	0	00:50	0.000273	0.0376	0.096
MH38	JUNCTION	0.00	1.31	0	00:50	0.000273	0.00723	0.030
MH39	JUNCTION	0.00	2.74	0	00:50	0.000273	0.0149	0.014
MH40	JUNCTION	0.00	3.07	0	00:50	0.000273	0.0574	0.212
MH41	JUNCTION	1.75	3.25	0	00:50	0.00966	0.043	0.207
MH42	JUNCTION	1.50	2.95	0	00:50	0.00863	0.0543	0.219
MH43	JUNCTION	1.87	4.67	0	00:50	0.0103	0.0645	0.031
MH44	JUNCTION	0.00	5.93	0	00:50	0.000273	0.137	0.158
MH45	JUNCTION	0.00	11.09	0	00:50	0.000273	0.212	0.095
MH46	JUNCTION	2.23	8.12	0	00:50	0.0124	0.142	0.048
MH47	JUNCTION	1.75	7.51	0	00:50	0.0094	0.17	0.091
MH48	JUNCTION	1.99	6.68	0	00:50	0.011	0.176	0.145
MH49	JUNCTION	1.87	4.45	0	00:50	0.0103	0.135	0.086
MH50	JUNCTION	0.00	0.70	0	00:50	0.000273	0.0233	0.088
MH51	JUNCTION	0.60	2.34	0	00:50	0.0592	0.0723	0.080
MH52	JUNCTION	1.99	4.70	0	00:50	0.011	0.0277	0.009

MH53	JUNCTION	2.59	2.95	0	00:50	0.0144	0.0167	0.035
MH54	JUNCTION	1.50	1.50	0	05:00	0.243	0.243	0.024
MH55	JUNCTION	0.00	6.21	0	00:50	0.000273	0.384	0.016
MH56	JUNCTION	3.06	9.24	0	00:50	0.0171	0.401	0.132
MH57	JUNCTION	0.00	6.92	0	00:50	0.000273	0.291	0.057
MH58	JUNCTION	2.59	7.92	0	00:50	0.0144	0.238	0.075
MH59	JUNCTION	0.00	13.12	0	00:50	0.000273	0.252	0.007
MH60	JUNCTION	3.51	3.74	0	00:50	0.0198	0.0198	0.010
MH61	JUNCTION	1.38	2.27	0	00:48	0.00796	0.0157	-0.007
MH62	JUNCTION	0.00	2.01	0	00:52	2.43e-09	0.0157	0.004
MH63	JUNCTION	3.85	4.99	0	00:50	0.0218	0.0374	0.008
MH64	JUNCTION	0.00	4.99	0	00:50	0	0.0374	0.003
MH65	JUNCTION	0.00	3.54	0	00:50	0.000273	0.0129	0.038
MH66	JUNCTION	0.00	3.63	0	00:50	0.000273	0.0123	0.018
MH67	JUNCTION	0.00	3.60	0	00:50	0.000273	0.0126	0.028
MH68	JUNCTION	0.00	8.34	0	00:50	0.000273	0.0506	0.005
MH69	JUNCTION	0.00	8.33	0	00:50	0.000273	0.0508	0.038
MH70	JUNCTION	0.00	8.28	0	00:50	0.000273	0.0511	0.027
MH72	JUNCTION	0.00	4.62	0	00:50	0.000273	0.0703	0.103
MH73	JUNCTION	2.39	2.39	0	00:50	0.07	0.07	0.052
MH74	JUNCTION	1.87	1.87	0	00:50	0.0103	0.0103	0.013
MH75	JUNCTION	1.99	4.36	0	00:50	0.011	0.0513	0.222
MH76	JUNCTION	2.71	6.86	0	00:50	0.0151	0.0662	0.193
MH77	JUNCTION	1.75	3.07	0	00:50	0.00966	0.019	0.014
MH78	JUNCTION	0.00	7.19	0	00:50	0.000273	0.295	0.082
MH79	JUNCTION	1.25	10.00	0	00:50	0.00697	0.314	0.138
MH80	JUNCTION	1.38	9.11	0	00:50	0.00764	0.198	0.102
MH82	JUNCTION	1.99	14.11	0	00:50	0.0107	0.191	0.022
MH83	JUNCTION	1.25	9.58	0	00:50	0.00697	0.0893	0.041
MH84	JUNCTION	0.00	3.60	0	00:50	0.000273	0.0502	0.039
MH85	JUNCTION	0.60	1.52	0	00:50	0.0592	0.0661	0.028
MH86	JUNCTION	1.00	2.27	0	00:50	0.00562	0.0139	0.019
MH87	JUNCTION	3.96	5.06	0	00:50	0.0224	0.0294	0.011
MH88	JUNCTION	6.34	8.64	0	00:49	0.0377	0.0539	0.001
MH89	JUNCTION	1.20	4.31	0	00:49	0.118	0.14	0.130
MH90	JUNCTION	2.23	3.81	0	00:50	0.0124	0.0609	0.061
MH91	JUNCTION	0.00	17.79	0	00:50	0.000273	0.578	0.010
MH92	JUNCTION	0.00	9.01	0	00:50	0.000273	0.408	0.045
MH93	JUNCTION	0.00	6.13	0	00:50	0.000273	0.337	0.041
MH94	JUNCTION	2.40	3.28	0	00:50	0.237	0.286	0.077
MH95	JUNCTION	2.73	3.66	0	00:50	0.243	0.249	0.108
MH96	JUNCTION	1.62	2.58	0	00:50	0.00899	0.0178	0.055
MH97	JUNCTION	0.00	7.50	0	00:50	0.000273	0.0439	0.003
MH98	JUNCTION	0.00	2.50	0	00:50	0.000273	0.0166	0.015
MH99	JUNCTION	0.00	0.74	0	00:50	0.000273	0.0054	0.029
MH100	JUNCTION	0.00	2.14	0	00:50	0	0.0145	0.005
MH101	JUNCTION	2.23	7.39	0	00:50	0.0124	0.0418	0.004

MH102	JUNCTION	0.00	7.39	0	00:50	0.000273	0.0421	0.005
MH103	JUNCTION	0.00	7.40	0	00:50	0.000273	0.0423	0.013
MH104	JUNCTION	0.60	3.00	0	00:50	0.0592	0.131	0.044
MH105	JUNCTION	1.00	3.26	0	00:50	0.00562	0.111	0.102
MH106	JUNCTION	0.00	2.91	0	00:50	0.000273	0.133	0.047
MH107	JUNCTION	0.00	4.71	0	00:50	0.000273	0.21	0.061
MH108	JUNCTION	0.00	7.44	0	00:50	0.000273	0.304	0.082
MH109	JUNCTION	5.86	9.48	0	00:50	0.374	0.399	0.067
MH110	JUNCTION	1.62	5.59	0	00:50	0.00899	0.0359	0.017
MH111	JUNCTION	0.00	4.17	0	00:50	0.000273	0.0269	0.037
MH112	JUNCTION	0.00	2.50	0	00:50	0.000273	0.0168	0.025
MH113	JUNCTION	3.06	4.84	0	00:50	0.0171	0.0282	0.005
MH114	JUNCTION	0.00	3.04	0	00:50	0.000273	0.0176	0.005
MH115	JUNCTION	0.00	3.15	0	00:50	0.000273	0.0195	0.019
MH116	JUNCTION	0.00	5.19	0	00:50	0.000273	0.114	0.133
MH117	JUNCTION	0.00	7.92	0	00:50	0.000273	0.208	0.096
MH118	JUNCTION	1.50	11.06	0	00:50	0.00831	0.294	0.093
MH119	JUNCTION	0.00	11.63	0	00:50	0.000273	0.321	0.083
MH120	JUNCTION	1.38	13.42	0	00:50	0.00764	0.368	0.076
MH121	JUNCTION	0.00	13.97	0	00:50	0.000273	0.394	0.070
MH122	JUNCTION	1.62	2.98	0	00:50	0.00899	0.0459	0.110
MH123	JUNCTION	1.53	2.59	0	00:50	0.0653	0.0716	0.047
MH124	JUNCTION	1.00	2.04	0	00:50	0.00562	0.0119	0.019
MH125	JUNCTION	1.13	2.25	0	00:50	0.00629	0.0133	0.010
MH126	JUNCTION	0.00	2.51	0	00:50	0.000273	0.0146	0.021
MH127	JUNCTION	0.00	40.02	0	00:50	0	0.258	0.005
MH128	JUNCTION	2.75	6.72	0	00:50	0.015	0.0391	0.045
MH129	JUNCTION	1.62	19.98	0	00:50	0.00872	0.736	0.035
MH130	JUNCTION	2.40	6.06	0	00:50	0.237	0.353	0.065
MH131	JUNCTION	0.00	18.71	0	00:50	0	0.728	0.171
MH132	JUNCTION	0.00	5.80	0	00:50	0.000273	0.0366	0.012
MH133	JUNCTION	0.00	5.14	0	00:50	0.000273	0.0316	0.008
MH134	JUNCTION	0.00	5.31	0	00:50	0.000273	0.0301	0.011
MH135	JUNCTION	3.49	3.49	0	00:50	0.0191	0.0191	0.009
MH136	JUNCTION	3.01	3.01	0	00:50	0.172	0.172	0.023
MH137	JUNCTION	1.00	3.60	0	00:50	0.162	0.413	0.147
MH138	JUNCTION	1.38	20.42	0	00:50	0.00764	0.131	0.011
MH139	JUNCTION	1.25	13.08	0	00:50	0.00697	0.0801	0.023
MH140	JUNCTION	0.75	10.59	0	00:50	0.00428	0.064	0.053
MH141	JUNCTION	1.25	5.05	0	00:50	0.00697	0.0301	0.014
MH142	JUNCTION	1.62	1.62	0	00:50	0.00899	0.00899	-0.003
MH143	JUNCTION	1.62	1.62	0	00:50	0.00899	0.00899	0.019
MH145	JUNCTION	0.00	2.04	0	00:00	0.000273	0.000663	0.063
MH146	JUNCTION	0.88	2.49	0	00:50	0.00495	0.015	0.071
MH147	JUNCTION	1.00	1.65	0	00:50	0.00562	0.00945	0.014
MH148	JUNCTION	0.88	1.52	0	00:00	0.00495	0.00525	0.149
MH149	JUNCTION	0.00	3.89	0	00:50	0.000273	0.0235	0.026

MH150	JUNCTION	0.01	2.01	0	00:00	0.000644	0.301	0.034
MH151	JUNCTION	0.00	6.88	0	00:50	0.000273	0.434	0.060
MH152	JUNCTION	1.62	4.71	0	00:50	0.00899	0.0283	0.029
MH153	JUNCTION	0.00	2.45	0	00:50	0.000273	0.0144	0.036
MH154	JUNCTION	0.00	4.02	0	00:50	0.000273	0.0232	0.018
MH155	JUNCTION	1.62	5.17	0	00:50	0.00899	0.0304	0.017
MH156	JUNCTION	1.50	10.04	0	00:50	0.00804	0.297	0.090
MH157	JUNCTION	1.62	9.17	0	00:50	0.00899	0.319	0.068
MH158	JUNCTION	1.62	7.50	0	00:50	0.00899	0.0424	0.020
MH159	JUNCTION	2.50	2.50	0	00:50	0.0137	0.0137	0.578
MH160	JUNCTION	0.00	4.72	0	00:50	0.000273	0.0287	0.014
MH161	JUNCTION	0.75	5.12	0	00:50	0.00428	0.0316	0.023
MH162	JUNCTION	0.00	1.34	0	00:50	0.000273	0.00793	0.053
MH163	JUNCTION	2.71	4.70	0	00:50	0.0151	0.141	0.200
MH165	JUNCTION	0.00	4.43	0	00:50	0.000273	0.0972	0.067
MH166	JUNCTION	1.25	11.44	0	00:50	0.00697	0.124	0.215
MH167	JUNCTION	0.00	7.46	0	00:50	0.000273	0.0569	0.038
MH168	JUNCTION	1.38	6.52	0	00:50	0.00764	0.0511	0.079
MH169	JUNCTION	0.00	4.09	0	00:50	0.000273	0.0364	0.059
MH170	JUNCTION	2.98	5.70	0	00:50	0.0392	0.056	0.033
MH171	JUNCTION	0.00	8.65	0	00:50	0.000273	0.0918	0.068
MH172	JUNCTION	1.25	43.60	0	00:50	0.00697	1.22	0.116
MH173	JUNCTION	0.00	3.32	0	00:50	0.000273	0.0202	0.029
MH174	JUNCTION	0.00	3.31	0	00:50	0.000273	0.0205	0.015
MH175	JUNCTION	1.50	4.70	0	00:50	0.00831	0.0288	0.028
MH176	JUNCTION	0.01	3.81	0	00:50	0.000644	0.0231	0.032
MH177	JUNCTION	1.63	1.63	0	00:50	0.00931	0.00931	0.067
MH178	JUNCTION	0.63	0.63	0	00:50	0.00361	0.00361	0.016
MH179	JUNCTION	0.00	3.68	0	00:50	0.000273	0.0209	0.014
MH180	JUNCTION	1.00	1.00	0	00:50	0.00562	0.00562	0.006
MH181	JUNCTION	0.00	4.37	0	00:50	0.000273	0.0255	0.069
MH182	JUNCTION	0.00	6.49	0	00:50	0.000273	0.0344	0.006
MH183	JUNCTION	0.00	3.91	0	00:50	0.000273	0.0232	0.031
MH184	JUNCTION	2.94	2.94	0	00:50	0.0164	0.0164	-0.004
MH185	JUNCTION	1.00	3.99	0	00:50	0.162	0.334	0.070
MH187	JUNCTION	1.50	7.14	0	00:50	0.00831	0.195	0.035
MH188	JUNCTION	0.00	12.68	0	00:50	0	0.376	0.140
MH189	JUNCTION	3.06	5.18	0	00:50	0.0171	0.157	0.042
MH190	JUNCTION	0.00	15.75	0	00:50	0	0.0963	0.027
MH191	JUNCTION	0.38	4.33	0	00:50	0.00227	0.0262	0.031
MH192	JUNCTION	0.38	1.69	0	00:50	0.00227	0.0102	0.013
MH193	JUNCTION	0.38	2.03	0	00:50	0.00227	0.0124	0.021
MH194	JUNCTION	2.11	2.11	0	00:50	0.0117	0.0117	0.014
MH195	JUNCTION	0.00	4.97	0	00:50	0.000273	0.0281	0.015
MH196	JUNCTION	0.00	30.75	0	00:50	0.000273	0.192	0.156
MH197	JUNCTION	1.50	28.67	0	00:50	0.00831	0.18	0.103
MH198	JUNCTION	0.00	23.40	0	00:50	0.000273	0.148	0.035

MH199	JUNCTION	0.63	3.74	0	00:49	0.00361	0.0272	0.056
MH200	JUNCTION	1.13	4.96	0	00:50	0.00629	0.0297	0.030
MH201	JUNCTION	0.00	2.53	0	00:50	0.000273	0.0147	0.039
MH202	JUNCTION	0.75	1.72	0	00:50	0.00428	0.00977	0.016
MH203	JUNCTION	0.50	2.01	0	00:50	0.00294	0.012	0.012
MH204	JUNCTION	0.50	5.83	0	00:50	0.00294	0.0363	0.022
MH205	JUNCTION	0.50	4.12	0	00:49	0.00294	0.0256	0.050
MH206	JUNCTION	0.75	1.17	0	00:50	0.00428	0.00711	0.153
MH207	JUNCTION	0.63	0.63	0	00:50	0.00361	0.00361	0.041
MH208	JUNCTION	0.00	0.62	0	00:50	0.000273	0.00388	0.160
MH209	JUNCTION	0.00	1.61	0	00:50	0.000273	0.00926	0.021
MH210	JUNCTION	0.00	2.55	0	00:50	0.000273	0.0147	0.034
MH211	JUNCTION	0.00	0.00	0	05:00	0.000273	0.000273	-60.463
MH213	JUNCTION	0.00	4.06	0	00:50	0.000273	0.023	0.028
MH214	JUNCTION	1.62	3.34	0	00:50	0.00899	0.0189	0.020
MH215	JUNCTION	0.00	3.17	0	00:50	0.000273	0.0188	0.037
MH216	JUNCTION	0.00	2.45	0	00:50	0.000273	0.0145	0.025
MH217	JUNCTION	0.75	8.69	0	00:50	0.00428	0.0518	0.025
MH219	JUNCTION	2.63	2.63	0	00:50	0.0143	0.0143	0.007
MH221	JUNCTION	1.00	1.00	0	00:50	0.00562	0.00562	0.025
MH222	JUNCTION	0.63	0.63	0	00:50	0.00361	0.00394	0.107
MH223	JUNCTION	0.00	5.14	0	00:50	0.000273	0.0313	0.027
MH224	JUNCTION	0.50	2.03	0	00:50	0.00294	0.0122	0.020
MH225	JUNCTION	0.88	1.37	0	00:50	0.00495	0.00807	0.020
MH226	JUNCTION	0.38	5.33	0	00:50	0.00227	0.0298	0.017
MH227	JUNCTION	0.00	3.78	0	00:50	0.000273	0.0228	0.017
MH228	JUNCTION	1.62	2.72	0	00:50	0.00899	0.0261	0.053
MH229	JUNCTION	0.00	15.85	0	00:50	0.000273	0.198	0.042
MH230	JUNCTION	0.00	8.86	0	00:50	0	0.17	0.216
MH231	JUNCTION	1.13	32.13	0	00:50	0.00629	0.435	0.070
MH232	JUNCTION	0.00	0.41	0	00:50	0.000273	0.0141	0.083
MH233	JUNCTION	0.00	1.71	0	00:00	0.000273	0.243	0.048
MH234	JUNCTION	0.00	0.41	0	00:50	0.000273	0.0139	0.065
MH235	JUNCTION	1.62	31.28	0	00:50	0.00872	1.09	0.100
MH236	JUNCTION	1.20	2.30	0	00:50	0.118	0.127	0.080
MH238	JUNCTION	1.38	7.78	0	00:50	0.00737	0.0436	0.012
MH239	JUNCTION	6.47	6.47	0	00:50	0.0363	0.0363	-0.012
MH240	JUNCTION	2.59	6.04	0	00:50	0.0141	0.0335	0.001
MH241	JUNCTION	3.51	3.51	0	00:50	0.0195	0.0195	0.484
MH242	JUNCTION	0.00	7.66	0	00:50	0	0.337	0.064
MH243	JUNCTION	1.50	1.98	0	00:50	0.242	0.243	0.037
MH244	JUNCTION	0.00	2.21	0	00:50	0.000273	0.0342	0.291
MH245	JUNCTION	0.00	15.59	0	00:50	0.000273	0.404	0.073
MH246	JUNCTION	2.59	22.32	0	00:50	0.0141	0.75	0.052
MH247	JUNCTION	0.00	18.54	0	00:50	0	0.301	0.055
OF1	OUTFALL	0.00	32.05	0	00:50	0	0.435	0.000
OF2	OUTFALL	0.00	7.71	0	00:50	0	0.299	0.000

OF3	OUTFALL	0.00	13.12	0	00:50	0	0.252	0.000
OF4	OUTFALL	0.00	11.27	0	00:51	0	0.289	0.000
OF5	OUTFALL	0.00	40.00	0	00:50	0	0.258	0.000
OF6	OUTFALL	0.00	4.81	0	00:50	0	0.0731	0.000
OF7	OUTFALL	0.00	17.79	0	00:50	0	0.578	0.000
OF8	OUTFALL	0.00	11.97	0	00:50	0	0.149	0.000
OF9	OUTFALL	0.00	44.41	0	00:50	0	1.24	0.000
OF10	OUTFALL	0.00	26.28	0	00:50	0	0.459	0.000
OF11	OUTFALL	0.00	14.09	0	00:50	0	0.191	0.000

****
Node Surcharge Summary
****

Surcharging occurs when water rises above the top of the highest conduit.

Node	Type	Hours Surcharged	Max. Height Above Crown Feet	Min. Depth Below Rim Feet
MH61	JUNCTION	0.05	2.541	4.459
MH62	JUNCTION	0.09	2.795	4.205
MH63	JUNCTION	0.11	2.017	4.983
MH64	JUNCTION	0.05	0.662	6.338
MH88	JUNCTION	0.02	0.912	6.088
MH137	JUNCTION	5.96	0.544	6.456
MH159	JUNCTION	0.10	2.798	4.202
MH163	JUNCTION	0.04	3.104	3.896
MH177	JUNCTION	0.12	3.814	3.586
MH178	JUNCTION	0.01	2.603	4.897
MH180	JUNCTION	0.09	4.656	2.844
MH184	JUNCTION	0.01	1.593	5.407
MH205	JUNCTION	0.02	0.535	6.465
MH211	JUNCTION	0.01	0.000	7.000
MH223	JUNCTION	0.04	0.304	6.696
MH243	JUNCTION	0.55	0.000	0.000
MH244	JUNCTION	5.98	0.000	0.000

****
Node Flooding Summary
****

Flooding refers to all water that overflows a node, whether it ponds or not.

		Total	Maximum

Node	Hours Flooded	Maximum Rate CFS	Time of Max Occurrence days hr:min	Flood Volume 10^6 gal	Ponded Depth Feet
MH243	0.55	1.98	0 00:50	0.007	0.000
MH244	5.98	2.21	0 00:50	0.034	0.000

****
Outfall Loading Summary
****

Outfall Node	Flow Freq Pcnt	Avg Flow CFS	Max Flow CFS	Total Volume 10^6 gal
OF1	99.97	2.80	32.05	0.435
OF2	99.99	1.89	7.71	0.299
OF3	99.97	1.60	13.12	0.252
OF4	99.99	1.84	11.27	0.289
OF5	99.98	1.72	40.00	0.258
OF6	99.98	0.47	4.81	0.073
OF7	99.97	3.66	17.79	0.578
OF8	100.00	0.96	11.97	0.149
OF9	99.96	7.85	44.41	1.244
OF10	100.00	2.94	26.28	0.459
OF11	100.00	1.23	14.09	0.191
System	99.98	26.96	222.04	4.227

****
Link Flow Summary
****

Link	Type	Maximum |Flow| CFS	Time of Max Occurrence days hr:min	Maximum |Veloc| ft/sec	Max/ Full Flow	Max/ Full Depth
C1	CONDUIT	3.36	0 00:50	6.06	0.12	0.23
C2	CONDUIT	3.36	0 00:50	6.30	0.08	0.23
C4	CONDUIT	6.39	0 00:50	5.50	0.11	0.22
C5	CONDUIT	6.38	0 00:50	6.76	0.08	0.19
C10	CONDUIT	2.18	0 00:01	5.74	0.07	0.24
C16	CONDUIT	1.59	0 00:50	4.59	0.36	0.46

C21	CONDUIT	3.76	0	00:50	6.28	0.03	0.14
C22	CONDUIT	4.70	0	00:50	6.84	0.12	0.27
C25	CONDUIT	6.04	0	00:50	6.11	0.20	0.44
C29	CONDUIT	6.64	0	00:50	5.86	0.10	0.22
C32	CONDUIT	18.52	0	00:50	6.07	0.19	0.29
C35	CONDUIT	1.42	0	00:50	2.45	0.34	0.69
C37	CONDUIT	2.46	0	00:50	6.37	0.49	0.49
C38	CONDUIT	1.23	0	00:50	2.34	0.30	0.64
C40	CONDUIT	1.43	0	00:50	4.47	0.35	0.43
C42	CONDUIT	0.48	0	00:50	3.07	0.04	0.26
C45	CONDUIT	10.55	0	00:50	5.97	0.19	0.30
C50	CONDUIT	1.26	0	00:48	3.08	0.36	0.93
C51	CONDUIT	2.01	0	00:52	4.13	0.61	1.00
C52	CONDUIT	2.02	0	00:52	2.63	0.65	1.00
C53	CONDUIT	4.99	0	00:50	6.35	1.76	1.00
C54	CONDUIT	3.63	0	00:50	6.08	0.89	0.71
C55	CONDUIT	3.60	0	00:50	6.05	0.61	0.72
C56	CONDUIT	3.53	0	00:50	6.31	0.81	0.67
C57	CONDUIT	4.99	0	00:50	6.45	1.23	0.96
C58	CONDUIT	3.52	0	00:50	6.50	0.11	0.23
C59	CONDUIT	8.33	0	00:50	6.08	0.40	0.45
C60	CONDUIT	8.28	0	00:50	5.80	0.44	0.46
C62	CONDUIT	2.14	0	00:50	5.78	0.56	0.48
C63	CONDUIT	1.40	0	00:50	6.01	0.12	0.34
C65	CONDUIT	4.28	0	00:50	6.62	0.15	0.26
C66	CONDUIT	6.76	0	00:50	4.67	0.46	0.47
C68	CONDUIT	8.16	0	00:50	6.82	0.35	0.41
C69	CONDUIT	11.03	0	00:50	5.08	0.16	0.35
C74	CONDUIT	6.75	0	00:51	6.73	0.09	0.20
C75	CONDUIT	6.75	0	00:51	6.92	0.04	0.20
C76	CONDUIT	13.53	0	00:50	5.10	0.14	0.40
C77	CONDUIT	20.62	0	00:50	6.44	0.41	0.37
C78	CONDUIT	20.58	0	00:50	6.64	0.12	0.30
C79	CONDUIT	23.10	0	00:50	6.83	0.47	0.48
C80	CONDUIT	25.48	0	00:50	6.23	0.64	0.56
C87	CONDUIT	4.21	0	00:50	6.40	0.05	0.15
C95	CONDUIT	1.29	0	00:50	4.51	0.34	0.39
C96	CONDUIT	1.13	0	00:50	3.23	0.26	0.50
C97	CONDUIT	2.71	0	00:50	4.13	0.60	0.83
C98	CONDUIT	3.51	0	00:49	5.60	1.06	0.76
C99	CONDUIT	1.59	0	00:50	4.74	0.42	0.44
C101	CONDUIT	0.94	0	00:50	3.64	0.21	0.36
C103	CONDUIT	1.75	0	00:50	5.21	0.40	0.44
C104	CONDUIT	4.61	0	00:50	6.01	0.18	0.29
C105	CONDUIT	7.18	0	00:50	6.13	0.09	0.22
C106	CONDUIT	6.09	0	00:50	5.75	0.29	0.37
C122	CONDUIT	0.67	0	00:50	5.54	0.08	0.36

C123	CONDUIT	1.12	0	00:50	4.67	0.26	0.34
C124	CONDUIT	2.75	0	00:50	5.08	0.76	0.65
C126	CONDUIT	2.66	0	00:50	6.58	0.52	0.51
C128	CONDUIT	1.63	0	00:50	3.91	0.21	0.53
C129	CONDUIT	1.58	0	00:50	5.18	0.36	0.41
C131	CONDUIT	0.36	0	00:49	2.16	0.64	0.80
C132	CONDUIT	2.78	0	00:50	3.99	1.13	0.83
C133	CONDUIT	2.74	0	00:50	5.18	0.11	0.22
C134	CONDUIT	1.31	0	00:50	3.98	0.06	0.16
C135	CONDUIT	0.63	0	00:50	5.32	0.10	0.21
C136	CONDUIT	0.88	0	00:50	5.38	0.02	0.10
C139	CONDUIT	6.21	0	00:50	5.77	0.03	0.14
C140	CONDUIT	6.92	0	00:50	4.95	0.06	0.17
C141	CONDUIT	5.46	0	00:50	6.99	0.03	0.11
C142	CONDUIT	6.38	0	00:50	5.73	0.04	0.14
C144	CONDUIT	4.70	0	00:50	6.11	1.29	0.95
C145	CONDUIT	1.94	0	00:50	4.93	0.07	0.18
C146	CONDUIT	0.70	0	00:50	3.80	0.03	0.11
C149	CONDUIT	4.31	0	00:50	5.46	0.19	0.30
C150	CONDUIT	6.00	0	00:50	5.94	0.04	0.13
C151	CONDUIT	1.42	0	00:50	5.30	0.23	0.38
C152	CONDUIT	1.32	0	00:50	4.09	0.38	0.43
C153	CONDUIT	0.37	0	00:53	2.11	0.78	0.93
C154	CONDUIT	2.86	0	00:50	4.60	0.91	0.74
C156	CONDUIT	2.97	0	00:50	5.26	0.80	0.67
C157	CONDUIT	0.85	0	00:50	2.98	0.02	0.19
C159	CONDUIT	1.25	0	00:50	4.10	0.05	0.15
C161	CONDUIT	3.31	0	00:50	5.08	0.15	0.26
C162	CONDUIT	5.60	0	00:50	5.90	0.25	0.34
C163	CONDUIT	0.68	0	00:50	2.92	0.02	0.13
C164	CONDUIT	1.04	0	00:50	2.24	0.05	0.21
C165	CONDUIT	4.16	0	00:50	5.79	0.15	0.28
C166	CONDUIT	3.84	0	00:50	3.65	0.19	0.37
C169	CONDUIT	6.67	0	00:50	4.93	0.15	0.45
C171	CONDUIT	2.22	0	00:50	5.30	0.63	0.53
C172	CONDUIT	1.46	0	00:50	3.50	0.42	0.52
C173	CONDUIT	1.54	0	00:50	3.41	0.62	0.56
C174	CONDUIT	1.51	0	00:50	3.06	0.57	0.60
C175	CONDUIT	2.90	0	00:50	5.15	0.80	0.67
C176	CONDUIT	3.44	0	00:50	5.37	0.15	0.26
C177	CONDUIT	2.04	0	00:50	3.79	0.79	0.65
C178	CONDUIT	2.03	0	00:50	3.83	0.77	0.64
C179	CONDUIT	2.52	0	00:50	6.69	0.49	0.48
C180	CONDUIT	1.82	0	00:50	5.28	0.49	0.45
C181	CONDUIT	3.29	0	00:50	4.66	0.01	0.11
C182	CONDUIT	1.58	0	00:50	5.15	0.42	0.41
C183	CONDUIT	0.99	0	00:50	5.07	0.19	0.30

C184	CONDUIT	1.35	0	00:50	4.09	0.19	0.44
C185	CONDUIT	4.26	0	00:50	5.66	0.18	0.29
C186	CONDUIT	1.72	0	00:50	5.35	0.38	0.43
C187	CONDUIT	1.64	0	00:50	4.41	0.04	0.18
C188	CONDUIT	0.29	0	00:50	3.17	0.05	0.29
C189	CONDUIT	1.14	0	00:50	2.90	0.30	0.56
C191	CONDUIT	2.53	0	00:50	4.72	0.33	0.65
C192	CONDUIT	7.82	0	00:50	6.84	0.27	0.39
C196	CONDUIT	2.14	0	00:50	6.44	0.33	0.44
C197	CONDUIT	4.42	0	00:50	5.91	0.13	0.29
C198	CONDUIT	2.30	0	00:50	5.27	0.60	0.54
C199	CONDUIT	5.33	0	00:50	5.25	0.28	0.36
C200	CONDUIT	7.39	0	00:50	5.98	0.12	0.23
C201	CONDUIT	7.40	0	00:50	6.40	0.11	0.22
C202	CONDUIT	0.74	0	00:50	6.07	0.11	0.21
C203	CONDUIT	0.74	0	00:50	4.75	0.08	0.25
C204	CONDUIT	2.50	0	00:50	5.04	0.06	0.22
C206	CONDUIT	1.94	0	00:50	4.04	0.61	0.59
C207	CONDUIT	1.78	0	00:50	4.87	0.52	0.47
C208	CONDUIT	2.51	0	00:50	5.47	0.61	0.57
C209	CONDUIT	1.19	0	00:50	6.18	0.19	0.29
C210	CONDUIT	1.06	0	00:50	5.67	0.18	0.29
C211	CONDUIT	1.08	0	00:50	6.81	0.14	0.26
C212	CONDUIT	1.36	0	00:50	6.79	0.14	0.30
C213	CONDUIT	1.34	0	00:50	5.48	0.26	0.35
C214	CONDUIT	2.50	0	00:50	4.83	0.58	0.63
C215	CONDUIT	4.10	0	00:50	6.98	0.83	0.71
C216	CONDUIT	3.77	0	00:50	6.45	0.83	0.70
C217	CONDUIT	7.43	0	00:50	5.21	0.06	0.17
C218	CONDUIT	4.71	0	00:50	6.11	1.37	0.95
C219	CONDUIT	2.91	0	00:50	5.58	0.10	0.22
C220	CONDUIT	2.33	0	00:50	6.58	0.04	0.20
C221	CONDUIT	2.60	0	00:50	5.92	0.58	0.55
C222	CONDUIT	2.43	0	00:50	6.51	0.04	0.26
C223	CONDUIT	3.03	0	00:50	5.85	0.72	0.63
C224	CONDUIT	1.34	0	00:50	4.15	0.38	0.43
C225	CONDUIT	3.15	0	00:50	4.96	0.07	0.26
C226	CONDUIT	5.18	0	00:50	5.07	0.15	0.26
C227	CONDUIT	7.92	0	00:50	6.11	0.12	0.24
C228	CONDUIT	11.05	0	00:50	6.20	0.19	0.30
C229	CONDUIT	11.61	0	00:50	6.31	0.20	0.31
C230	CONDUIT	13.40	0	00:50	6.48	0.22	0.33
C231	CONDUIT	13.96	0	00:50	6.54	0.22	0.34
C232	CONDUIT	1.69	0	00:50	3.75	0.38	0.57
C233	CONDUIT	1.81	0	00:50	4.27	0.72	0.53
C234	CONDUIT	2.05	0	00:50	3.67	0.81	0.67
C235	CONDUIT	2.75	0	00:50	3.82	1.71	0.86

C236	CONDUIT	1.79	0	00:50	3.04	0.71	0.76
C237	CONDUIT	0.58	0	00:50	2.84	0.16	0.61
C238	CONDUIT	0.92	0	00:48	2.28	0.36	0.77
C239	CONDUIT	0.57	0	00:50	2.65	0.16	0.64
C241	CONDUIT	2.81	0	00:50	6.90	0.06	0.19
C242	CONDUIT	4.09	0	00:50	5.41	0.10	0.29
C243	CONDUIT	6.52	0	00:50	6.35	0.28	0.36
C244	CONDUIT	7.46	0	00:50	5.10	0.15	0.26
C245	CONDUIT	8.98	0	00:51	4.58	0.39	0.70
C246	CONDUIT	1.32	0	00:50	5.03	0.20	0.37
C247	CONDUIT	1.19	0	00:50	2.99	0.18	0.51
C248	CONDUIT	0.95	0	00:50	6.01	0.14	0.26
C249	CONDUIT	1.23	0	00:50	5.57	0.14	0.63
C250	CONDUIT	1.61	0	00:50	2.89	0.26	0.67
C251	CONDUIT	11.33	0	00:51	3.74	0.50	0.93
C252	CONDUIT	43.21	0	00:50	6.67	0.57	0.51
C254	CONDUIT	0.85	0	00:50	4.13	0.02	0.15
C255	CONDUIT	3.60	0	00:50	5.34	0.09	0.27
C256	CONDUIT	9.57	0	00:50	5.72	0.11	0.29
C258	CONDUIT	3.32	0	00:50	5.02	0.15	0.26
C259	CONDUIT	3.31	0	00:50	4.98	0.15	0.26
C260	CONDUIT	3.31	0	00:50	5.65	0.07	0.24
C261	CONDUIT	4.69	0	00:50	5.88	0.20	0.30
C267	CONDUIT	2.72	0	00:50	5.60	0.66	0.59
C268	CONDUIT	1.86	0	00:50	5.78	0.38	0.43
C269	CONDUIT	2.21	0	00:50	6.72	0.38	0.44
C270	CONDUIT	2.60	0	00:50	4.53	0.29	0.69
C271	CONDUIT	1.00	0	00:50	5.31	1.93	0.93
C272	CONDUIT	0.63	0	00:50	3.37	1.19	0.91
C273	CONDUIT	2.50	0	00:50	3.56	1.35	0.84
C274	CONDUIT	1.63	0	00:50	6.65	2.60	0.81
C276	CONDUIT	3.42	0	00:50	5.04	0.71	0.81
C277	CONDUIT	2.56	0	00:50	6.82	0.47	0.48
C278	CONDUIT	1.40	0	00:50	3.51	0.29	0.51
C279	CONDUIT	3.12	0	00:50	5.14	1.33	0.73
C280	CONDUIT	1.19	0	00:50	4.51	0.29	0.37
C281	CONDUIT	1.82	0	00:50	5.03	0.38	0.48
C282	CONDUIT	1.89	0	00:50	4.47	0.55	0.53
C283	CONDUIT	4.60	0	00:50	6.67	0.16	0.27
C284	CONDUIT	3.50	0	00:50	6.78	0.09	0.22
C285	CONDUIT	2.56	0	00:50	5.58	0.61	0.57
C286	CONDUIT	2.39	0	00:50	5.65	0.55	0.53
C287	CONDUIT	0.86	0	00:50	2.51	0.36	0.45
C288	CONDUIT	1.79	0	00:50	5.36	0.44	0.44
C289	CONDUIT	2.14	0	00:50	5.64	0.48	0.49
C290	CONDUIT	2.46	0	00:50	5.83	0.08	0.19
C291	CONDUIT	2.99	0	00:50	6.59	0.60	0.56

C292	CONDUIT	2.01	0	00:00	6.12	0.42	0.46
C297	CONDUIT	2.95	0	00:50	4.34	1.26	0.81
C298	CONDUIT	2.67	0	00:50	4.14	0.55	0.77
C299	CONDUIT	10.01	0	00:50	5.97	0.49	0.53
C300	CONDUIT	12.67	0	00:50	5.04	0.60	0.75
C301	CONDUIT	5.69	0	00:50	6.87	0.21	0.31
C302	CONDUIT	4.46	0	00:50	6.12	0.15	0.28
C303	CONDUIT	2.17	0	00:50	5.98	0.45	0.47
C305	CONDUIT	5.16	0	00:50	5.13	0.13	0.37
C306	CONDUIT	13.08	0	00:50	6.58	0.22	0.32
C307	CONDUIT	15.75	0	00:50	6.23	0.32	0.39
C311	CONDUIT	2.67	0	00:50	4.32	0.45	0.74
C312	CONDUIT	1.45	0	00:50	5.53	0.30	0.37
C313	CONDUIT	3.52	0	00:50	6.11	0.12	0.24
C314	CONDUIT	2.79	0	00:50	4.53	0.07	0.25
C315	CONDUIT	20.41	0	00:50	6.54	0.18	0.30
C317	CONDUIT	28.58	0	00:50	4.37	0.22	0.52
C318	CONDUIT	30.66	0	00:50	5.34	0.18	0.47
C319	CONDUIT	2.17	0	00:50	3.84	0.27	0.68
C320	CONDUIT	3.97	0	00:50	6.37	0.46	0.74
C321	CONDUIT	2.99	0	00:50	5.06	0.35	0.70
C322	CONDUIT	1.61	0	00:50	5.82	0.33	0.38
C323	CONDUIT	0.86	0	00:50	3.86	0.17	0.33
C325	CONDUIT	2.45	0	00:50	5.94	0.35	0.52
C326	CONDUIT	1.98	0	00:50	4.98	0.55	0.50
C327	CONDUIT	3.87	0	00:50	6.48	0.02	0.09
C328	CONDUIT	3.29	0	00:50	6.47	0.09	0.22
C329	CONDUIT	1.64	0	00:50	4.53	0.45	0.47
C330	CONDUIT	1.79	0	00:49	3.09	0.40	0.77
C331	CONDUIT	3.54	0	00:49	4.75	1.19	0.90
C332	CONDUIT	0.97	0	00:50	5.17	0.13	0.29
C333	CONDUIT	0.89	0	00:50	3.40	0.24	0.37
C334	CONDUIT	0.82	0	00:50	4.24	0.20	0.29
C335	CONDUIT	1.30	0	00:50	3.83	0.14	0.45
C336	CONDUIT	2.66	0	00:50	4.28	0.58	0.81
C337	CONDUIT	4.05	0	00:50	5.33	1.21	0.93
C338	CONDUIT	5.80	0	00:50	5.38	0.09	0.21
C339	CONDUIT	0.67	0	00:50	4.94	0.12	0.23
C340	CONDUIT	0.98	0	00:50	3.51	0.10	0.61
C341	CONDUIT	0.43	0	00:00	4.45	0.09	0.21
C343	CONDUIT	0.51	0	00:00	4.42	0.12	0.21
C344	CONDUIT	0.65	0	00:50	4.57	0.12	0.24
C345	CONDUIT	0.45	0	00:50	4.83	0.08	0.28
C346	CONDUIT	2.10	0	00:50	5.87	0.46	0.46
C347	CONDUIT	1.02	0	00:50	5.13	0.21	0.30
C348	CONDUIT	1.51	0	00:00	5.26	0.38	0.50
C349	CONDUIT	2.04	0	00:00	6.05	0.42	0.50

C351	CONDUIT	0.62	0	00:50	2.97	0.18	0.31
C352	CONDUIT	0.49	0	00:00	4.50	0.12	0.20
C353	CONDUIT	0.61	0	00:50	4.00	0.14	0.43
C359	CONDUIT	2.10	0	00:50	5.95	0.44	0.46
C362	CONDUIT	1.47	0	00:50	3.71	0.30	0.50
C363	CONDUIT	2.96	0	00:50	4.71	0.72	0.75
C364	CONDUIT	5.04	0	00:50	5.67	0.11	0.33
C365	CONDUIT	8.67	0	00:50	6.54	0.39	0.44
C368	CONDUIT	1.85	0	00:50	5.03	0.38	0.48
C369	CONDUIT	1.36	0	00:50	4.04	0.47	0.44
C370	CONDUIT	1.13	0	00:50	5.12	0.01	0.12
C371	CONDUIT	2.44	0	00:50	5.45	0.07	0.20
C372	CONDUIT	1.32	0	00:50	3.85	0.30	0.45
C373	CONDUIT	1.79	0	00:50	4.95	0.46	0.47
C374	CONDUIT	0.75	0	00:50	3.02	0.17	0.35
C375	CONDUIT	1.46	0	00:50	4.06	0.38	0.47
C376	CONDUIT	1.92	0	00:50	4.74	0.52	0.51
C377	CONDUIT	1.05	0	00:50	2.72	0.30	0.49
C379	CONDUIT	0.99	0	00:50	3.69	0.23	0.37
C380	CONDUIT	2.59	0	00:50	5.27	0.73	0.60
C381	CONDUIT	0.60	0	00:50	2.39	0.25	0.36
C383	CONDUIT	0.50	0	00:50	3.96	0.11	0.22
C384	CONDUIT	0.65	0	00:50	4.95	0.09	0.22
C385	CONDUIT	0.72	0	00:50	5.24	0.09	0.23
C386	CONDUIT	1.38	0	00:50	4.50	0.14	0.63
C387	CONDUIT	3.46	0	00:50	5.20	0.64	0.79
C388	CONDUIT	5.31	0	00:50	6.83	1.60	0.96
C390	CONDUIT	5.14	0	00:50	6.63	1.45	0.96
C391	CONDUIT	0.82	0	00:50	5.43	0.13	0.25
C392	CONDUIT	0.65	0	00:50	4.54	0.13	0.24
C393	CONDUIT	2.58	0	00:50	5.74	0.58	0.56
C394	CONDUIT	3.77	0	00:50	5.88	0.54	0.76
C395	CONDUIT	1.20	0	00:50	5.42	0.13	0.38
C396	CONDUIT	1.51	0	00:50	5.95	0.28	0.36
C397	CONDUIT	1.11	0	00:50	4.67	0.25	0.34
C398	CONDUIT	0.97	0	00:50	4.65	0.21	0.31
C399	CONDUIT	1.74	0	00:50	4.66	0.21	0.48
C404	CONDUIT	2.05	0	00:50	5.78	0.36	0.70
C405	CONDUIT	8.25	0	00:50	5.65	0.45	0.47
C406	CONDUIT	3.93	0	00:50	5.31	1.08	0.92
C407	CONDUIT	6.21	0	00:50	6.17	0.23	0.36
C409	CONDUIT	2.68	0	00:50	5.84	0.30	0.57
C410	CONDUIT	1.68	0	00:50	5.96	0.03	0.15
C411	CONDUIT	2.27	0	00:50	6.45	0.06	0.17
C412	CONDUIT	6.13	0	00:50	6.72	0.08	0.19
C413	CONDUIT	9.02	0	00:50	5.68	0.16	0.28
C416	CONDUIT	0.70	0	00:50	3.69	0.13	0.41

C417	CONDUIT	1.00	0	00:50	3.88	0.25	0.47
C420	CONDUIT	7.30	0	00:50	3.19	0.06	0.37
C423	CONDUIT	32.05	0	00:50	6.97	0.05	0.22
C424	CONDUIT	2.88	0	00:50	5.79	0.10	0.22
C426	CONDUIT	0.41	0	00:50	2.40	0.07	0.28
C428	CONDUIT	1.71	0	00:00	6.50	0.36	0.41
C429	CONDUIT	1.61	0	00:00	5.62	0.32	0.39
C431	CONDUIT	0.41	0	00:50	3.69	0.01	0.08
C432	CONDUIT	0.41	0	00:50	3.26	0.01	0.08
C433	CONDUIT	3.28	0	00:50	5.56	0.08	0.24
C434	CONDUIT	5.76	0	00:50	6.24	0.24	0.34
C435	CONDUIT	2.13	0	00:50	5.87	0.05	0.22
C437	CONDUIT	2.09	0	00:50	4.15	0.03	0.12
C438	CONDUIT	6.27	0	00:50	4.45	0.11	0.25
C442	CONDUIT	2.93	0	00:50	6.39	0.61	0.57
C443	CONDUIT	2.88	0	00:50	3.57	0.01	0.19
C444	CONDUIT	7.71	0	00:50	5.96	0.03	0.16
C455	CONDUIT	1.50	0	00:50	4.65	0.19	0.52
C456	CONDUIT	2.32	0	00:51	4.79	0.55	0.87
C459	CONDUIT	40.00	0	00:50	6.65	0.13	0.27
C460	CONDUIT	11.27	0	00:51	5.31	0.04	0.13
C462	CONDUIT	4.81	0	00:50	6.35	0.01	0.11
C463	CONDUIT	17.79	0	00:50	5.99	0.06	0.21
C465	CONDUIT	6.41	0	00:50	5.61	0.20	0.39
C466	CONDUIT	7.50	0	00:50	4.96	0.48	0.49
C469	CONDUIT	11.97	0	00:50	5.87	0.01	0.12
C470	CONDUIT	5.82	0	00:50	4.48	0.39	0.43
C471	CONDUIT	3.47	0	00:50	5.80	0.60	0.71
C474	CONDUIT	13.12	0	00:50	6.91	0.01	0.12
C477	CONDUIT	8.79	0	00:50	5.18	0.08	0.19
C483	CONDUIT	7.66	0	00:50	6.02	0.03	0.12
C484	CONDUIT	7.65	0	00:51	5.87	0.13	0.24
C487	CONDUIT	24.09	0	00:50	6.65	0.12	0.33
C488	CONDUIT	0.70	0	00:50	4.94	0.10	0.24
C489	CONDUIT	0.70	0	00:50	2.78	0.14	0.36
C490	CONDUIT	1.75	0	00:00	4.71	0.47	1.00
C491	CONDUIT	2.21	0	00:50	4.16	0.47	0.75
C493	CONDUIT	31.24	0	00:50	6.27	0.37	0.42
C494	CONDUIT	1.21	0	00:50	3.88	0.22	0.42
C495	CONDUIT	15.59	0	00:50	5.76	0.16	0.27
C496	CONDUIT	15.61	0	00:50	6.28	0.14	0.25
C497	CONDUIT	23.39	0	00:50	6.22	0.19	0.34
C498	CONDUIT	44.41	0	00:50	6.96	0.15	0.28
C500	CONDUIT	19.99	0	00:50	6.42	0.48	0.45
C501	CONDUIT	22.30	0	00:50	6.80	0.31	0.47
C502	CONDUIT	18.54	0	00:50	6.55	0.37	0.42
C503	CONDUIT	18.54	0	00:50	6.45	0.38	0.43

C419	CONDUIT	2.87	0	00:50	5.24	0.77	0.66
C510	CONDUIT	4.92	0	00:49	6.51	1.10	0.96
C511	CONDUIT	3.87	0	00:50	6.18	0.90	0.74
C505	CONDUIT	26.28	0	00:50	6.83	0.04	0.19
C506	CONDUIT	14.09	0	00:50	6.00	0.02	0.14

****
Flow Classification Summary
****

	Adjusted	---------- Fraction of Time in Flow Class ----------								
	/Actual	Up	Down	Sub	Sup	Up	Down	Norm	Inlet	
Conduit	Length	Dry	Dry	Dry	Crit	Crit	Crit	Crit	Ltd	Ctrl
C1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C2	1.00	0.00	0.00	0.00	0.74	0.26	0.00	0.00	1.00	0.00
C4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C10	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	1.00	0.00
C16	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.20	0.00
C21	1.00	0.00	0.00	0.00	0.92	0.08	0.00	0.00	1.00	0.00
C22	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.10	0.00
C25	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	1.00	0.00
C29	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C32	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C35	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.99	0.00
C37	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C38	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.99	0.00
C40	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	1.00	0.00
C42	1.00	0.00	0.00	0.00	0.86	0.14	0.00	0.00	1.00	0.00
C45	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C50	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.99	0.00
C51	1.00	0.00	0.00	0.00	0.82	0.18	0.00	0.00	0.90	0.00
C52	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.98	0.00
C53	1.00	0.00	0.00	0.00	0.78	0.22	0.00	0.00	0.00	0.00
C54	1.00	0.00	0.00	0.00	0.75	0.25	0.00	0.00	0.77	0.00
C55	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C56	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.16	0.00
C57	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C59	1.00	0.00	0.00	0.00	0.79	0.21	0.00	0.00	0.97	0.00
C60	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C62	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C63	1.00	0.00	0.00	0.00	0.72	0.28	0.00	0.00	1.00	0.00
C65	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00

C66	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C68	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.98	0.00
C69	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.99	0.00
C74	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C75	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C76	1.00	0.00	0.00	0.00	0.08	0.92	0.00	0.00	1.00	0.00
C77	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	0.00	0.00
C78	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	0.99	0.00
C79	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C80	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C87	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C95	1.00	0.00	0.00	0.00	0.73	0.27	0.00	0.00	0.72	0.00
C96	1.00	0.00	0.00	0.00	0.71	0.29	0.00	0.00	1.00	0.00
C97	1.00	0.00	0.00	0.00	0.17	0.83	0.00	0.00	0.99	0.00
C98	1.00	0.00	0.00	0.00	0.88	0.12	0.00	0.00	0.91	0.00
C99	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C101	1.00	0.00	0.00	0.00	0.98	0.02	0.00	0.00	1.00	0.00
C103	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C104	1.00	0.00	0.00	0.00	0.88	0.12	0.00	0.00	1.00	0.00
C105	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.12	0.00
C106	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C122	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	0.99	0.00
C123	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C124	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C126	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C128	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	1.00	0.00
C129	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C131	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C132	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C133	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C134	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C135	1.00	0.00	0.00	0.00	0.89	0.11	0.00	0.00	0.99	0.00
C136	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C139	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C140	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C141	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C142	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C144	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C145	1.00	0.00	0.00	0.00	0.87	0.13	0.00	0.00	0.91	0.00
C146	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C149	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C150	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C151	1.00	0.00	0.00	0.00	0.90	0.10	0.00	0.00	1.00	0.00
C152	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.01	0.00
C153	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.98	0.00
C154	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C156	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00

C157	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C159	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.01	0.00
C161	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C162	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C163	1.00	0.00	0.00	0.00	0.98	0.02	0.00	0.00	1.00	0.00
C164	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.99	0.00
C165	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.11	0.00
C166	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C169	1.00	0.00	0.00	0.00	0.97	0.03	0.00	0.00	1.00	0.00
C171	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C172	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	0.15	0.00
C173	1.00	0.00	0.00	0.00	0.08	0.92	0.00	0.00	0.00	0.00
C174	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.99	0.00
C175	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C176	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C177	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C178	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C179	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C180	1.00	0.00	0.00	0.00	0.81	0.19	0.00	0.00	0.86	0.00
C181	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.08	0.00
C182	1.00	0.00	0.00	0.00	0.88	0.12	0.00	0.00	0.92	0.00
C183	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C184	1.00	0.00	0.00	0.00	0.98	0.02	0.00	0.00	1.00	0.00
C185	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C186	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C187	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.99	0.00
C188	1.00	0.00	0.00	0.00	0.11	0.89	0.00	0.00	1.00	0.00
C189	1.00	0.00	0.00	0.00	0.13	0.87	0.00	0.00	0.99	0.00
C191	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C192	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C196	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	1.00	0.00
C197	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.99	0.00
C198	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C199	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C200	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C201	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C202	1.00	0.00	0.00	0.00	0.73	0.27	0.00	0.00	0.79	0.00
C203	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C204	1.00	0.00	0.00	0.00	0.55	0.45	0.00	0.00	1.00	0.00
C206	1.00	0.00	0.00	0.00	0.87	0.13	0.00	0.00	0.18	0.00
C207	1.00	0.00	0.00	0.00	0.74	0.26	0.00	0.00	0.00	0.00
C208	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C209	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.82	0.00
C210	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C211	1.00	0.00	0.00	0.00	0.87	0.13	0.00	0.00	1.00	0.00
C212	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.14	0.00
C213	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00

C214	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.99	0.00
C215	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.10	0.00
C216	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C217	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C218	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C219	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C220	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C221	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C222	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	1.00	0.00
C223	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C224	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C225	1.00	0.00	0.00	0.00	0.92	0.08	0.00	0.00	1.00	0.00
C226	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C227	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C228	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C229	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C230	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C231	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C232	1.00	0.00	0.00	0.00	0.95	0.05	0.00	0.00	1.00	0.00
C233	1.00	0.00	0.00	0.00	0.72	0.28	0.00	0.00	0.00	0.00
C234	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	0.00	0.00
C235	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00
C236	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C237	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C238	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.98	0.00
C239	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C241	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C242	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C243	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C244	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C245	1.00	0.00	0.00	0.00	0.95	0.05	0.00	0.00	0.98	0.00
C246	1.00	0.00	0.00	0.00	0.85	0.15	0.00	0.00	1.00	0.00
C247	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C248	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C249	1.00	0.00	0.00	0.00	0.09	0.91	0.00	0.00	1.00	0.00
C250	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	1.00	0.00
C251	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.08	0.00
C252	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C254	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C255	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C256	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C258	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C259	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C260	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C261	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C267	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C268	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00

C269	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.81	0.00
C270	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C271	1.00	0.00	0.00	0.00	0.84	0.16	0.00	0.00	0.82	0.00
C272	1.00	0.00	0.00	0.00	0.92	0.08	0.00	0.00	0.98	0.00
C273	1.00	0.00	0.03	0.00	0.00	0.00	0.97	0.00	0.00	0.00
C274	1.00	0.00	0.00	0.00	0.82	0.18	0.00	0.00	0.00	0.00
C276	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	1.00	0.00
C277	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.82	0.00
C278	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C279	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C280	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.16	0.00
C281	1.00	0.00	0.00	0.00	0.82	0.18	0.00	0.00	1.00	0.00
C282	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C283	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C284	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.99	0.00
C285	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.06	0.00
C286	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C287	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C288	1.00	0.00	0.00	0.00	0.03	0.97	0.00	0.00	0.83	0.00
C289	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C290	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C291	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.98	0.00
C292	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C297	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.95	0.00
C298	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C299	1.00	0.00	0.00	0.00	0.00	0.02	0.00	0.98	0.02	0.00
C300	1.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00
C301	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C302	1.00	0.00	0.00	0.00	0.81	0.19	0.00	0.00	1.00	0.00
C303	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.01	0.00
C305	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C306	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C307	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C311	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.99	0.00
C312	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.01	0.00
C313	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C314	1.00	0.00	0.00	0.00	0.68	0.32	0.00	0.00	1.00	0.00
C315	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C317	1.00	0.00	0.01	0.00	0.08	0.00	0.91	0.00	0.00	0.00
C318	1.00	0.00	0.02	0.00	0.00	0.00	0.98	0.00	0.00	0.00
C319	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	1.00	0.00
C320	1.00	0.00	0.00	0.00	0.98	0.02	0.00	0.00	1.00	0.00
C321	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	1.00	0.00
C322	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.76	0.00
C323	1.00	0.00	0.00	0.00	0.82	0.18	0.00	0.00	1.00	0.00
C325	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C326	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	0.01	0.00

C327	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C328	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C329	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C330	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	0.99	0.00
C331	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C332	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C333	1.00	0.00	0.00	0.00	0.91	0.09	0.00	0.00	1.00	0.00
C334	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C335	1.00	0.00	0.00	0.00	0.88	0.12	0.00	0.00	1.00	0.00
C336	1.00	0.00	0.00	0.00	0.83	0.17	0.00	0.00	0.99	0.00
C337	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C338	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C339	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.82	0.00
C340	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C341	1.00	0.00	0.00	0.00	0.81	0.19	0.00	0.00	1.00	0.00
C343	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C344	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.21	0.00
C345	1.00	0.00	0.00	0.00	0.93	0.07	0.00	0.00	1.00	0.00
C346	1.00	0.00	0.00	0.00	0.59	0.41	0.00	0.00	0.78	0.00
C347	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.01	0.00
C348	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C349	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	1.00	0.00
C351	1.00	0.00	0.00	0.00	0.92	0.08	0.00	0.00	1.00	0.00
C352	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C353	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C359	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.80	0.00
C362	1.00	0.00	0.00	0.00	0.68	0.32	0.00	0.00	1.00	0.00
C363	1.00	0.00	0.00	0.00	0.93	0.07	0.00	0.00	1.00	0.00
C364	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C365	1.00	0.00	0.00	0.00	0.82	0.18	0.00	0.00	0.99	0.00
C368	1.00	0.00	0.00	0.00	0.79	0.21	0.00	0.00	1.00	0.00
C369	1.00	0.00	0.00	0.00	0.83	0.17	0.00	0.00	0.00	0.00
C370	1.00	0.00	0.00	0.00	0.79	0.21	0.00	0.00	1.00	0.00
C371	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C372	1.00	0.00	0.00	0.00	0.63	0.37	0.00	0.00	0.99	0.00
C373	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C374	1.00	0.00	0.00	0.00	0.91	0.09	0.00	0.00	1.00	0.00
C375	1.00	0.00	0.00	0.00	0.81	0.19	0.00	0.00	0.99	0.00
C376	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C377	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00
C379	1.00	0.00	0.00	0.00	0.81	0.19	0.00	0.00	1.00	0.00
C380	1.00	0.00	0.00	0.00	0.79	0.21	0.00	0.00	0.79	0.00
C381	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.17	0.00
C383	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C384	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.99	0.00
C385	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C386	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	1.00	0.00

C387	1.00	0.00	0.00	0.00	0.84	0.16	0.00	0.00	1.00	0.00
C388	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C390	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C391	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.95	0.00
C392	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C393	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	0.83	0.00
C394	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	1.00	0.00
C395	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C396	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C397	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C398	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.01	0.00
C399	1.00	0.00	0.00	0.00	0.91	0.09	0.00	0.00	1.00	0.00
C404	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	0.11	0.00
C405	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C406	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C407	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C409	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C410	1.00	0.00	0.00	0.00	0.64	0.36	0.00	0.00	1.00	0.00
C411	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C412	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C413	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C416	1.00	0.00	0.00	0.00	0.13	0.87	0.00	0.00	1.00	0.00
C417	1.00	0.00	0.00	0.00	0.06	0.94	0.00	0.00	1.00	0.00
C420	1.00	0.00	0.00	0.00	0.99	0.01	0.00	0.00	1.00	0.00
C423	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C424	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C426	1.00	0.00	0.00	0.00	0.81	0.19	0.00	0.00	1.00	0.00
C428	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C429	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C431	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C432	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C433	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C434	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C435	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C437	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C438	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.09	0.00
C442	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C443	1.00	0.00	0.00	0.00	0.06	0.03	0.00	0.91	0.09	0.00
C444	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C455	1.00	0.00	0.00	0.00	0.97	0.03	0.00	0.00	1.00	0.00
C456	1.00	0.00	0.00	0.00	0.02	0.98	0.00	0.00	0.99	0.00
C459	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.04	0.00
C460	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C462	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C463	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C465	1.00	0.00	0.29	0.00	0.52	0.19	0.00	0.00	0.99	0.00
C466	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00

C469	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.58	0.00
C470	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C471	1.00	0.00	0.03	0.00	0.81	0.16	0.00	0.00	0.87	0.00
C474	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.88	0.00
C477	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C483	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C484	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C487	1.00	0.00	0.00	0.00	0.01	0.99	0.00	0.00	1.00	0.00
C488	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C489	1.00	0.00	0.00	0.00	0.98	0.02	0.00	0.00	1.00	0.00
C490	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00
C491	1.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.02	0.00
C493	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C494	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.17	0.00
C495	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C496	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C497	1.00	0.00	0.00	0.00	0.00	0.02	0.00	0.98	0.02	0.00
C498	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C500	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00
C501	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00
C502	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C503	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C419	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C510	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C511	1.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00
C505	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.56	0.00
C506	1.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	0.24	0.00

****
Conduit Surcharge Summary
****

Conduit	Hours Full: Both Ends	Hours Full: Upstream	Hours Full: Dnstream	Hours Above Full Normal Flow	Capacity Limited
C50	0.01	0.01	0.05	0.01	0.01
C51	0.05	0.05	0.09	0.01	0.01
C52	0.09	0.09	0.11	0.01	0.01
C53	0.05	0.11	0.05	0.12	0.05
C57	0.01	0.05	0.01	0.08	0.01
C97	0.01	0.01	0.02	0.01	0.01
C98	0.01	0.02	0.01	0.02	0.01
C131	0.01	0.01	0.12	0.01	0.01
C132	0.01	0.01	0.01	0.03	0.01

C144	0.01	0.04	0.01	0.07	0.01
C153	0.01	0.01	0.11	0.01	0.01
C218	0.01	0.05	0.01	0.08	0.01
C235	0.01	0.05	0.01	0.10	0.01
C238	0.01	0.01	0.03	0.01	0.01
C239	0.01	0.01	0.04	0.01	0.01
C249	0.01	0.01	0.02	0.01	0.01
C250	0.01	0.01	0.11	0.01	0.01
C251	0.01	0.01	0.04	0.01	0.01
C270	0.01	0.01	5.96	0.01	0.01
C271	0.01	0.09	0.01	0.09	0.01
C272	0.01	0.01	0.01	0.03	0.01
C273	0.01	0.01	0.10	0.05	0.01
C274	0.01	0.12	0.01	0.12	0.01
C279	0.01	5.96	0.01	5.98	0.01
C297	0.01	0.01	0.01	0.04	0.01
C298	0.01	0.01	0.63	0.01	0.01
C311	0.01	0.01	0.06	0.01	0.01
C319	0.01	0.01	0.63	0.01	0.01
C320	0.01	0.01	0.52	0.01	0.01
C321	0.01	0.01	0.06	0.01	0.01
C330	0.01	0.01	0.05	0.01	0.01
C331	0.01	0.05	0.01	0.07	0.01
C336	0.01	0.01	0.02	0.01	0.01
C337	0.01	0.02	0.01	0.04	0.01
C340	0.01	0.01	0.02	0.01	0.01
C348	0.01	0.01	0.01	0.01	0.01
C349	0.01	0.01	0.01	0.01	0.01
C386	0.01	0.01	0.04	0.01	0.01
C387	0.01	0.01	0.05	0.01	0.01
C388	0.01	0.05	0.01	0.07	0.01
C390	0.01	0.04	0.01	0.07	0.01
C394	0.01	0.01	0.04	0.01	0.01
C406	0.01	0.01	0.01	0.06	0.01
C456	0.01	0.01	0.04	0.01	0.01
C490	0.55	0.55	5.96	0.01	0.01
C491	0.01	0.01	5.98	0.01	0.01
C510	0.01	0.02	0.01	0.05	0.01

Analysis begun on: Sat Dec 13 22:43:08 2025
Analysis ended on: Sat Dec 13 22:43:28 2025
Total elapsed time: 00:00:20