

CoreTech Cybersecurity Internship Task

Introduction

Name: Rubab Faiz

Education: BS Cyber Security (6th Semester)

City: Nawabshah, Sindh, Pakistan

Linux Commands for Cybersecurity

Introduction

Linux is widely used in cybersecurity for penetration testing, system administration, digital forensics, and network monitoring. Security professionals use Linux commands to manage files, users, processes, and networks.

1. File System Navigation Commands

Command	Purpose	Example
pwd	Shows current directory	pwd
ls	Lists files and folders	ls
ls -la	Shows detailed file information	ls -la
cd	Changes directory	cd Documents
mkdir	Creates a new directory	mkdir CyberLab
rm	Removes files	rm test.txt
rm -r	Removes directory recursively	rm -r CyberLab

Example

```
kali@kali:~$ pwd
/home/kali
```

```
kali@kali:~$ ls
Desktop Documents Downloads
```

```
kali@kali:~$ mkdir CyberLab

kali@kali:~$ ls
CyberLab Desktop Documents Downloads
```

2. File Permission Commands

Linux uses Read (r), Write (w), and Execute (x) permissions.

Command	Purpose	Example
chmod	Changes file permissions	chmod 755 file.sh
chmod +x	Makes file executable	chmod +x script.sh
chown	Changes file owner	sudo chown kali:kali file.txt

Example

```
kali@kali:~$ ls -l script.sh
-rw-r--r-- 1 kali kali 120 script.sh

kali@kali:~$ chmod +x script.sh

kali@kali:~$ ls -l script.sh
-rwxr-xr-x 1 kali kali 120 script.sh
```

3. User Management Commands

Command	Purpose	Example
adduser	Creates a new user	sudo adduser student
passwd	Changes password	passwd student
whoami	Shows current user	whoami
id	Displays user information	id

Example

```
kali@kali:~$ whoami
kali

kali@kali:~$ id
uid=1000(kali) gid=1000(kali)
```

4. Networking Commands

Command	Purpose	Example
ifconfig	Displays network configuration	ifconfig
ip addr	Shows IP address information	ip addr
ping	Tests connectivity	ping google.com
netstat	Shows network connections	netstat -an
nmap	Network scanning	nmap 192.168.1.1
traceroute	Tracks packet path	traceroute google.com

Example

```
kali@kali:~$ ping google.com
```

```
64 bytes from google.com:
icmp_seq=1 ttl=117 time=24 ms
icmp_seq=2 ttl=117 time=22 ms
```

Nmap Example

```
kali@kali:~$ nmap scanme.nmap.org
```

```
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
```

5. Process Management Commands

Command	Purpose	Example
ps	Shows running processes	ps
ps aux	Detailed process list	ps aux
top	Real-time process monitoring	top
kill	Terminates process	kill 1234
kill -9	Forcefully kills process	kill -9 1234

Example

```
kali@kali:~$ ps
```

```
PID TTY          TIME CMD
```

```
1000 pts/0    00:00:01 bash
1200 pts/0    00:00:00 firefox
```

6. Package Management Commands

Command	Purpose	Example
sudo	Run command as administrator	sudo apt update
apt-get update	Updates package list	sudo apt-get update
apt-get upgrade	Upgrades installed packages	sudo apt-get upgrade
apt-get install	Installs software	sudo apt-get install nmap
apt-get remove	Removes software	sudo apt-get remove nmap

Example

```
kali@kali:~$ sudo apt-get install nmap
```

```
Reading package lists... Done
Building dependency tree... Done
Setting up nmap...
```


20 Linux Commands Summary

1. pwd
2. ls
3. ls -la
4. cd
5. mkdir
6. rm
7. rm -r
8. chmod
9. chmod +x
10. chown
11. adduser
12. passwd
13. whoami
14. id
15. ifconfig
16. ping
17. netstat
18. nmap
19. ps
20. top
21. kill

22. sudo
23. apt-get update
24. apt-get upgrade
25. apt-get install

Screenshots Required:


1. pwd



```
(kali@kali)-[~]  
$ pwd  
/home/kali
```

A terminal window with a dark background. The prompt is (kali@kali)-[~]. The user enters the command 'pwd' and the output is '/home/kali'.

2. Ls



```
(kali@kali)-[~]  
$ ls  
121.54.154.110  cryptography  evidence.txt  output.txt  tmp.txt  
'(8.8.8.8).txt' cyber.txt     faizmuhammad.ovpn  Pictures    Videos  
bilal.txt      Desktop      file.txt       Public  
contact.txt    Documents    guess_password.txt  scam.txt  
contact.txtmb  Downloads    malware.exe     suspicious.png  
cred.txt       evidence.bin Music          Templates
```

A terminal window with a dark background. The prompt is (kali@kali)-[~]. The user enters the command 'ls'. The output lists files and directories in a grid-like format. Some items are highlighted in blue (cryptography, Desktop, Documents, Downloads, Music, Pictures, Videos) and others in pink (suspicious.png).

3. ls -la

```

(kali@kali)-[~]
└─$ ls -la
total 284
drwxr-xr-x 21 kali kali 4096 Jun  6 09:24 .
drwxr-xr-x  4 root root 4096 Apr 23 2025 ..
-rw-rw-r--  1 kali kali 233 Apr 23 2025 121.54.154.110
-rw-rw-r--  1 kali kali  10 Apr 19 12:14 '(8.8.8.8).txt'
-rw-r--r--  1 kali kali 220 Aug 18 2024 .bash_logout
-rw-r--r--  1 kali kali 5551 Aug 18 2024 .bashrc
-rw-r--r--  1 kali kali 3526 Aug 18 2024 .bashrc.original
-rw-rw-r--  1 kali kali  10 Apr 22 2025 bilal.txt
drwxr-xr-x  7 kali kali 4096 Oct 16 2025 .BurpSuite
drwxr-xr-x 10 kali kali 4096 Apr 22 2025 .cache
drwxr-xr-x 14 kali kali 4096 Mar 21 2025 .config
-rw-rw-r--  1 kali kali 768 Sep 25 2025 contact.txt
-rw-rw-r--  1 kali kali 768 Sep 25 2025 contact.txtmb
-rw-rw-r--  1 kali kali 47 Apr 23 2025 cred.txt
drwxrwxr-x  4 kali kali 4096 Apr 15 2025 cryptography
-rw-rw-r--  1 kali kali 12 Apr 23 2025 cyber.txt
drwxr-xr-x  3 kali kali 4096 Apr 15 00:52 Desktop
-rw-r--r--  1 kali kali 35 Oct 11 2024 .dmrc
drwxr-xr-x  3 kali kali 4096 May 26 2025 Documents
drwxr-xr-x  2 kali kali 4096 Jan 25 12:42 Downloads
-rw-rw-r--  1 kali kali  10 Apr 21 03:26 evidence.bin
-rw-rw-r--  1 kali kali 534 Apr 21 03:07 evidence.txt
-rw-r--r--  1 kali kali 11759 Aug 18 2024 .face
lrwxrwxrwx  1 kali kali  5 Aug 18 2024 .face.icon -> .face
-rw-rw-rw-  1 kali kali 8315 Oct 11 2024 faizmuhammad.ovpn
-rw-rw-r--  1 kali kali  10 Apr 15 00:56 file.txt
drwxr-xr-x  3 kali kali 4096 Oct 11 2024 .gnupg
-rw-rw-r--  1 kali kali 243 Sep 25 2025 guess_password.txt
-rw-rw-r--  1 kali kali  10 Oct 11 2024 .ICEauthority
drwxr-xr-x  4 kali kali 4096 Oct 20 2024 .java
drwxr-xr-x  4 kali kali 4096 Oct 11 2024 .local
-rw-rw-r--  1 kali kali  10 Apr 21 03:33 malware.exe
drwxr-xr-x  4 kali kali 4096 Oct 20 2024 .mozilla
drwxr-xr-x  2 kali kali 4096 Oct 11 2024 Music
-rw-rw-r--  1 kali kali 41332 Apr 23 2025 output.txt
drwxr-xr-x  2 kali kali 4096 Oct 11 2025 Pictures
drwxr-xr-x  3 kali kali 4096 Oct 31 2024 .pkg
-rw-r--r--  1 kali kali 807 Aug 18 2024 .profile
drwxr-xr-x  2 kali kali 4096 Oct 11 2024 Public
-rw-rw-r--  1 kali kali  10 Apr 15 00:56 scam.txt
drwxr-xr-x  2 kali kali 4096 Oct 13 2024 .ssh
-rw-rw-r--  1 kali kali  10 Oct 11 2024 .sudo_as_admin_successful
-rw-rw-r--  1 kali kali  10 Apr 21 03:31 suspicious.png
drwxr-xr-x  2 kali kali 4096 Oct 11 2024 Templates
drwxrwxr-x  2 kali kali 4096 May 20 01:26 .theHarvester
-rw-rw-r--  1 kali kali  10 Apr 15 00:56 tmp.txt
-rw-rw-r--  1 kali kali  5 Jun 6 09:22 .vboxclient-clipboard-tty7-control.pid
-rw-rw-r--  1 kali kali  5 Jun 6 09:22 .vboxclient-clipboard-tty7-service.pid
-rw-rw-r--  1 kali kali  5 Jun 6 09:22 .vboxclient-display-svgal-x11-tty7-control.pid
-rw-rw-r--  1 kali kali  5 Jun 6 09:22 .vboxclient-display-svgal-x11-tty7-service.pid
drwxr-xr-x  1 kali kali  5 Jun 6 09:22 .vboxclient-draganddrop-tty7-control.pid
drwxr-xr-x  1 kali kali  5 Jun 6 09:22 .vboxclient-draganddrop-tty7-service.pid
drwxr-xr-x  1 kali kali  5 Jun 6 09:22 .vboxclient-hostversion-tty7-control.pid
drwxr-xr-x  1 kali kali  5 Jun 6 09:22 .vboxclient-seamless-tty7-control.pid
drwxr-xr-x  1 kali kali  5 Jun 6 09:22 .vboxclient-seamless-tty7-service.pid
drwxr-xr-x  1 kali kali  5 Jun 6 09:22 .vboxclient-vmtoolsd-session-tty7-control.pid
drwxr-xr-x  2 kali kali 4096 Oct 11 2024 Videos
-rw-rw-r--  1 kali kali 49 Jun 6 09:22 .xauthority
-rw-rw-r--  1 kali kali 7239 Jun 6 09:24 .xsession-errors
-rw-rw-r--  1 kali kali 7791 May 20 00:22 .xsession-errors.old
-rw-rw-r--  1 kali kali 4349 Jun 6 09:24 .zsh_history
-rw-r--r--  1 kali kali 10868 Aug 18 2024 .zshrc

```

4. Mkdir

```

(kali@kali)-[~]
└─$ mkdir CYBER.LAB

(kali@kali)-[~]
└─$ ls
121.54.154.110  cryptography  evidence.bin  Music  Templates
'(8.8.8.8).txt'  CYBER.LAB    evidence.txt  output.txt  tmp.txt
bilal.txt      cyber.txt    faizmuhammad.ovpn  Pictures  Videos
contact.txt    Desktop     file.txt      Public
contact.txtmb  Documents   guess_password.txt  scam.txt
cred.txt       Downloads   malware.exe    suspicious.png

```

5. Adduser

```

(kali@kali)-[~]
└─$ adduser student
fatal: Only root may add a user or group to the system.

(kali@kali)-[~]
└─$ sudo adduser student
[sudo] password for kali:
fatal: The user 'student' already exists.

```

6. Passwd

```

(kali@kali)-[~]
└─$ passwd student
passwd: You may not view or modify password information for student.

```

7. Whoami

```
(kali@kali)-[~]  
$ whoami  
kali
```

8. Id

```
(kali@kali)-[~]  
$ id  
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugin),100(users),101(netdev),106(blue tooth),113(scanner),136(wireshark),137(kaboxer),138(vboxsf)
```

9. Ifconfig

```
(kali@kali)-[~]  
$ ifconfig  
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500  
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255  
    inet6 fd00::f7ea:ac82:f040:6d59 prefixlen 64 scopeid 0<global>  
    inet6 fe80::c47e:9c2a:8885:62c7 prefixlen 64 scopeid 0<link>  
    ether 08:00:27:ad:25:87 txqueuelen 1000 (Ethernet)  
    RX packets 7 bytes 2896 (2.8 KiB)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 27 bytes 4113 (4.0 KiB)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0  
  
lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536  
    inet 127.0.0.1 netmask 255.0.0.0  
    inet6 ::1 prefixlen 128 scopeid 0<host>  
    loop txqueuelen 1000 (Local Loopback)  
    RX packets 8 bytes 480 (480.0 B)  
    RX errors 0 dropped 0 overruns 0 frame 0  
    TX packets 8 bytes 480 (480.0 B)  
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

10. ip addr

```
(kali@kali)-[~]  
$ ip addr  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:ad:25:87 brd ff:ff:ff:ff:ff:ff  
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0  
        valid_lft 85458sec preferred_lft 85458sec  
    inet6 fd00::f7ea:ac82:f040:6d59/64 scope global dynamic noprefixroute  
        valid_lft 85461sec preferred_lft 13461sec  
    inet6 fe80::c47e:9c2a:8885:62c7/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever
```

11. ping google.com

```
(kali@kali)-[~]  
$ ping google.com  
PING google.com (142.250.201.238) 56(84) bytes of data:  
64 bytes from pnfjra-ap-in-f14.1e100.net (142.250.201.238): icmp_seq=1 ttl=255 time=194 ms  
64 bytes from pnfjra-ap-in-f14.1e100.net (142.250.201.238): icmp_seq=2 ttl=255 time=418 ms  
64 bytes from pnfjra-ap-in-f14.1e100.net (142.250.201.238): icmp_seq=3 ttl=255 time=177 ms  
64 bytes from pnfjra-ap-in-f14.1e100.net (142.250.201.238): icmp_seq=4 ttl=255 time=394 ms  
^C  
--- google.com ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3075ms  
rtt min/avg/max/mdev = 176.694/295.876/418.328/110.945 ms
```

12. netstat -an

[illegible]


```

unix 3 [ ] STREAM CONNECTED 6861
unix 3 [ ] DGRAM CONNECTED 6493
unix 3 [ ] STREAM CONNECTED 18333
unix 3 [ ] STREAM CONNECTED 9197 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 9591 @/tmp/.ICE-unix/886
unix 3 [ ] STREAM CONNECTED 8994
unix 3 [ ] STREAM CONNECTED 7888
unix 3 [ ] STREAM CONNECTED 5731 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 6512 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 5293 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 7851
unix 3 [ ] STREAM CONNECTED 6942 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 18297
unix 3 [ ] STREAM CONNECTED 9111
unix 3 [ ] STREAM CONNECTED 9555
unix 3 [ ] STREAM CONNECTED 7918
unix 3 [ ] DGRAM CONNECTED 8498
unix 3 [ ] STREAM CONNECTED 63948
unix 3 [ ] STREAM CONNECTED 9876
unix 3 [ ] STREAM CONNECTED 7819
unix 3 [ ] STREAM CONNECTED 5648 /run/user/1000/bus
unix 2 [ ] DGRAM CONNECTED 9899
unix 2 [ ] STREAM CONNECTED 9317
unix 2 [ ] DGRAM CONNECTED 6934
unix 2 [ ] DGRAM CONNECTED 4873
unix 3 [ ] STREAM CONNECTED 64712 /run/user/1000/pipewire-0
unix 3 [ ] STREAM CONNECTED 9513
unix 3 [ ] STREAM CONNECTED 18298 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 8119 @/tmp/.X11-unix/X0
unix 3 [ ] DGRAM CONNECTED 8499
unix 3 [ ] DGRAM CONNECTED 7882
unix 3 [ ] STREAM CONNECTED 5649 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 6934
unix 3 [ ] STREAM CONNECTED 8987 @/tmp/.X11-unix/X0
unix 3 [ ] DGRAM CONNECTED 4481
unix 3 [ ] STREAM CONNECTED 9328 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 9487
unix 3 [ ] STREAM CONNECTED 7892 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 7852 @/tmp/.X11-unix/X0
unix 3 [ ] STREAM CONNECTED 6549 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 6482 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 6188
unix 3 [ ] STREAM CONNECTED 8129 @/tmp/.X11-unix/X0
unix 3 [ ] DGRAM CONNECTED 6123 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 18308 @/tmp/.X11-unix/X0
unix 3 [ ] DGRAM CONNECTED 4475
unix 3 [ ] STREAM CONNECTED 9596
unix 3 [ ] STREAM CONNECTED 9868 @/tmp/.ICE-unix/886
unix 3 [ ] STREAM CONNECTED 7917
unix 3 [ ] STREAM CONNECTED 7758 /run/user/1000/pipewire-0
unix 3 [ ] STREAM CONNECTED 48967
unix 3 [ ] STREAM CONNECTED 9219
unix 3 [ ] STREAM CONNECTED 7881
unix 3 [ ] DGRAM CONNECTED 6492
unix 3 [ ] DGRAM CONNECTED 18159
unix 2 [ ] DGRAM CONNECTED 7824 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 7558
unix 3 [ ] STREAM CONNECTED 9225
unix 3 [ ] STREAM CONNECTED 9517
unix 3 [ ] STREAM CONNECTED 8181 /run/user/1000/at-spi-bus_0
unix 3 [ ] STREAM CONNECTED 7885
unix 3 [ ] DGRAM CONNECTED 8588
unix 3 [ ] STREAM CONNECTED 63975
unix 3 [ ] STREAM CONNECTED 18289
unix 3 [ ] STREAM CONNECTED 8661
unix 3 [ ] DGRAM CONNECTED 6492
unix 3 [ ] STREAM CONNECTED 18323 /run/user/1000/at-spi-bus_0
unix 2 [ ] DGRAM CONNECTED 9187
unix 2 [ ] STREAM CONNECTED 5546
unix 3 [ ] STREAM CONNECTED 18439
unix 3 [ ] STREAM CONNECTED 18388 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 67699 @/tmp/.X11-unix/X0
unix 3 [ ] STREAM CONNECTED 8122 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 18685
unix 2 [ ] DGRAM CONNECTED 7355
unix 2 [ ] DGRAM CONNECTED 9297 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 1862 @/tmp/.X11-unix/X0
unix 3 [ ] STREAM CONNECTED 18468
unix 3 [ ] STREAM CONNECTED 66332
unix 3 [ ] LISTENING 9827 /run/pcscd/pcscd.comm
unix 3 [ ] STREAM CONNECTED 67781 @/tmp/.X11-unix/X0
unix 3 [ ] STREAM CONNECTED 9147 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 18597
unix 3 [ ] STREAM CONNECTED 67783 /run/user/1000/at-spi-bus_0
unix 3 [ ] STREAM CONNECTED 9616 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 18488 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 9146
unix 3 [ ] STREAM CONNECTED 9389
unix 3 [ ] STREAM CONNECTED 9177 /run/user/1000/at-spi-bus_0
unix 3 [ ] STREAM CONNECTED 18463
unix 3 [ ] STREAM CONNECTED 18458 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 66329
unix 3 [ ] STREAM CONNECTED 9175
unix 2 [ ] ACC ] STREAM LISTENING 5832 /run/ssh-unix-local/socket
unix 2 [ ] STREAM CONNECTED 9176 /run/dbus/system_bus_socket
unix 2 [ ] ACC ] STREAM LISTENING 5834 /run/systemd/io.systemd.Hostname
unix 3 [ ] STREAM CONNECTED 9439 /run/user/1000/at-spi-bus_0
unix 3 [ ] STREAM CONNECTED 18468
unix 3 [ ] STREAM CONNECTED 9286
unix 3 [ ] STREAM CONNECTED 18413
unix 3 [ ] STREAM CONNECTED 9136 /run/systemd/journal/stdout
unix 3 [ ] STREAM CONNECTED 9388
unix 3 [ ] STREAM CONNECTED 66331
unix 3 [ ] STREAM CONNECTED 9442 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 9188 @/tmp/.ICE-unix/886
unix 3 [ ] STREAM CONNECTED 67784 /run/dbus/system_bus_socket
unix 3 [ ] STREAM CONNECTED 9441
unix 3 [ ] STREAM CONNECTED 18415
unix 3 [ ] STREAM CONNECTED 9188
unix 2 [ ] DGRAM CONNECTED 18458
unix 3 [ ] STREAM CONNECTED 18381 @/tmp/.X11-unix/X0
unix 3 [ ] STREAM CONNECTED 18598 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 8166 /run/user/1000/bus
unix 3 [ ] STREAM CONNECTED 66327
unix 3 [ ] DGRAM CONNECTED 9688
unix 3 [ ] STREAM CONNECTED 18657
unix 3 [ ] DGRAM CONNECTED 7346
unix 3 [ ] STREAM CONNECTED 9438
unix 3 [ ] STREAM CONNECTED 18461 /run/dbus/system_bus_socket
unix 2 [ ] ACC ] STREAM LISTENING 7851 @/tmp/.X11-unix/X0
unix 2 [ ] ACC ] STREAM LISTENING 9681 @printer-applet-lock-user-kali
unix 3 [ ] STREAM CONNECTED 7923 @/tmp/.ICE-unix/886
unix 3 [ ] STREAM CONNECTED 5488 @4e73fef1519621ba/bus/systemd/bus-api-system
unix 3 [ ] STREAM CONNECTED 6392 @3d88c4cc4dcd4a3/bus/systemd-logind/system
unix 3 [ ] STREAM CONNECTED 8583 @99ca85dadbdc5398/bus/systemd/bus-system
unix 3 [ ] STREAM CONNECTED 8634 @a99c183fd6989c6e/bus/systemd/bus-api-user

```

13. nmap scanme.nmap.org

```

(kali@kali)-[~]
$ nmap scanme.nmap.org
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-06-06 10:28 EDT
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 5.85 seconds

```

14. ps aux

(kali@kali)-[~]

\$ ps aux

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1	0.2	0.6	22784	13812	?	Ss	09:19	0:08	/sbin/init splash
root	2	0.0	0.0	0	0	?	S	09:19	0:00	[kthreadd]
root	3	0.0	0.0	0	0	?	S	09:19	0:00	[pool_workqueue_release]
root	4	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-rcu_g]
root	5	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-rcu_p]
root	6	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-slub_]
root	7	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-netns]
root	12	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-mm_pe]
root	13	0.0	0.0	0	0	?	I	09:19	0:00	[rcu_tasks_kthread]
root	14	0.0	0.0	0	0	?	I	09:19	0:00	[rcu_tasks_rude_kthread]
root	15	0.0	0.0	0	0	?	I	09:19	0:00	[rcu_tasks_trace_kthread]
root	16	0.0	0.0	0	0	?	S	09:19	0:02	[ksoftirqd/0]
root	17	0.1	0.0	0	0	?	I	09:19	0:06	[rcu_preempt]
root	18	0.0	0.0	0	0	?	S	09:19	0:00	[migration/0]
root	19	0.0	0.0	0	0	?	S	09:19	0:00	[idle_inject/0]
root	20	0.0	0.0	0	0	?	S	09:19	0:00	[cpuhp/0]
root	21	0.0	0.0	0	0	?	S	09:19	0:00	[cpuhp/1]
root	22	0.0	0.0	0	0	?	S	09:19	0:00	[idle_inject/1]
root	23	0.0	0.0	0	0	?	S	09:19	0:00	[migration/1]
root	24	0.0	0.0	0	0	?	S	09:19	0:01	[ksoftirqd/1]
root	26	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/1:0H-kblockd]
root	28	0.0	0.0	0	0	?	I	09:19	0:00	[kworker/u6:0-flush-8:0]
root	32	0.0	0.0	0	0	?	S	09:19	0:00	[kdevtmpfs]
root	33	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-inet_]
root	34	0.0	0.0	0	0	?	S	09:19	0:00	[kauditd]
root	35	0.0	0.0	0	0	?	S	09:19	0:00	[khungtaskd]
root	36	0.0	0.0	0	0	?	S	09:19	0:00	[oom_reaper]
root	38	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-write]
root	39	0.0	0.0	0	0	?	S	09:19	0:00	[kcompactd0]
root	40	0.0	0.0	0	0	?	SN	09:19	0:00	[ksmd]
root	42	0.0	0.0	0	0	?	SN	09:19	0:01	[khugepaged]
root	43	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-kinte]
root	44	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-kbloc]
root	45	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-blkcg]
root	46	0.0	0.0	0	0	?	S	09:19	0:00	[irq/9-acpi]
root	47	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-tpm_d]
root	48	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-edac-]
root	49	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-devfr]
root	50	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/0:1H-kblockd]
root	51	0.0	0.0	0	0	?	S	09:19	0:00	[kswapd0]
root	53	0.0	0.0	0	0	?	I	09:19	0:00	[kworker/u5:3-events_unbound]
root	58	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-kthro]
root	60	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-acpi_]
root	62	0.0	0.0	0	0	?	I<	09:19	0:00	[kworker/R-mld]

[illegible]

15. Top

