SYSTEM REQUIREMENT DOCUMENT (SRD)

Requirement	eAuto Logistics: Interstate Price Tier for Logistics Delivery
Version	Version 1.3
Latest Revision Date	23.09.2026 (Wednesday)

CONTENTS

1.0 DOCUMENT INFORMATION 3
1.1 Purpose 3
1.2 Intended Audience 3
1.3 Revision History 3
1.4 Glossary of Terms 6
1.5 Associated Document(s) 7
2.0 REQUIREMENT 8
2.1 High-Level Requirement Overview 8
2.1.1 Assumptions 9
2.1.2 Out-of-Scope 10
2.2 Key Highlights and Baseline Requirements 12
2.2.1 Background 12
2.2.2 Existing Issue & Expected Behaviour 13
2.2.3 Affected Pages 14
2.2.4 BackOffice — Menu Access 16
2.2.5 BackOffice — Logistics Charges Matrix Setup Page 19
2.2.6 Price Change Impact on Unpaid Transactions 26
2.2.7 BackOffice — Change History 33
2.2.8 BackOffice — Hub Management 36
2.2.9 Address Validation 43
2.2.10 Distance Measurement and Tier Assignment 51
2.2.11 BackOffice — Unpriced Deliveries 53
2.2.12 BackOffice — Logistics Pricing History 58
Appendix — Requirement Change Log 64

1.0 DOCUMENT INFORMATION

1.1 Purpose

The System Requirements Document outlines the agreed system specifications. Once approved, it becomes the baseline to ensure the system meets business goals. Sign-off is required for development to start, and any changes must follow the System Enhancement Management process.

1.2 Intended Audience

The intended audience for this document includes project stakeholders and any team members involved in defining, implementing, or validating the system requirements.

1.3 Revision History

This section records all modifications to the document until it reaches Version 1.0, at which point it is finalized and established as the baseline for future reference. Once baselined, any new changes will be assessed based on their severity — significant changes may result in an addendum, while less critical updates may be handled through a formal change request.

Version No	Date	Revised By	Reason for Revision
0.1	06.08.2026 (Thurs)	Chee Mei Jia	Initial Draft
0.2	07.08.2026 (Fri)	Chee Mei Jia	Updated Sections 1.4, 1.5, 2.1.2, 2.2.1, 2.2.3, 2.2.5, 2.2.6 and 2.2.7
0.3	14.08.2026 (Fri)	Chee Mei Jia	Updated following sync-up with Development and requestor's input

Version No	Date	Revised By	Reason for Revision
0.4	20.08.2026 (Thurs)	Chee Mei Jia	Updated following sync-up with Requestor on 20.08.2026
0.5	27.08.2026 (Thurs)	Chee Mei Jia	Updated Sections 2.2.5, 2.2.6 and 2.2.10
0.6	08.09.2026 (Tues)	Chee Mei Jia	Updated Sections 2.1.1, 2.2.5, 2.2.6, 2.2.8, 2.2.9 and 2.2.10
0.7	09.09.2026 (Wed)	Chee Mei Jia	Updated Sections 1.5, 2.2.6, 2.2.8 and 2.2.10
0.8	10.09.2026 (Thurs)	Chee Mei Jia	Updated Sections 2.2.6, 2.2.8 and 2.2.9
0.9	11.09.2026 (Fri)	Chee Mei Jia	Updated Sections 2.2.5 and 2.2.6
1.0	11.09.2026 (Fri)	Chee Mei Jia	This is the baseline of the Change Request.
1.1	15.09.2026 (Tues)	Chee Mei Jia	Updated Section 2.2.6
1.2	18.09.2026 (Fri)	Chee Mei Jia	Updated Section 2.2.9

Version No	Date	Revised By	Reason for Revision
1.3	23.09.2026 (Wed)	Chee Mei Jia	Added Sections 2.2.11 and 2.2.12. Updated Sections 1.4, 2.2.3, 2.2.4 and 2.2.9

Note: Update made to the document is highlighted in blue

1.4 Glossary of Terms

#	Abbreviation / Term	Interpretation / Description
1	Pricing Tier	Charge band determined by the distance range of a delivery
2	Logistics Price	Amount charged to the Used Car Dealer for a delivery falling within a pricing tier
3	Unpriced Delivery	A delivery that has both addresses but has not been assigned a pricing tier
4	Pricing Decision	A record written each time the system prices, re-prices or fails to price a delivery

1.5 Associated Document(s)

#	Item	Location / URL	Rationale for Relevance
1	EAINT-12119 — Logistics: Interstate Price Tier for Logistics Delivery	https://mfservices.atlassian.net/browse/EAINT-12119	Internal IT ticket
2	EAUTO-1004 — Wholesale Enhancement: Interstate Price Tier	https://mfservices.atlassian.net/browse/EAUTO-1004	Source ticket
3	CCB-884 — EAUTO | Wholesale Enhancement: Interstate Price Tier	https://mfservices.atlassian.net/browse/CCB-884	Cross-department ticket
4	BackOffice Prototype — Logistics Charges Matrix Setup	Shared separately by Business Analyst	Reference for the page layout and change history behaviour

2.0 REQUIREMENT

2.1 High-Level Requirement Overview

#	Item	Description
2.1.1	Enhancement Overview	To introduce a configurable interstate pricing tier for logistics delivery, maintained from BackOffice. When a tier rate is amended, pending transactions are re-priced so the Used Car Dealer pays the new rate.
2.1.2	Key Value(s) Expected	1. Interstate charges can be maintained by Operations without a code change. 2. Price charged to the Used Car Dealer stays aligned with the charge given by the logistics company to eAuto. 3. Every rate change is recorded with the person responsible, the old and new value, and the reason.
2.1.3	Additional Note(s)	Refer to the attached Excel file in EAUTO-1004 for the full interstate charges listing.

2.1.1 Assumptions

#	Assumption
1	Round one of this enhancement covers Wholesale Logistics only.
2	Tier names and distance ranges are fixed values and are not configurable by BackOffice users.
3	The existing Reset Payment mechanism in eAuto BackOffice can be reused to re-price pending transactions.
4	Distance used to assign a pricing tier is measured by the system between the two points a delivery was created with. The logistics provider does not supply the distance.
5	Google Maps is used to validate and verify addresses for both the Used Car Dealer and the logistics hubs.
6	The logistics price held in the tier table is the hub to hub price. A door to door delivery adds 200.00 on top of the tier price. That addition is applied by the payment service and is outside the scope of this document.

2.1.2 Out-of-Scope

#	Item	Reason
1	Standalone Logistics service	Deferred to a later phase. Round one covers Wholesale Logistics only. For the standalone module, refer to EAUTO-936 and EAINT-12019.
2	Configuration of tier names and distance ranges	Fixed values for this release. Only the logistics price is configurable.
3	Sea freight rate type	Not applicable as East Malaysia addresses are rejected. Refer to Section 2.2.9.
4	Notification to the Used Car Dealer on repricing	Not required. Confirmed on 07.08.2026. The re-priced amount is shown on the full payment page when the Used Car Dealer proceeds to pay.
5	Manual reset of payment	Not required. Confirmed on 20.08.2026. The reset is fully automatic and no manual reset control is provided on the wholesale transaction listing.

#	Item	Reason
6	Follow up on a delivery address the map cannot find	Handled by the Customer Service Executive team as an operational procedure. The system displays the error message described in REQ-027 and no further system support is required.

2.2 Key Highlights and Baseline Requirements

The following key highlights and requirements were established during the initial sync-up sessions with the requestor. As this forms the baseline, any changes requested thereafter may result in adjustments to scope, timeline, or deliverables, for which the requestor will be responsible to review and confirm.

2.2.1 Background

#	Affected Item	Description
1	Project	eAuto
2	Portal	1. BackOffice 2. UCD
3	Module	Logistics
4	Request	To maintain the interstate price tier from BackOffice and re-price pending transactions when a rate is changed.
5	Additional Note	Refer to the attached Excel file in EAUTO-1004 for the full interstate charges listing.

2.2.2 Existing Issue & Expected Behaviour

#	Item	Description
1	Existing Issue / Behaviour	1. Wholesale logistics does not have an interstate price. 2. Delivery charges follow the existing tier only, with no separate interstate rate. 3. No BackOffice page exists to maintain the logistics charges.
2	Expected New Handling / Behaviour	1. A new BackOffice page allows the logistics price of each pricing tier to be maintained. 2. Interstate price follows the tier, corresponding to the charge given by the logistics company to eAuto. 3. On saving a rate change, pending transactions are re-priced so the Used Car Dealer pays the new rate and no longer pays the old rate. 4. Applies to Wholesale Logistics for this release.

2.2.3 Affected Pages

#	Affected Pages	Description
1	BackOffice — Home Menu	New module Logistics Hub added to the BackOffice home menu.
2	BackOffice — Logistics Hub — Logistics Charges Matrix Setup	New page for maintaining the logistics price of each pricing tier.
3	BackOffice — Logistics Hub — Logistics Charges Matrix Setup (Change History)	New section recording every price change with the person responsible and the reason.
4	BackOffice — Logistics Hub — Hub Management	New page for maintaining the logistics hub records, with address verification on save.
5	UCD — Wholesale Listing — Full Payment Page	Payment is automatically reset and the new pricing is reflected when a price change affects a transaction that has not been paid.
6	UCD — Wholesale Listing — Delivery Address Entry	Address is validated before the Used Car Dealer is allowed to proceed to payment.
7	BackOffice — Logistics Hub — Unpriced Deliveries	New page listing deliveries that were never assigned a pricing tier, with the reason and a Measure Again action.

#	Affected Pages	Description
8	BackOffice — Logistics Hub — Logistics Pricing History	New read-only page showing every pricing decision made for a listing, to explain the delivery charge.

2.2.4 BackOffice — Menu Access

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-001	New Menu Item	Add a new module named Logistics Hub to the BackOffice home menu, with the Logistics Charges Matrix Setup page listed under it.	A new Logistics Hub module appears on the BackOffice home menu. The Logistics Charges Matrix Setup menu item is listed under it and opens the Logistics Charges Matrix Setup page.
2	EAINT-12119-REQ-002	Hub Management Menu Item	Add the Hub Management page as a menu item under the Logistics Hub module.	The Hub Management menu item is listed under the Logistics Hub module and opens the Hub Management page.

#	Requirement ID	Item	Description	Acceptance Criteria
3	EAINT-12119-REQ-031	Unpriced Deliveries Menu Item	Add the Unpriced Deliveries page as a menu item under the Logistics Hub module.	The Unpriced Deliveries menu item is listed under the Logistics Hub module and opens the Unpriced Deliveries page. Example 1: BackOffice user granted the Unpriced Deliveries permission → The menu item is shown. Example 2: BackOffice user not granted the permission → The menu item is not shown. Opening the page directly displays: You are not authorised to access the Unpriced Deliveries page The Logistics Hub module is shown when the user holds the permission for at least one page under it.

#	Requirement ID	Item	Description	Acceptance Criteria
4	EAINT-12119-REQ-032	Logistics Pricing History Menu Item	Add the Logistics Pricing History page as a menu item under the Logistics Hub module.	The Logistics Pricing History menu item is listed under the Logistics Hub module and opens the Logistics Pricing History page. Example 1: BackOffice user granted the Logistics Pricing History permission → The menu item is shown. Example 2: BackOffice user not granted the permission → The menu item is not shown. Opening the page directly displays: You are not authorised to access the Logistics Pricing History page

2.2.5 BackOffice — Logistics Charges Matrix Setup Page

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-003	Pricing Tier Listing	Display the 4 pricing tiers with the tier name and the distance range. Tier name and distance range are display only.	The setup table displays the following columns: 1. # 2. Tier 3. Distance Range (KM) 4. Suggested Base Rate (RM) 5. Ops Price (RM) 6. Effective Price (RM) The page lists the 4 tiers as follows: 1. Tier 1 (Base): distance range 0 to 250, suggested base rate 300.00 2. Tier 2 (Standard): distance range 250.001 to 400, suggested base rate 450.00 3. Tier 3 (Extended): distance range 400.001 to 600, suggested base rate 650.00 4. Tier 4 (Premium): distance range 600.001 and above, suggested base rate 1,000.00

#	Requirement ID	Item	Description	Acceptance Criteria
				Tier name and distance range cannot be edited from this page.
2	EAINT-12119-REQ-004	Logistics Price Input	Provide 3 money columns for each tier: the suggested base rate as a read only floor, the editable Ops Price, and the Effective Price currently in force.	Suggested Base Rate is display only. It shows the minimum permitted for that tier and cannot be edited. Ops Price is the only editable field. On page load it is pre-filled with the value the Operations user last saved, shown as whole numbers for editing, for example 1000. Effective Price is display only. It shows the price currently being charged, formatted as 1,000.00. Because a saved price takes effect at once, Effective Price always matches Ops Price.

3	EAINT-12119-REQ-005	Logistics Price Validation	Apply validation on the Ops Price input.	1. Min Length: Not applicable, controlled by the minimum value per tier 2. Max Length: Not applicable, controlled by the maximum value 3. Special Character: No 4. Alphanumeric: No, numeric input only 5. Only Allow English: Not applicable, numeric input only 6. Mandatory / Optional: Mandatory The user enters whole numbers only. The comma and the decimal point are not keyed in by the user, for example 1000 is entered for one thousand ringgit. Minimum value permitted per tier: 1. Tier 1 (Base): 300.00 2. Tier 2 (Standard): 450.00 3. Tier 3 (Extended): 650.00 4. Tier 4 (Premium): 1,000.00 Maximum value permitted for all tiers is 10,000.00.

#	Requirement ID	Item	Description	Acceptance Criteria
				Decimal values are not permitted. The rate must be a whole ringgit amount, so the decimal portion is always 00. **Example:** 300.00 is accepted. 300.80 is rejected. A value below the tier minimum, above the maximum, or carrying a decimal value other than 00 displays the message: Please enter a valid amount.
4	EAINT-12119-REQ-006	Reason / Remarks Input	Provide a mandatory reason field that must be completed before a rate change can be saved.	1. Min Length: 5 2. Max Length: 255 3. Special Character: Yes 4. Alphanumeric: Yes 5. Only Allow English: Yes 6. Mandatory / Optional: Mandatory

#	Requirement ID	Item	Description	Acceptance Criteria
5	EAINT-12119-REQ-007	Save Changes	Save the amended logistics prices together with the reason entered.	**Example 1: 1 or More Prices Amended and Reason Completed** Changes are saved, 1 Change History entry is created per amended tier, and the reason field is cleared. A confirmation message is displayed: N tier rate change(s) saved and logged to Change History, where N is the number of tiers amended. **Example 2: Save Selected without Amending any Price** Save is blocked with the message: No rate changes to save. **Example 3: Price Amended but Reason Left Blank** Save is blocked with the message: Reason / Remarks is required to save a rate change. The cursor focuses the reason field.

#	Requirement ID	Item	Description	Acceptance Criteria
6	EAINT-12119-REQ-008	Cancel	Discard any unsaved edits and return to the BackOffice home menu.	Selecting Cancel returns the user to the home menu. No change is written to the pricing tier values or the Change History.
7	EAINT-12119-REQ-009	Scope Note Display	Display a note stating the scope of the pricing maintained on this page.	The page displays the note: This pricing applies to both Wholesale and Standalone Logistics.

#	Requirement ID	Item	Description	Acceptance Criteria
8	EAINT-12119-REQ-010	Access Control	Restrict access to the Logistics Charges Matrix Setup page to a defined list of BackOffice users.	Access is controlled by a fixed list of BackOffice user accounts held in system configuration. The following accounts are granted access for this release: 1. eautonurul 2. eautosoyeng 3. mfizni 4. mfmeijia A user not on the list cannot see the Logistics Hub menu item and cannot open the page directly. The list can be amended by the Information Technology team without a rebuild. A permission screen allowing the Operations lead to grant and revoke access for their own department is out of scope for this release and will be raised separately.

2.2.6 Price Change Impact on Unpaid Transactions

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-011	Price Change Takes Effect on Save	A logistics price saved by the BackOffice user becomes the live price at the point of saving. No scheduled process runs and no waiting period applies.	The new price is written to the pricing tier and recorded in the Change History at the point of saving. The next Used Car Dealer to reach the payment screen is charged at the new price. Example: the BackOffice user amends Tier 1 (Base) from 300.00 to 350.00 at 11:00. A Used Car Dealer reaching the payment screen at 11:05 is charged 350.00.

2	EAINT-12119-REQ-012	Price Checked at the Payment Screen	Recalculate the logistics fee at the current tier price each time a Used Car Dealer opens the full payment page for a transaction that has not been paid.	The fee held on the transaction is compared against the current tier price. A transaction holding a flat fee with no tier assigned is also a mismatch and is priced (this refers to existing wholesale production transactions holding a fixed price of RM400.00). **Example 1: Price is Unchanged** The transaction proceeds at the amount already held. Nothing is reset. **Example 2: Price Has Moved** The fee is recalculated, the existing payment is reset, and the Used Car Dealer pays the new amount. **Example 3: Price Changes While the Payment Screen Is Already Open** The Used Car Dealer has the payment screen open showing a logistics price of 500.00. The BackOffice user amends the price to 600.00. When the Used Car Dealer selects Proceed to Payment, the following message is displayed:

#	Requirement ID	Item	Description	Acceptance Criteria
				Previously RM 500.00. Now RM 600.00. Click OK to reload and view the updated pricing. Selecting OK reloads the page and the Used Car Dealer sees 600.00.

#	Requirement ID	Item	Description	Acceptance Criteria
3	EAINT-12119-REQ-013	Handling by Payment Status	Apply the price check according to the payment status of the transaction at the point the Used Car Dealer proceeds.	**Example 1: Payment Status is Pending** The Used Car Dealer opens the payment screen and views the new price. No reset is carried out at this point. **Example 2: Payment Status is Failed** The Used Car Dealer selects Resubmit. The new price is displayed for review and is not charged at this point. The Used Car Dealer must select the payment button to proceed, and the payment is reset in the background at that point. **Example 3: Transaction has been Approved** No action is taken. The amount already paid stands and the transaction is never re-priced.

#	Requirement ID	Item	Description	Acceptance Criteria
4	EAINT-12119-REQ-014	Payment at New Pricing	Following the reset, the amount payable reflects the new logistics price. The Used Car Dealer can no longer pay at the old price.	The full payment page displays the re-priced amount when the Used Car Dealer proceeds to pay. Example: Tier 1 (Base) is amended from 300.00 to 350.00. A transaction priced at 300.00 becomes 350.00.

#	Requirement ID	Item	Description	Acceptance Criteria
5	EAINT-12119-REQ-015	One Time Password Re-Issue	Where a payment is reset by the price check, the existing one time password is expired and a new payment approval request is raised.	On reset, the one time password previously issued for the transaction is marked as superseded and can no longer be used. A new payment approval request is raised before payment can proceed. This applies on the UCD full payment page, where the Used Car Dealer proceeds to pay the re-priced amount. Where the requestor is the decision maker, the approval request is raised to that user. Where the requestor is not the decision maker, the approval request is sent to the decision maker.

#	Requirement ID	Item	Description	Acceptance Criteria
6	EAINT-12119-REQ-016	Audit of a Re-Price	Record every re-price in a backend audit log. The audit log is not displayed in the user interface.	Each entry captures the transaction reference, the amount before and after the re-price, the pricing tier applied, the date and time, and the BackOffice user who changed the tier price. Wholesale re-prices are written to their own audit table and do not appear in the existing Reset Payment Report.

2.2.7 BackOffice — Change History

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-017	Change History Table	Display a change history of every saved rate change below the setup table.	The Change History table displays the following columns: 1. # 2. Date / Time 3. Changed By 4. Tier 5. Old Rate (RM) 6. New Rate (RM) 7. Reason Date / Time is displayed in the format DD-MM-YYYY HH:MM, using the 24 hour clock with leading zeros. Old Rate and New Rate are displayed in the format 1,000.00. **Example:** 07-08-2026 16:47

#	Requirement ID	Item	Description	Acceptance Criteria
2	EAINT-12119-REQ-018	One Entry Per Tier Changed	Record a separate change history entry for each tier amended within a single save.	**Example 1: 1 Tier Amended in a Save** 1 entry is created. **Example 2: 3 Tiers Amended in a Single Save** 3 entries are created, each sharing the same date and time, the same user, and the same reason.
3	EAINT-12119-REQ-019	Sort Order and Record Count	Display the change history with the most recent entry first, together with a record count.	The most recent entry appears at the top of the table. A record count is displayed above the table showing the total number of changes recorded. Where no change has been recorded, the table displays: No changes recorded yet.

#	Requirement ID	Item	Description	Acceptance Criteria
4	EAINT-12119-REQ-020	Pagination	Apply pagination to the change history listing.	The first 20 records are displayed on the first page. Remaining records are accessible through the pagination control below the table. **Example:** 45 records recorded Page 1 shows records 1 to 20, page 2 shows records 21 to 40, page 3 shows records 41 to 45.

2.2.8 BackOffice — Hub Management

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-021	Hub Management Page	Provide a new BackOffice page for maintaining the logistics hub records.	The page lists the existing logistics hubs with the following columns: 1. Number 2. Region 3. Branch 4. State 5. Address 6. Google Match 7. Verification Status 8. Active Status 9. Verified On 10. Action 20 hub records exist at the point of this release. Google Match shows how precisely the address was placed: 1. Exact address — matched the building at that street number, within metres. The hub can be used.

#	Requirement ID	Item	Description	Acceptance Criteria
				2. Street level — matched the street but not the exact premises, 100 to 200 metres out. The hub can be used. 3. Neighbourhood — matched only an estate or area, up to about 2 kilometres across. Operations must confirm the location or set the pin. 4. Different place — matched a location that is not the one recorded, 10 kilometres or more away. The address is likely wrong. 5. Set by Operations — coordinates entered by hand after review, replacing what Google returned. The hub can be used. Verification Status is either Verified or Pending Verification. A hub that is not Verified has no usable coordinate and cannot be used in a delivery. Verified On shows the date and time of verification in the format DD-MM-YYYY HH:MM. The user who verified the record

#	Requirement ID	Item	Description	Acceptance Criteria
				is stored in the database and is not displayed on screen. An Add New Hub control opens a separate page for entering a new hub. Edit opens the same page with the record loaded. Active Status is either Active or Inactive, and is held separately from Verification Status. An Inactive control sets a hub to Inactive, and the same control sets it back to Active. A hub set to Inactive cannot be selected by a Used Car Dealer. The record is kept and is not deleted, so deliveries already referring to that hub still resolve.
2	EAINT-12119-REQ-022	Hub Address Verification	Confirm every hub address against Google Maps and have Operations accept the location before the hub can be used.	Google returns a coordinate for every address, so the check is on how precisely an address was placed, not on whether it was found. Scenario 1: Existing Hubs at Launch

#	Requirement ID	Item	Description	Acceptance Criteria
				20 hub records are checked with the Operations team before go live. A hub accepted during that exercise is stored as Verified and a BackOffice user does not verify it again. Scenario 2: Adding a New Hub 1. BackOffice user enters the hub details. 2. BackOffice user selects Verify in Google Maps. 3. System displays the matched address, coordinates and match precision. 4. BackOffice user reviews the location and selects Confirm This Location. 5. Record is saved with status Verified and coordinates are stored. Scenario 3: Editing an Existing Hub Same steps as Scenario 2 apply, but only when an address is changed. A change to region, branch name or state saves without re-verification and existing verification is retained.

#	Requirement ID	Item	Description	Acceptance Criteria
				Example 1: Google Places the Address on the Premises BackOffice user confirms the location and the record is saved as Verified. **Example 2: Google Places the Address Away from the Premises** BackOffice user either corrects the address and checks again, or selects Set Pin Manually and enters latitude and longitude taken from Google Maps. Record is saved as Verified with Google Match shown as Set by Operations. A hub is never saved with an unconfirmed location. Where a location cannot be accepted, the record remains Pending Verification. Open item: the logistics partner will share the coordinates for all 20 hubs. Advised by the Requestor on 15.09.2026. The listing is pending.

#	Requirement ID	Item	Description	Acceptance Criteria
				3 hub addresses cannot be placed on the premises by Google, which is why the coordinates were requested: Seremban and Batu Pahat resolve only to the surrounding estate, and Segamat resolves to Bukit Siput, roughly 10 kilometres from Segamat town. Once the listing is received, each coordinate is to be loaded and verified before tier pricing goes live. Distance is measured between hub coordinates, so an unconfirmed location places a delivery in the wrong distance range and charges the wrong price.

#	Requirement ID	Item	Description	Acceptance Criteria
3	EAINT-12119-REQ-023	Backend Audit Log	Record every change made to a hub record in a backend audit log. The audit log is not displayed in the user interface.	Each entry captures the user who made the change, the date and time, the hub record affected, the value before and after the change, and where the location was set, the coordinates and the user who verified them. Changes captured are creation, amendment, setting a hub to Inactive and setting it back to Active. A hub is never deleted. Setting a hub to Inactive keeps the record, so deals already referring to it still resolve. Logistics price changes are recorded separately in the Change History described in Section 2.2.7. The audit log is accessible to the Information Technology team for internal checking only and is not shown on the Hub Management page or any other page.

2.2.9 Address Validation

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-024	Address Validation Scope	Apply address validation through Google Maps to a custom pick up or drop off address entered by the Used Car Dealer and to the logistics hub address.	Validation applies to a custom address keyed in by the Used Car Dealer on the wholesale listing, at either the pick up or the drop off end. A preset address is not checked against Google Maps. Preset addresses are the company address and the branch outlet address already held in the system. Validation applies to the address entered on the Hub Management page. The East Malaysia rejection in REQ-025 does not apply here.

#	Requirement ID	Item	Description	Acceptance Criteria
2	EAINT-12119-REQ-025	East Malaysia Address Rejection	Reject any pick up or drop off address located in Sabah, Sarawak or Labuan.	The address is rejected and the Used Car Dealer is not allowed to proceed to payment. The following error message is displayed: Logistics service is not available for Sabah, Sarawak and Labuan addresses at this time. The message is displayed inline as a red field error, not as a popup. The rejection applies on the UCD portal only. A hub located in Sabah, Sarawak or Labuan may still be recorded on the Hub Management page.

#	Requirement ID	Item	Description	Acceptance Criteria
3	EAINT-12119-REQ-026	Address Validation Timing	Validate a custom pick up or drop off address once only, at the point the Used Car Dealer proceeds to payment.	The company address and branch outlet addresses already held in the system are validated against Google Maps by the Operations team before they are keyed in and saved, in line with their standard operating procedure. The system does not run a Google Maps check on a preset address at any point. The system triggers a single Google Maps check on each custom address when the Used Car Dealer proceeds to payment. Where both ends are custom addresses, each end is checked.

4	EAINT-12119-REQ-027	Google Maps Failure Handling	Fall back to an open source mapping service where Google Maps cannot be reached, and display a message where an address cannot be matched.	The Used Car Dealer is shown a message and is not blocked from continuing with the transaction. Where the address cannot be matched, no coordinate is stored, so the distance cannot be measured and the delivery cannot be priced. In line with REQ-028, a delivery that cannot be priced is not charged a logistics fee and cannot proceed to full payment. The Customer Service Executive team advises the Used Car Dealer on how to proceed. **Example 1: Google Maps Service is Unavailable, or the Usage Limit has been Reached** The address check falls back to an open source mapping service. Confirmed with the Requestor on 10.09.2026. The Requestor accepts that an open source service may be less accurate than Google Maps. Where the open source service is also unavailable, the address cannot be

#	Requirement ID	Item	Description	Acceptance Criteria
				checked and the following popup is displayed, titled Address check unavailable: The address check is temporarily unavailable. Please try again in 10 minutes. The order of fallback is Google Maps, then the open source mapping service, then this popup. **Example 2: Address Entered is not Valid, or the Address is Valid but cannot be Found** The following popup is displayed, titled Address not found: We could not find the address. Please check and try again, or contact support at 03-27798899.

#	Requirement ID	Item	Description	Acceptance Criteria
5	EAINT-12119-REQ-029	Match Precision for a Custom Address	Block a custom pick up or drop off address where Google places it less precisely than street level.	Match precision is read from the Google Maps response and compared against the values described in REQ-021. **Example 1: Match is Exact Address or Street Level** The address is accepted and the Used Car Dealer proceeds to payment. **Example 2: Match is Neighbourhood or Different Place** The address is blocked and the Used Car Dealer cannot proceed to payment. The following popup is displayed, titled Address not found: We could not find the address. Please check and try again, or contact support at 03-27798899. This applies to a custom address only, at either the pick up or the drop off end. A preset company address or branch outlet address is not checked and is never blocked on match precision.

6	EAINT-12119-REQ-030	Pick Up and Drop Off Address Selection	Provide pick up and drop off address options on the wholesale listing and validate each selection before the Used Car Dealer proceeds.	The Used Car Dealer selects one pick up address option and one drop off address option before proceeding. A preset option uses the company address or a branch outlet address already held in the system. The Other option allows a custom address to be keyed in. Both ends are independent, so one end may use a preset option and the other a custom address. Validation messages in this requirement are displayed inline as a red field error, not as a popup. **Example 1: No Option Selected** The following message is displayed against the option that was not selected: Please select a pick-up address option to continue. Please select a drop-off address option to continue.

#	Requirement ID	Item	Description	Acceptance Criteria
				Example 2: Other Selected with a Blank Address, a Blank State, or No Branch Selected The following message is displayed against the field, at either end: This field is required

2.2.10 Distance Measurement and Tier Assignment

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-028	Distance Measurement and Tier Assignment	Measure road distance between the two points a delivery was created with, and assign the pricing tier that measured distance falls into.	Distance is measured between the two points a delivery was created with: a hub's verified coordinate where a hub was selected, and a party's own address where it was not. Both ends are independent, so one delivery can use a coordinate at one end and an address at the other. No hub is guessed at, and no hub is resolved from a dealer address. A delivery is priced once both ends are known. A corrected hub location applies to deliveries created after correction. Deliveries already priced keep their price unless Operations re-price them by hand. Measured distance in kilometres is matched against distance range of each tier, and logistics price of that tier is applied.

#	Requirement ID	Item	Description	Acceptance Criteria
				Example: a delivery measured at 357 kilometres falls in Tier 2 (Standard), so Tier 2 logistics price is applied. Where a hub was selected but is not Verified, distance cannot be measured and a delivery cannot be priced. Where a delivery cannot be priced, a Used Car Dealer is stopped before payment and this message is displayed: We could not work out the delivery charge for this vehicle, so payment cannot proceed right now. Please call eAuto at 03-27798899. A refused page shows vehicle price and delivery details, with no delivery charge and no total.

2.2.11 BackOffice — Unpriced Deliveries

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-033	Unpriced Deliveries Listing	Provide a new BackOffice page listing every delivery that has both a pickup and a drop-off address but has not been assigned a pricing tier.	The page displays the following columns: 1. # 2. Listing 3. Mode 4. Pickup Address 5. Drop-off Address 6. Decision Time 7. Why Unpriced 8. Measure Again 9. Result Decision Time is the last failed pricing attempt, in DD-MM-YYYY HH:MM (24 hour). If none was recorded, it displays a dash (-). Where no delivery is listed: No unpriced deliveries on this page.

#	Requirement ID	Item	Description	Acceptance Criteria
2	EAINT-12119-REQ-034	Reason a Delivery Is Unpriced	Display the reason recorded when the system could not price the delivery, in plain words an Operations user can act on.	Why Unpriced shows one of the following reasons: 1. a delivery address could not be located by the map service 2. the map service did not answer in time 3. the map service could not be reached 4. the map service returned an error (HTTP [code]) 5. the map service rejected our credentials (HTTP [code]) 6. the map service's reply could not be understood 7. the map service is not configured 8. roadKm=[distance] matched no tier band 9. not measured The reason never shows the Used Car Dealer's address, a coordinate, or technical error text.

#	Requirement ID	Item	Description	Acceptance Criteria
3	EAINT-12119-REQ-035	Paid Deliveries Are Read Only	A delivery whose buyer vehicle payment is Paid is listed for information only and is never re-priced.	The row is greyed out and tagged Paid. No Measure Again button is shown. The Result column displays: Never re-priced

#	Requirement ID	Item	Description	Acceptance Criteria
4	EAINT-12119-REQ-036	Measure Again	Re-run distance measurement and tier assignment for one delivery against its current addresses. The pricing rules in Section 2.2.10 are unchanged.	Example 1: Delivery can now be priced → Result displays: Priced: tier [tier] at [distance] km, fee RM [fee] → The row stays on screen so the result can be read, and no longer appears once the page is reloaded. Example 2: Delivery still cannot be priced → Result displays: Still not priced: [reason] → The Measure Again button can be selected again. Example 3: Delivery has been paid in the meantime → Result displays: A Paid transaction is never re-priced Example 4: BackOffice user not authorised → Result displays: You are not authorised to perform this action

#	Requirement ID	Item	Description	Acceptance Criteria
5	EAINT-12119-REQ-037	Deliveries Missing an Address	A delivery without a pickup or drop-off address cannot be measured, so it is not listed. The page states how many were left out.	Where the current page holds such deliveries, a notice above the table displays: [N] unpriced deliveries on this page are also missing an address and cannot be measured until an address is added. They are not listed here because nothing on this screen can fix that.
6	EAINT-12119-REQ-038	Sort Order, Record Count and Pagination	Display the most recently updated delivery first, 50 deliveries per page.	A count above the table displays: On this page: [N] delivery(ies) — [A] actionable, [P] paid (read only) Below the table: Showing [from]–[to] of [total] unpriced deliveries (page [n]), with Previous and Next links. Example: 120 unpriced deliveries → Page 1 shows 1 to 50, page 2 shows 51 to 100, page 3 shows 101 to 120.

2.2.12 BackOffice — Logistics Pricing History

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAINT-12119-REQ-039	Search by Reference	Provide a new read-only BackOffice page to look up how a delivery was priced, searched by listing reference number or buyer transaction number.	Example 1: Listing reference number entered (WS…) → The pricing history of that listing is displayed. Example 2: Buyer transaction number entered (WSB…) → The pricing history of the listing that transaction belongs to is displayed. Example 3: Any other reference, including a seller transaction number → The page displays: No listing with that reference. Example 4: No reference entered → The page displays: Enter a listing ref no (WS…) or buyer ref (WSB…) above to see its pricing history.

#	Requirement ID	Item	Description	Acceptance Criteria
2	EAINT-12119-REQ-040	Current Position	Display the delivery's current pricing above the decision list.	The Current Position table displays: 1. Listing Ref No 2. Delivery Mode 3. Buyer Logistics Fee (Charged Now) 4. Priced Tier 5. Priced Effective Rate 6. Priced Delivery Mode 7. Priced At Where the delivery was never assigned a tier, Priced Tier displays: never tier-priced A value that was not recorded displays —.

#	Requirement ID	Item	Description	Acceptance Criteria
3	EAINT-12119-REQ-041	Pricing Decisions Table	Display every pricing decision recorded for the delivery.	The table displays the following columns: 1. # 2. Explanation 3. Decided At 4. Trigger 5. Outcome 6. Charged Fee 7. Working Selecting Details in the Working column shows the full working: reason, delivery mode, road km, straight-line km, geo plausible, provider, provider version, distance cached, tier, tier rate, rate origin, door surcharge, supplied fee, charged fee, and rate changed by. Decided At is displayed in the format DD-MM-YYYY HH:MM using the 24 hour clock.

#	Requirement ID	Item	Description	Acceptance Criteria
4	EAINT-12119-REQ-042	Plain Explanation per Decision	Each decision carries a one-line explanation of why the delivery was charged its price.	Example 1: Priced when the listing was created or updated → Priced — 357 km by road → TIER_2 at RM 450 base rate, hub delivery, no door surcharge → charged RM 450 Example 2: Re-priced at payment after a tier rate change → Re-priced at payment — TIER_2 rate changed to RM 500 by [BackOffice user] → charged RM 500 (was RM 450) Example 3: Could not be priced → Not priced — the map service did not answer in time; left at the supplied RM 450

#	Requirement ID	Item	Description	Acceptance Criteria
5	EAINT-12119-REQ-043	Sort Order, Record Count and Pagination	Display the most recent decision first, 20 decisions per page.	A count above the table displays: Total: [N] decision(s) Where no decision is recorded, the table displays: No pricing decisions recorded for this listing. Example: 45 decisions recorded → Page 1 shows 1 to 20, page 2 shows 21 to 40, page 3 shows 41 to 45.
6	EAINT-12119-REQ-044	Read Only	The page never changes a price.	No action on the page re-prices a delivery. Re-measuring is done from the Unpriced Deliveries page (Section 2.2.11).

#	Requirement ID	Item	Description	Acceptance Criteria
7	EAINT-12119-REQ-045	Recording of Pricing Decisions	Record a pricing decision each time the system prices, re-prices at payment, or fails to price a delivery.	Recording a decision never blocks, delays or rolls back the listing or the payment. Example 1: Delivery priced or re-priced → A decision is always recorded. Example 2: The same failure with the same reason repeats within 5 minutes → Only the first failure is recorded. A Used Car Dealer reloading a refused payment page does not add a decision on every reload. Example 3: The same failure repeats after 5 minutes, or the reason changes → A new decision is recorded. This record is separate from the re-price audit log in REQ-016, which remains not displayed.

Appendix — Requirement Change Log

#	SRD Version	Requirement ID	Status	Reason
1	1.0	EAINT-12119-REQ-001	Added	New requirement introduced at baseline
2	1.0	EAINT-12119-REQ-002	Added	New requirement introduced at baseline
3	1.0	EAINT-12119-REQ-003	Added	New requirement introduced at baseline
4	1.0	EAINT-12119-REQ-004	Added	New requirement introduced at baseline
5	1.0	EAINT-12119-REQ-005	Added	New requirement introduced at baseline
6	1.0	EAINT-12119-REQ-006	Added	New requirement introduced at baseline
7	1.0	EAINT-12119-REQ-007	Added	New requirement introduced at baseline

#	SRD Version	Requirement ID	Status	Reason
8	1.0	EAINT-12119-REQ-008	Added	New requirement introduced at baseline
9	1.0	EAINT-12119-REQ-009	Added	New requirement introduced at baseline
10	1.0	EAINT-12119-REQ-010	Added	New requirement introduced at baseline
11	1.0	EAINT-12119-REQ-011	Added	New requirement introduced at baseline
12	1.0	EAINT-12119-REQ-012	Added	New requirement introduced at baseline
13	1.0	EAINT-12119-REQ-013	Added	New requirement introduced at baseline
14	1.0	EAINT-12119-REQ-014	Added	New requirement introduced at baseline

#	SRD Version	Requirement ID	Status	Reason
15	1.0	EAINT-12119-REQ-015	Added	New requirement introduced at baseline
16	1.0	EAINT-12119-REQ-016	Added	New requirement introduced at baseline
17	1.0	EAINT-12119-REQ-017	Added	New requirement introduced at baseline
18	1.0	EAINT-12119-REQ-018	Added	New requirement introduced at baseline
19	1.0	EAINT-12119-REQ-019	Added	New requirement introduced at baseline
20	1.0	EAINT-12119-REQ-020	Added	New requirement introduced at baseline
21	1.0	EAINT-12119-REQ-021	Added	New requirement introduced at baseline

#	SRD Version	Requirement ID	Status	Reason
22	1.0	EAINT-12119-REQ-022	Added	New requirement introduced at baseline
23	1.0	EAINT-12119-REQ-023	Added	New requirement introduced at baseline
24	1.0	EAINT-12119-REQ-024	Added	New requirement introduced at baseline
25	1.0	EAINT-12119-REQ-025	Added	New requirement introduced at baseline
26	1.0	EAINT-12119-REQ-026	Added	New requirement introduced at baseline
27	1.0	EAINT-12119-REQ-027	Added	New requirement introduced at baseline
28	1.0	EAINT-12119-REQ-028	Added	New requirement introduced at baseline

#	SRD Version	Requirement ID	Status	Reason
29	1.1	EAINT-12119-REQ-015	Modified	Approval routed to decision maker
30	1.2	EAINT-12119-REQ-024	Modified	Scope limited to custom address
31	1.2	EAINT-12119-REQ-026	Modified	Preset address not checked
32	1.2	EAINT-12119-REQ-029	Added	Match precision blocks custom address
33	1.2	EAINT-12119-REQ-025	Modified	Inline field error, not a popup
34	1.2	EAINT-12119-REQ-027	Modified	Popup title and message stated
35	1.2	EAINT-12119-REQ-030	Added	Drop off address selection and validation

#	SRD Version	Requirement ID	Status	Reason
36	1.3	EAINT-12119-REQ-031	Added	Unpriced Deliveries menu item
37	1.3	EAINT-12119-REQ-032	Added	Logistics Pricing History menu item
38	1.3	EAINT-12119-REQ-033	Added	Unpriced Deliveries listing
39	1.3	EAINT-12119-REQ-034	Added	Reason a delivery is unpriced
40	1.3	EAINT-12119-REQ-035	Added	Paid deliveries read only
41	1.3	EAINT-12119-REQ-036	Added	Measure Again action
42	1.3	EAINT-12119-REQ-037	Added	Deliveries missing an address

#	SRD Version	Requirement ID	Status	Reason
43	1.3	EAINT-12119-REQ-038	Added	Unpriced sort order and pagination
44	1.3	EAINT-12119-REQ-039	Added	Pricing history search by reference
45	1.3	EAINT-12119-REQ-040	Added	Current pricing position
46	1.3	EAINT-12119-REQ-041	Added	Pricing decisions table
47	1.3	EAINT-12119-REQ-042	Added	Plain explanation per decision
48	1.3	EAINT-12119-REQ-043	Added	History sort order and pagination
49	1.3	EAINT-12119-REQ-044	Added	Pricing history read only

#	SRD Version	Requirement ID	Status	Reason
50	1.3	EAINT-12119-REQ-045	Added	Recording of pricing decisions
51	1.3	EAINT-12119-REQ-024	Modified	Extended to pick up address
52	1.3	EAINT-12119-REQ-025	Modified	Extended to pick up address
53	1.3	EAINT-12119-REQ-026	Modified	Extended to pick up address
54	1.3	EAINT-12119-REQ-029	Modified	Extended to pick up address
55	1.3	EAINT-12119-REQ-030	Modified	Extended to pick up address