**SYSTEM REQUIREMENT DOCUMENT (SRD)**

| | |
|---|---|
| Requirement | [Secarang-Macrokiosk Template] Split Renewal Reminder into 9 Templates by Source and Reminder Point |
| Version | Version 1.1 |
| Latest Revision Date | 03.09.2026 (Thursday) |

## CONTENTS


1.0 DOCUMENT INFORMATION ..... 3
1.1 Purpose ..... 3
1.2 Intended Audience ..... 3
1.3 Revision History ..... 3
1.4 Glossary of Terms ..... 5
1.5 Associated Document(s) ..... 6
2.0 REQUIREMENT ..... 7
2.1 High-Level Requirement Overview ..... 7
2.1.1 Assumptions ..... 9
2.1.2 Out-of-Scope ..... 10
2.2 Key Highlights and Baseline Requirements ..... 11
2.2.1 Background ..... 11
2.2.2 Existing Issue & Expected Behaviour ..... 12
2.2.3 Affected Pages ..... 13
2.2.4 Daily Blast Rule ..... 14
2.2.5 Sample Message Layout ..... 20
2.2.6 CIBO Macrokiosk Template Management ..... 22
2.2.7 Notification Email Content ..... 27
2.2.8 Template Status Handling ..... 28
2.2.9 Template Status Actions ..... 30
Appendix — Requirement Change Log ..... 32

# 1.0 DOCUMENT INFORMATION

## 1.1 Purpose

The System Requirements Document outlines the agreed system specifications. Once approved, it becomes the baseline to ensure the system meets business goals. Sign-off is required for development to start, and any changes must follow the System Enhancement Management process.

## 1.2 Intended Audience

The intended audience for this document includes project stakeholders and any team members involved in defining, implementing, or validating the system requirements.

## 1.3 Revision History

This section records all modifications to the document until it reaches Version 1.0, at which point it is finalized and established as the baseline for future reference. Once baselined, any new changes will be assessed based on their severity — significant changes may result in an addendum, while less critical updates may be handled through a formal change request.

| Version No | Date | Revised By | Reason for Revision |
|---|---|---|---|
| 0.1 | 20.08.2026 (Thurs) | Chee Mei Jia | Initial Draft |
| 0.2 | 24.08.2026 (Mon) | Chee Mei Jia | Added Section 2.2.7 CIBO Macrokiosk Template Management<br>Updated Sections 1.5, 2.2.3, 2.2.6 and 2.2.8 |
| 0.3 | 26.08.2026 (Wed) | Chee Mei Jia | Updated Cover Page<br>Updated Sections 1.4 to 2.2.3<br>Restructured Sections 2.2.4 to 2.2.6 |

| Version No | Date | Revised By | Reason for Revision |
|---|---|---|---|
| 0.4 | 27.08.2026 (Thurs) | Chee Mei Jia | Added Section 2.2.6 Proposed Template Structure and Send Schedule<br>Updated Sections 2.1.3 and 2.2.7 |
| 0.5 | 28.08.2026 (Fri) | Chee Mei Jia | Updated Cover Page<br>Restructured Sections 2.2.4 to 2.2.6<br>Updated Sections 1.4 to 2.2.3 |
| 0.6 | 01.09.2026 (Tues) | Chee Mei Jia | Added Section 2.2.5 Sample Message Layout<br>Added Section 2.2.7 Notification Email Content<br>Updated Sections 2.2.4 to 2.2.8 |
| 0.7 | 01.09.2026 (Tues) | Chee Mei Jia | Updated Sections 2.2.6 and 2.2.8 |
| 0.8 | 02.09.2026 (Wed) | Chee Mei Jia | Updated Sections 2.2.6 and 2.2.7 |
| 1.0 | 02.09.2026 (Wed) | Chee Mei Jia | This is the baseline of the Change Request. |
| 1.1 | 03.09.2026 (Thurs) | Chee Mei Jia | Added Section 2.2.8 Template Status Handling<br>Added Section 2.2.9 Template Status Actions<br>Updated Section 2.2.6 |

*Note: Update made to the document is highlighted in blue*

## 1.4 Glossary of Terms

| # | Abbreviation / Term | Interpretation / Description |
|---|---|---|
| 1 | Macrokiosk | Third party messaging service provider used to deliver WhatsApp messages to customers. |
| 2 | Customer Record | A customer eligible to receive a WhatsApp blast message. |
| 3 | Policy Expiry Date | The date the customer existing policy expires. Used to decide which Macrokiosk template the customer receives and on which date. |
| 4 | Template Set | The 3 templates used at 1 reminder point, 1 for each source. |
| 5 | Blast | A scheduled outbound WhatsApp message send to a set of customers. |

## 1.5 Associated Document(s)

| # | Item | Location / URL | Rationale for Relevance |
|---|---|---|---|
| 1 | EAINT-12218 — Split Renewal Reminder into 9 Templates by Source and Reminder Point | https://mfservices.atlassian.net/browse/EAINT-12218 | Main enhancement ticket for this document. |
| 2 | ESI-347 — To enhance Secarang Macrokiosk WhatsApp blast based on ratio | https://mfservices.atlassian.net/browse/ESI-347 | Source request raised by the requestor. |
| 3 | CCB-922 — ESI \| Split Renewal Reminder into 9 Templates by Source and Reminder Point | https://mfservices.atlassian.net/browse/CCB-922 | Change Control Board ticket. |
| 4 | EAINT-12218_cibo-macrokiosk-template-management_20260901.html | Attached to EAINT-12218 | Mockup of the CIBO Macrokiosk Template Management screen, showing the 9 template toggles. |

# 2.0 REQUIREMENT

## 2.1 High-Level Requirement Overview

| # | Item | Description |
|---|---|---|
| 2.1.1 | Enhancement Overview | Enhance the Secarang Macrokiosk WhatsApp blast so that the renewal reminder is split into 9 templates, 1 for each source at each reminder point.<br><br>Which template a customer receives is decided by how many days remain before the policy expires and by which source the customer came from. |
| 2.1.2 | Key Value(s) Expected | 1. Customers are reminded at 3 fixed points before the policy expires, improving response and conversion rates.<br><br>2. A paused template can be traced to a single source and reminder point, and only stops 1 template out of 9.<br><br>3. Every customer who reaches a reminder point is sent in that run. |

| # | Item | Description |
|---|---|---|
| 2.1.3 | Additional Note(s) | 1. Customer records are drawn from eSTM with insurance, eSTM without insurance, and Secarang.<br><br>2. There is no daily limit on the number of messages sent. Every customer reaching a reminder point is sent in that run.<br><br>3. The 9 template structure and the send schedule were confirmed by the requestor on 28.08.2026. Set out in full in Section 2.2.4. |

### 2.1.1 Assumptions

| # | Assumption |
|---|---|
| 1 | Macrokiosk can deliver every message generated by a run without throttling. |
| 2 | The template a customer receives is decided from the policy expiry date and not from the customer registration date. |
| 3 | The number of customers reaching a reminder point on any date is within what Macrokiosk can deliver in a single run. |
| 4 | A customer is held under 1 source only, so no customer is sent more than 1 message on the same date. |
| 5 | The existing Macrokiosk WhatsApp template approval and quality rating remain valid. |
| 6 | Customer records from all 3 sources carry a reliable policy expiry date. |

### 2.1.2 Out-of-Scope

| # | Item | Reason |
|---|---|---|
| 1 | Changes to WhatsApp template content or wording | Template content is unchanged. Only the selection and distribution of recipients is affected. |
| 2 | Changes to Macrokiosk application programming interface integration | The existing integration is reused as is. |
| 3 | Monitoring and reporting of messages sent per template | This request covers the template split and the send schedule only. |
| 4 | New reporting dashboard user interface | No reporting output is produced under this request. |
| 5 | Changes to customer registration logic in eSTM and Secarang | Customer registration remains unchanged. |
| 6 | Retry handling for failed sends | This request is an enhancement on top of the existing blast. Existing failure handling remains unchanged. |

## 2.2 Key Highlights and Baseline Requirements

The following key highlights and requirements were established during the initial sync-up sessions with the requestor. As this forms the baseline, any changes requested thereafter may result in adjustments to scope, timeline, or deliverables, for which the requestor will be responsible to review and confirm.

### 2.2.1 Background

| # | Affected Item | Description |
|---|---|---|
| 1 | Project | Secarang |
| 2 | Portal | Macrokiosk |
| 3 | Module | Macrokiosk Template |
| 4 | Request | Split the renewal reminder into 9 templates, 1 for each source at each reminder point. |
| 5 | Additional Note | 1. Key reason for raising this request: to enable monitoring of the number of WhatsApp messages sent under each template.<br><br>2. There is no daily limit on the number of messages sent. Every customer reaching a reminder point is sent in that run. |

### 2.2.2 Existing Issue & Expected Behaviour

| # | Item | Description |
|---|---|---|
| 1 | Existing Issue / Behaviour | 1. All 3 sources share 1 template at each reminder point, so a paused template stops every source at once and the cause cannot be traced.<br><br>2. A paused template cannot be traced to a source or a reminder point.<br><br>3. Customers are not reminded at fixed points before the policy expires. |
| 2 | Expected New Handling / Behaviour | 1. 9 templates are used, being 1 for each source at each of the 3 reminder points.<br><br>2. Each run sends 1 set, being the 3 templates for that reminder point.<br><br>3. There is no daily send limit. Every customer reaching a reminder point is sent in that run.<br><br>4. Each customer receives all 3 reminders over the policy cycle, 1 at each reminder point. |

### 2.2.3 Affected Pages

| # | Affected Pages | Description |
|---|---|---|
| 1 | Macrokiosk WhatsApp Blast Scheduler | Customer selection is updated to send 1 template set per run, matching each customer to the template for their source. |
| 2 | Customer Selection Query | Customer records are filtered by policy expiry date and matched to a template before selection. |
| 3 | CIBO — Macrokiosk Template Management | New module added to the left navigation, placed below Discount Code Management. Holds the cron job setting. |

### 2.2.4 Daily Blast Rule

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 1 | EAINT-12218-REQ-001 | Template Structure | 9 Macrokiosk renewal reminder templates are used in total, grouped into 3 sets of 3. Each template is used by 1 source at 1 reminder point.<br><br>Splitting the templates allows a paused template to be traced to a single source and reminder point, and limits a pause to 1 template out of 9. | **Example 1:** Set A, 7 days before policy expiry<br>a. eSTM with insurance<br>b. eSTM without insurance<br>c. Secarang<br><br>**Example 2:** Set B, 14 days before policy expiry<br>a. eSTM with insurance<br>b. eSTM without insurance<br>c. Secarang<br><br>**Example 3:** Set C, 30 days before policy expiry<br>a. eSTM with insurance<br>b. eSTM without insurance<br>c. Secarang |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 2 | EAINT-12218-REQ-002 | Send Schedule | Each cron job run sends 1 set, being the 3 templates for that reminder point. | **Example 1:** Run at 9:00 AM<br>a. Sends Set A, being the 3 templates for 7 days before policy expiry<br><br>**Example 2:** Run at 12:00 PM<br>a. Sends Set B, being the 3 templates for 14 days before policy expiry<br><br>**Example 3:** Run at 9:00 PM<br>a. Sends Set C, being the 3 templates for 30 days before policy expiry |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 3 | EAINT-12218-REQ-003 | Customer Source and Eligibility | Customer records are drawn from 3 sources: eSTM with insurance, eSTM without insurance, and Secarang.<br><br>A customer is included in a run only where the policy expiry date falls exactly on the reminder point for that run.<br><br>Every customer who reaches the reminder point is sent in that run. There is no daily limit on the number of messages. | **Example 1:** Secarang customer whose policy expires in 7 days, run at 9:00 AM<br>a. Included and sent the Set A template for Secarang<br><br>**Example 2:** Policy expires in 21 days<br>a. Not included, as 21 days is not a reminder point<br><br>**Example 3:** Policy already expired<br>a. Not included |
| 4 | EAINT-12218-REQ-004 | Basis of Day Count | The number of days is counted from the current blast date to the policy expiry date.<br><br>The count is recalculated on every run, so the same customer reaches each reminder point in turn. | **Example 1:** Policy expires on 30.09.2026 and the run is on 31.08.2026<br>a. Counted as 30 days and included in the 9:00 PM run<br><br>**Example 2:** The same customer on 23.09.2026<br>a. Counted as 7 days and included in the 9:00 AM run |

| | | | | |
|---|---|---|---|---|
| 5 | EAINT-12218-REQ-005 | Template Content | The content for each reminder point is standard across all 3 sources.<br><br>Every template follows the same format:<br><br>a. Title in bold, with no leading space and no double space<br>b. Greeting line, followed by a blank line<br>c. Policy line stating the vehicle number and the expiry date<br>d. Reminder line specific to the reminder point<br>e. Opt-out note in the template footer<br>f. 2 buttons, being Renew Now and Review Later | **Example 1:** Set A, 7 days before policy expiry<br>a. Title: Insurance Expiry Final Reminder<br>b. Body: Hi {{Customer_Name}} ,<br>c. Body: Your motor insurance policy for vehicle {{Vehicle_No}} will expire on {{Expiry_Date}}.<br>d. Body: Please renew your policy before the expiry date to avoid any interruption in coverage.<br>e. Buttons: Renew Now, Review Later<br><br>**Example 2:** Set B, 14 days before policy expiry<br>a. Title: Insurance Renewal Due Soon<br>b. Body: Hi {{Customer_Name}} ,<br>c. Body: Your motor insurance policy for vehicle {{Vehicle_No}} will expire on {{Expiry_Date}}.<br>d. Body: To maintain continuous protection, we encourage you to arrange your renewal before the expiry date.<br>e. Buttons: Renew Now, Review Later<br><br>**Example 3:** Set C, 30 days before policy expiry |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| | | | | a. Title: Motor Insurance Renewal Reminder<br>b. Body: Hi {{Customer_Name}} ,<br>c. Body: Your motor insurance policy for vehicle {{Vehicle_No}} will expire on {{Expiry_Date}}.<br>d. Body: Renewing early helps ensure uninterrupted coverage and peace of mind.<br>e. Buttons: Renew Now, Review Later |
| 6 | EAINT-12218-REQ-006 | Template Category | **All 9 templates are submitted to Macrokiosk under the Utility category.**<br><br>This is a change from the existing Secarang templates, which are submitted under the Marketing category.<br><br>The category is set at the point of submission to Macrokiosk and cannot be changed once the template is approved. | **Example 1:** Any of the 9 renewal reminder templates is submitted<br>a. Category is set to Utility<br><br>**Example 2:** Category is set to Marketing by mistake<br>a. The template is resubmitted under Utility before it is used |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 7 | EAINT-12218-REQ-007 | Opt-Out Note | Every template carries the opt-out note in the template footer, placed below the body and above the buttons.<br><br>The note is displayed in English only and is the same across all 9 templates.<br><br>The reply keyword is OPT-OUT. The handling of the reply is covered under EAINT-12217. | The footer reads:<br><br>Reply OPT-OUT stop updates.<br><br>**Example 1:** Customer replies OPT-OUT<br>a. No further renewal reminder is sent to that customer |

### 2.2.5 Sample Message Layout

The samples below show each message as the customer receives it, with sample values in place of the variables. The title is in bold, the opt-out note sits in the template footer, and the buttons appear below the message.

| Set | Sample as sent |
|---|---|
| Set A | **Insurance Expiry Final Reminder**<br><br>Hi Ahmad ,<br><br>Your motor insurance policy for vehicle WXY 1234 will expire on 08.09.2026.<br><br>Please renew your policy before the expiry date to avoid any interruption in coverage.<br><br>Reply OPT-OUT stop updates.<br><br>[ Renew Now ]  [ Review Later ] |

| Set | Sample as sent |
|---|---|
| Set B | **Insurance Renewal Due Soon**<br><br>Hi Ahmad ,<br><br>Your motor insurance policy for vehicle WXY 1234 will expire on 15.09.2026.<br><br>To maintain continuous protection, we encourage you to arrange your renewal before the expiry date.<br><br>Reply OPT-OUT stop updates.<br><br>[ Renew Now ]  [ Review Later ] |
| Set C | **Motor Insurance Renewal Reminder**<br><br>Hi Ahmad ,<br><br>Your motor insurance policy for vehicle WXY 1234 will expire on 01.10.2026.<br><br>Renewing early helps ensure uninterrupted coverage and peace of mind.<br><br>Reply OPT-OUT stop updates.<br><br>[ Renew Now ]  [ Review Later ] |

### 2.2.6 CIBO Macrokiosk Template Management

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 1 | EAINT-12218-REQ-008 | New Module and Settings Screen | A new module named Macrokiosk Template Management is added to the left navigation menu of the CIBO portal, placed below Discount Code Management.<br><br>Selecting the module opens a Settings panel holding the Cron Job control and a Save button. | The module appears as the last item in the left navigation menu and opens the Settings panel when selected. |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 2 | EAINT-12218-REQ-009 | Template Control | 9 toggles are displayed, 1 for each template, grouped by the cron job run that sends it.<br><br>The default state for each is Enable. The toggle displays Enable when switched on and Disable when switched off.<br><br>Switching 1 off stops that template only. The other templates in the same run continue to send.<br><br>The run times are displayed against each group as read only text.<br><br>The toggles are a manual override. The system sets them on its own under Section 2.2.6 REQ-013 and REQ-014. | **Example 1:** Cron Job 1 at 9:00 AM<br>a. 3 toggles, being Set A for eSTM with insurance, eSTM without insurance and Secarang<br><br>**Example 2:** Set B Secarang toggle switched off<br>a. The Set B Secarang template does not send at 12:00 PM<br>b. The Set B eSTM templates still send at 12:00 PM<br><br>**Example 3:** Toggle switched off<br>a. Displays Disable |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 3 | EAINT-12218-REQ-010 | Save Confirmation | Selecting Save stores the setting and a confirmation popup is displayed in the centre of the screen. The popup remains until the user closes it using the close icon at the top right. | The popup displays the message Settings updated. and closes only when the user selects the close icon. |
| 4 | EAINT-12218-REQ-011 | Effective Time of Changes | Saved changes take effect from the next scheduled run. A run already in progress continues using the setting it started with. | **Example 1:** User switches the Set B Secarang toggle off at 11:30 AM<br>a. That template does not send at 12:00 PM |
| 5 | EAINT-12218-REQ-012 | Audit Log | Every save is recorded in a backend audit log capturing the user, the date and time, the setting changed, the value before the change and the value after the change.<br><br>The log records which template was changed, and whether the change was made by a user or by the system.<br><br>The audit log is not displayed on the screen. | **Example 1:** User switches the Set B Secarang toggle from Enable to Disable<br>a. Log records the user, the date and time, the template name, the value Enable and the value Disable<br><br>**Example 2:** The system disables the Set B Secarang template after an error<br>a. Log records the system as the source of the change, the date and time, the template name, the value Enable and the value Disable |

| | | | | |
|---|---|---|---|---|
| 6 | EAINT-12218-REQ-013 | Template Paused Handling | Where Macrokiosk returns an error for a template, that template is disabled automatically and its toggle is set to Disable. The remaining messages for that template in that run are not sent.<br><br>The other 8 templates are unaffected, including the other 2 templates in the same run.<br><br>An email notification is sent at the same time.<br><br>**Sender:** imonitor@eauto.my<br><br>**Recipient:**<br>techsupport@macrokiosk.com<br><br>**Copy:**<br>1. katherine.low@macrokiosk.com<br>2. insurance@eauto.my<br>3. ba@eauto.my<br>4. kj.goh@modefair.com<br><br>The subject and body are set out in Section 2.2.7. | **Example 1:** Macrokiosk returns an error for the Set B Secarang template<br>a. That template is disabled and its toggle is set to Disable<br>b. An email is sent to Macrokiosk support with the requestor copied<br>c. The Set B eSTM templates still send at 12:00 PM<br>d. Cron Job 1 and Cron Job 3 are unaffected |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| | | | | |
| 7 | EAINT-12218-REQ-014 | Template Reactivation | Macrokiosk sends an update to eAuto when a template is enabled on their side.<br><br>On receipt of the update, the template is enabled, its toggle is set back to Enable, and it resumes on its next scheduled run.<br><br>No manual action is required in the CIBO Macrokiosk Template Management screen. | **Example 1:** Set B Secarang template disabled on 01.09.2026 after an error<br>a. Macrokiosk enables the template and sends an update to eAuto<br>b. The toggle is set back to Enable on receipt<br>c. The template sends on its next scheduled run<br><br>**Example 2:** No update is received from Macrokiosk<br>a. The template stays disabled and does not send |

### 2.2.7 Notification Email Content

The wording below was provided by the requestor. Values in angle brackets are filled in by the system. This email is sent for the disable action only, as set out in Section 2.2.9.

| Field | Content |
|---|---|
| Subject | CLARIFICATION ON TEMPLATE STATUS : <template name> |
| Body | Dear Support Team,<br><br>**Brand Name:** Secarang (60182880075)<br>**Date and Time:** <date and time><br>**Error returned remark:** <error message><br><br>The template has been disabled on our side currently.<br><br>Please advise us reason for error and what is next cause of action.<br><br>This is system generated email. |

### 2.2.8 Template Status Handling

Macrokiosk returns 1 of the statuses below for a template. Each status maps to an action taken by the system.

| Status | Description | Action |
|---|---|---|
| Pending | The template review is in progress. | No action |
| Approved | The template is active and ready to use. | Enable |
| Rejected | The template has been rejected during the review process. | Disable |
| Deleted | The template is deleted. | Disable |
| InAppeal | An appeal has been requested for disabled templates. | No action |
| PendingDeletion | The template is marked to be deleted. | Disable |
| Disabled | The template has been disabled due to recurring negative feedback from recipients or for violating one or more policies. | Disable |
| Flagged | The template is scheduled to be disabled due to low quality or off boarding. | Alert only |

| Status | Description | Action |
| --- | --- | --- |
| Reinstated | The template is reactivated after appeal process is completed. | Enable |
| Paused | The template has been paused due to recurring negative feedback from customers, or low read-rates. Message templates with this status cannot be sent to customers. | Disable |
| LimitExceeded | The number of messages businesses can send within a 24-hour period has exceeded due to low-quality rating. | Disable |
| Unknown | A situation for which details are not currently available. | No action |

### 2.2.9 Template Status Actions

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 1 | EAINT-12218-REQ-015 | Disable Action | Where Macrokiosk returns a status of Rejected, Deleted, PendingDeletion, Disabled, Paused or LimitExceeded, the template is disabled and handled under Section 2.2.6 REQ-013.<br><br>The notification email in Section 2.2.7 is sent for this action. | **Example 1:** Toggle is Enable and the status returns as Paused<br>a. The toggle is set to Disable<br>b. The template stops sending<br>c. The notification email is sent<br><br>**Example 2:** Toggle is already Disable and the status returns as Paused<br>a. The toggle stays at Disable<br>b. No further change is made |
| 2 | EAINT-12218-REQ-016 | Enable Action | Where Macrokiosk returns a status of Approved or Reinstated, the template is enabled and handled under Section 2.2.6 REQ-014. | **Example 1:** Toggle is Disable and the status returns as Approved<br>a. The toggle is set to Enable<br>b. The template sends on its next scheduled run<br><br>**Example 2:** Toggle is already Enable and the status returns as Reinstated<br>a. The toggle stays at Enable<br>b. No further change is made |

| # | Requirement ID | Item | Description | Acceptance Criteria |
|---|---|---|---|---|
| 3 | EAINT-12218-REQ-017 | Alert Only Action | Where Macrokiosk returns a status of Flagged, the template continues to send and the toggle stays at Enable.<br><br>Flagged means the template is scheduled to be disabled rather than already disabled, so no change is made.<br><br>The notification email in Section 2.2.7 is not sent for this action. | **Example 1:** Toggle is Enable and the status returns as Flagged<br>a. The toggle stays at Enable<br>b. The template sends on its next scheduled run<br>c. No notification email is sent |
| 4 | EAINT-12218-REQ-018 | No Action | Where Macrokiosk returns a status of Pending, InAppeal or Unknown, no change is made to the template or its toggle. | **Example 1:** Toggle is Enable and the status returns as Pending<br>a. The toggle stays at Enable<br><br>**Example 2:** Toggle is Disable and the status returns as InAppeal<br>a. The toggle stays at Disable |

# Appendix — Requirement Change Log

| # | SRD Version | Requirement ID | Status | Reason |
|---|---|---|---|---|
| 1 | 1.0 | EAINT-12218-REQ-001 | Added | Baseline requirement for template structure |
| 2 | 1.0 | EAINT-12218-REQ-002 | Added | Baseline requirement for send schedule |
| 3 | 1.0 | EAINT-12218-REQ-003 | Added | Baseline requirement for customer source and eligibility |
| 4 | 1.0 | EAINT-12218-REQ-004 | Added | Baseline requirement for basis of day count |
| 5 | 1.0 | EAINT-12218-REQ-005 | Added | Baseline requirement for template content |
| 6 | 1.0 | EAINT-12218-REQ-006 | Added | Baseline requirement for template category |

| # | SRD Version | Requirement ID | Status | Reason |
|---|---|---|---|---|
| 7 | 1.0 | EAINT-12218-REQ-007 | Added | Baseline requirement for opt-out note |
| 8 | 1.0 | EAINT-12218-REQ-008 | Added | Baseline requirement for new module and settings screen |
| 9 | 1.0 | EAINT-12218-REQ-009 | Added | Baseline requirement for template control |
| 10 | 1.0 | EAINT-12218-REQ-010 | Added | Baseline requirement for save confirmation |
| 11 | 1.0 | EAINT-12218-REQ-011 | Added | Baseline requirement for effective time of changes |
| 12 | 1.0 | EAINT-12218-REQ-012 | Added | Baseline requirement for audit log |
| 13 | 1.0 | EAINT-12218-REQ-013 | Added | Baseline requirement for template paused handling |

| # | SRD Version | Requirement ID | Status | Reason |
|---|---|---|---|---|
| 14 | 1.0 | EAINT-12218-REQ-014 | Added | Baseline requirement for template reactivation |
| 15 | 1.1 | EAINT-12218-REQ-015 | Added | New requirement for disable action |
| 16 | 1.1 | EAINT-12218-REQ-016 | Added | New requirement for enable action |
| 17 | 1.1 | EAINT-12218-REQ-017 | Added | New requirement for alert only action |
| 18 | 1.1 | EAINT-12218-REQ-018 | Added | New requirement for no action |