

SYSTEM REQUIREMENT DOCUMENT (SRD)

Requirement	[eAuto-BackOffice] Service Hub: Allow Ops to Input Device SN on Device Purchase SR Info Page When Updating Delivery Status to Arranged
Version	Version 1.2
Latest Revision Date	17.08.2026 (Monday)

CONTENTS

1.0 DOCUMENT INFORMATION	3
1.1 Purpose	3
1.2 Intended Audience	3
1.3 Revision History.....	4
1.4 Glossary of Terms	5
1.5 Associated Document(s).....	6
2.0 REQUIREMENT	7
2.1 High-Level Requirement Overview	7
2.1.2 Out-of-Scope	7
2.2 Key Highlights and Baseline Requirements	8
2.2.1 Background	8
2.2.2 Existing Issue & Expected Behaviour.....	9
2.2.3 Affected Pages	10
2.2.4 Service Request Details Page – Shipping Details.....	11
2.2.5 Delivery Status Update to Arranged	17
2.2.6 BackOffice User Access.....	18
2.2.7 Biometric Device Purchase & Software Installation Listing – Record Display	19
Appendix – Requirement Change Log.....	20

1.0 DOCUMENT INFORMATION

1.1 Purpose

The System Requirements Document outlines the agreed system specifications. Once approved, it becomes the baseline to ensure the system meets business goals. Sign-off is required for development to start, and any changes must follow the System Enhancement Management process.

1.2 Intended Audience

The intended audience for this document includes project stakeholders and any team members involved in defining, implementing, or validating the system requirements.

1.3 Revision History

This section records all modifications to the document until it reaches Version 1.0, at which point it is finalized and established as the baseline for future reference. Once baselined, any new changes will be assessed based on their severity – significant changes may result in an addendum, while less critical updates may be handled through a formal change request.

Version No	Date	Revised By	Reason for Revision
0.1	11.08.2026 (Tues)	Lim Yi Link	Initial Draft
1.0	11.08.2026 (Tues)	Lim Yi Link	Send out for external review
1.1	17.08.2026 (Mon)	Lim Yi Link	Updated Number of Device and Device Serial No. requirements based on review feedback
1.2	17.08.2026 (Mon)	Lim Yi Link	Added record-level display of Number of Device and Device Serial No. in the listing and details page

Note: Changes made are highlighted in yellow

1.4 Glossary of Terms

#	Abbreviation / Term	Interpretation / Description
1	BO	BackOffice
2	SR	Service Request
3	SN	Serial Number
4	DO	Delivery Order

1.5 Associated Document(s)

#	Item	Location / URL	Rationale for Relevance
1	EAIN-12167 – Service Hub: Allow Ops to Input Device SN on Device Purchase SR Info Page When Updating Delivery Status to Arranged	https://mfservices.atlassian.net/browse/EAIN-12167	Source enhancement request
2	EAIN-12166 – Service Hub: Enable DO Creation for Device Purchase with Interim Document Upload Space	https://mfservices.atlassian.net/browse/EAIN-12166	Follow-up flow triggered once Delivery Status is updated to Arranged
3	CCB-904 – EAUTO To Allow Ops to Input Device SN on Device Purchase SR Info Page When Updating Delivery Status to Arranged	https://mfservices.atlassian.net/browse/CCB-904	Change Control Board ticket
4	EAUTO-1002 – ENHANCEMENT SERVICE HUB	https://mfservices.atlassian.net/browse/EAUTO-1002	Parent change request for the Service Hub enhancement

2.0 REQUIREMENT

2.1 High-Level Requirement Overview

#	Item	Description
2.1.1	Enhancement Overview	Allow BO users to record the number of devices and each device serial number when updating the shipping details of a Device Purchase service request.
2.1.2	Key Value(s) Expected	Ops captures device serial numbers at the point of delivery arrangement, so device records stay complete and traceable.
2.1.3	Additional Note(s)	

2.1.2 Out-of-Scope

#	Item	Reason
1	Delivery Order (DO) generation and interim document upload space	Covered under EAIN-12166

2.2 Key Highlights and Baseline Requirements

The following key highlights and requirements were established during the initial sync-up sessions with the requestor. As this forms the baseline, any changes requested thereafter may result in adjustments to scope, timeline, or deliverables, for which the requestor will be responsible to review and confirm.

2.2.1 Background

#	Affected Item	Description
1	Project	eAuto
2	Portal	BackOffice
3	Module	Service Hub
4	Request	Allow Ops to record the device quantity and device serial numbers when updating shipping details, before setting Delivery Status to Arranged.
5	Additional Note	

2.2.2 Existing Issue & Expected Behaviour

#	Item	Description
1	Existing Issue / Behaviour	There is no field for Ops to input the device serial number on the Service Request Details page.
2	Expected New Handling / Behaviour	1. Add two new fields under Consignment Number: Number of Device and Device Serial No. 2. Ops enters both fields when updating the shipping details while Delivery Status is New. 3. Once both fields are completed and Delivery Status is updated to Arranged, the system proceeds to the flow defined in EAIN-12166.

2.2.3 Affected Pages

#	Affected Pages	Description
1	BackOffice > Biometric Device Purchase & Software Installation Listing > Service Request Details page	Add the Number of Device and Device Serial No. fields to the shipping details section, positioned under Consignment Number.
2	BackOffice > Biometric Device Purchase & Software Installation Listing	Display the Number of Device and Device Serial No. values on each device record for the same device purchase transaction.

2.2.4 Service Request Details Page – Shipping Details

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAIN-12167-REQ-001	Number of Device – New Field	Add a new field labelled "Number of Device" to the shipping details section.	The field displays directly under Consignment Number. The field is a dropdown listing 1 to 10 units. The field is auto-filled with the quantity of devices purchased by the UCD in the same transaction. The field is disabled. The BO user can view the value but cannot edit it. The value shown is the total quantity for the transaction, not the quantity for a single device record.

#	Requirement ID	Item	Description	Acceptance Criteria	
2	EAINT-12167-REQ-002	Number of Device – Validation Specs	Define the input specifications for the Number of Device field.	Spec	Value
				Input Type	Dropdown selection Auto-filled by system
				Selectable Range	1 to 10 units
				Source Value	Quantity of devices purchased by the UCD in the same transaction
				Field State	Disabled
				Editable by BO User	No – view only
				Free Text Entry	Not allowed
				Mandatory / Optional	Mandatory

#	Requirement ID	Item	Description	Acceptance Criteria
3	EASNT-12167-REQ-003	Device Serial No. – Field Generation	Generate one Device Serial No. field for each unit selected shown in Number of Device.	Example 1: Number of Device = 1 (default) → System displays one field, labelled Device Serial No. 1 Example 2: Number of Device = 2 → System displays two fields, labelled Device Serial No. 1 and Device Serial No. 2 Example 3: Number of Device = 10 → System displays ten fields, labelled Device Serial No. 1 through Device Serial No. 10 All generated fields display below the Number of Device field. The number of fields always matches the value in Number of Device. Example: Number of Device = 13 → 13 fields display, numbered 1 to 13.

#	Requirement ID	Item	Description	Acceptance Criteria		
4	EAINT-12167-REQ-004	Device Serial No. – Validation Specs	Define the input specifications for every Device Serial No. field.	Spec	Value	
				Min Length	8 characters	
				Max Length	12 characters	
				Alphanumeric	Yes	
				Space	Allowed	
				Special Character	Not allowed	
				Only Allow English	Yes	
				Mandatory / Optional	Mandatory	
5	EAINT-12167-REQ-005	Device Serial No. – Input Handling	Handle disallowed and excess input at the point of entry, before the record is saved.	Scenario	Expected Behaviour	Error Message
				Special character entered	Character removed automatically	–
				12 characters reached	No additional character allowed to enter	–
				Below 8 characters on save	User not allowed to update shipping details	Device Serial No. must be between 8 and 12 characters.

#	Requirement ID	Item	Description	Acceptance Criteria												
6	EAIN-12167-REQ-006	Field Availability by Delivery Status	Show both new fields for input only while the service request is at Delivery Status = New.	Example 1: Delivery Status = New → Number of Device and Device Serial No. are displayed and editable when the BO user updates the shipping details. Example 2: Delivery Status is not New → Both fields are displayed as read-only.												
7	EAIN-12167-REQ-007	Mandatory Field Check on Save	Block the shipping details update until both new fields are completed. Block the shipping details update until every Device Serial No. field is completed.	<table><tr><th>Scenario</th><th>Expected Behaviour</th><th>Error Message</th></tr><tr><td>Number of Device not selected</td><td>User not allowed to update shipping details</td><td>This field is required.</td></tr><tr><td>Device Serial No. left blank</td><td>User not allowed to update shipping details</td><td>This field is required.</td></tr><tr><td>All fields completed</td><td>Shipping details updated successfully</td><td>–</td></tr></table>	Scenario	Expected Behaviour	Error Message	Number of Device not selected	User not allowed to update shipping details	This field is required.	Device Serial No. left blank	User not allowed to update shipping details	This field is required.	All fields completed	Shipping details updated successfully	–
Scenario	Expected Behaviour	Error Message														
Number of Device not selected	User not allowed to update shipping details	This field is required.														
Device Serial No. left blank	User not allowed to update shipping details	This field is required.														
All fields completed	Shipping details updated successfully	–														

#	Requirement ID	Item	Description	Acceptance Criteria
8	EAIN-12167-REQ-010	Device Serial No. – UI Display	Display the Device Serial No. field group on the Update Shipping Details pop-up as shown in the reference screen.	1. The field group is labelled "Device Serial No." and is marked as mandatory. 2. The group displays directly below the Number of Device field. 3. Each field is numbered sequentially, starting from 1. 4. Fields are arranged two per row and filled from left to right. 5. The group displays inside a scrollable area when the fields exceed the visible height of the pop-up.

2.2.5 Delivery Status Update to Arranged

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAIN-12167-REQ-008	Proceed to Delivery Order Flow	Trigger the flow defined in EAIN-12166 once the shipping details are saved and the Delivery Status is updated to Arranged.	Example 1: Both fields completed and Delivery Status updated to Arranged → System saves the record and proceeds to the EAIN-12166 flow. Example 2: Either field incomplete → Delivery Status is not updated to Arranged and the EAIN-12166 flow is not triggered.

2.2.6 BackOffice User Access

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAIN-12167-REQ-009	BackOffice User Access Limitation	Grant access to the new fields to all Hub Admin users, except the accounts listed in the Acceptance Criteria.	All Hub Admin users can view and update both new fields, except the accounts below: 1. eautohamal 2. eautojenilyn 3. eautojrjaya 4. eautonashwa 5. eautoshamini 6. eautovegas 7. eautoxiayuan 8. kokping 9. tempstaff 10. wahidahzaki 11. mfnabila 12. mfnadhirah 13. mfzuhaira 14. eautochinwei 15. mfaliah 16. mfmaisarah 17. mfnicholas 18. mfteckyung

2.2.7 Biometric Device Purchase & Software Installation Listing – Record Display

#	Requirement ID	Item	Description	Acceptance Criteria
1	EAIN-12167-REQ-011	Record Display in Listing	Display the Number of Device and Device Serial No. values on each device record belonging to the same device purchase transaction.	1. Each device purchased in the same transaction has its own record in the listing. 2. Number of Device displays as 1 on every record. 3. Device Serial No. displays a single serial number on every record. Example: UCD purchases 10 units in one transaction → The listing displays 10 records. Each record shows Number of Device = 1 and one Device Serial No. → The Service Request Details page displays 10 units of Device Serial No. for each record.

Appendix – Requirement Change Log

#	SRD Version	Requirement ID	Status	Reason
1	0.1	EAIN-12167-REQ-001	Added	New Number of Device field
2	0.1	EAIN-12167-REQ-002	Added	Number of Device validation specs
3	0.1	EAIN-12167-REQ-003	Added	Dynamic Device Serial No. field generation
4	0.1	EAIN-12167-REQ-004	Added	Device Serial No. validation specs
5	0.1	EAIN-12167-REQ-005	Added	Device Serial No. input handling
6	0.1	EAIN-12167-REQ-006	Added	Field availability by Delivery Status

#	SRD Version	Requirement ID	Status	Reason
7	0.1	EAIN-12167-REQ-007	Added	Mandatory field check on save
8	0.1	EAIN-12167-REQ-008	Added	Trigger to EAIN-12166 flow
9	0.1	EAIN-12167-REQ-009	Added	BackOffice user access limitation
10	1.1	EAIN-12167-REQ-001	Updated	Number of Device changed from a 1 to 10 dropdown to an auto-filled, disabled field
11	1.1	EAIN-12167-REQ-002	Updated	Validation specs revised for auto-filled, view-only behaviour; selectable range removed
12	1.1	EAIN-12167-REQ-003	Updated	Field generation now driven by the auto-filled Number of Device; field quantity matching added

#	SRD Version	Requirement ID	Status	Reason
13	1.1	EAIN-12167-REQ-007	Updated	Number of Device not selected scenario struck through as no longer valid
14	1.1	EAIN-12167-REQ-010	Added	Device Serial No. UI display requirements based on the reference screen
15	1.2	EAIN-12167-REQ-001	Updated	Clarified that Number of Device shows the transaction total, not the per-record quantity
16	1.2	EAIN-12167-REQ-011	Added	Record-level display in the listing, one record per device; listing added to Affected Pages