
Flow Documentation - Fetch Table and Info

Flow Name	Fetch Table and Info						
Flow ID	5fdbf574-1971-4194-96ff-88fb5ce9d9d3						
Documentation generated at	08 February 2024 01:58						
Number of Variables	4						
Number of Actions	31						

Flow Overview

The following chart shows the top level layout of the Flow. For a detailed view, please visit the section called Detailed Flow Diagram



Connections

There are a total of 3 connections used in this Flow:

SharePoint

Connector	SharePoint				
Connection Type	Connector				
ID	shared_sharepointonline				
Source	Invoker				

Microsoft Dataverse

Connector	Microsoft Dataverse					
Connection Type	Connector					
ID	shared_commondataserviceforapps					
Source	Embedded					

Azure DevOps

Connector	Azure DevOps			
Connection Type	Connector			
ID	shared_visualstudioteamservices			
Source	Invoker			

Variables

file name

Name	file_name
Туре	string

Initial Value	
Used in these Actions	Initialize_File_Name_variable_

file_quantity

Name	file_quantity				
Туре	integer				
Initial Value	0				
Used in these Actions	Increment_File_Quantity_variable Initialize_File_Quantity_variable				

finance_table

Name	finance_table
Туре	array
Initial Value	
Used in these Actions	Create_Finance_Table_CSV Initialize_Finance_Table_array Set_Finance_Table_Array

languages

Name	languages
Туре	array
Initial Value	
Used in these Actions	Create_CSV_table Initialize_Languages_array_
	Set_Languages_Array

Trigger

Name	manual

Туре	Request				
Inputs Details					
schema	type	object			
	properties	text	description	Please select the site	
			enum	Enter Site Address	
			title	Sharepoint Site	
			type	string	
			x-ms- content-hint	TEXT	
			x-ms- dynamically- added	True	
		text_1	description	Please select the library	
			enum	Enter Library name	
			title	Sharepoint Library	
			type	string	
			x-ms- content-hint	TEXT	
			x-ms- dynamically- added	True	
		text_2	description	Please select the relevant Folder	
			enum	Enter Path to the PDF folder	
			title	Sharepoint Folder for PDF (Input)	
			type	string	
			x-ms- content-hint	TEXT	
			x-ms- dynamically- added	True	
		text_3	description	Please select the relevant Folder	
			enum	Enter Path to the CSV folder	
			title	Sharepoint Folder for CSV (Output)	

	required		type x-ms- content-hint x-ms- dynamically- added	TEXT True
headersSchema	x-ms- user- name- encoded	title type x-ms- dynamically- added	byte User name string False	
	x-ms- user- email- encoded	format title type x-ms- dynamically- added	byte User email string False	
Other Trigger Properties				
metadata	operationMetadatald 7af16d63-fec8-4aa9-ba28-342ed4a32132			
kind	Button			

Actions

There are a total of 31 actions used in this Flow:

Get_PDF_files_(properties_only)

Name	Get_PDF_files_(properties_only)						
Туре	OpenApiConnection						
Connection	SharePoint						

Inputs				
metadata	operationN	letadataId	9db9ba8f-87a1-45	cb-90b8-19941e8ab30c
host	apild		roviders/Microsoft.P	ower Apps/apis/shared_share point onli
	connectionNam e		ared_sharepointonlin	ne
	operationlo	Ge	tFileItems	
parameters	dataset	@trigger	Body()['text']	
	table	@triggerBody()['text_1']		
	folderPath	@triggerBody()['text_2']		
	\$top	6		
authentication	value		codeBase64(triggerC ['\$ConnectionKey']	outputs().headers['X-MS-APIM-
	type	Raw		
runtimeConfiguratio n	paginationPolicy minimumItemCount 50			50
Next Action(s) Conditions	Initialize_Finance_Table_array [Succeeded]			

Initialize_Finance_Table_array

Name	Initialize_Finance_Table_array					
Туре	InitializeVari	InitializeVariable				
Inputs	Inputs					
metadata	operationN	/letadataId	d08deccc-43dd-4254-aff4-1bed0612d402			
variables	name finance_to		ible			
	type	array				
Next Action(s) Conditions	Initialize_Languages_array_ [Succeeded]					

Initialize_Languages_array_

Name	Initialize_Lar	Initialize_Languages_array_				
Туре	InitializeVariable					
Inputs	Inputs					
metadata	operationN	Metadatald d08deccc-43dd-4254-aff4-1bed0612d402				
variables	name type	languages				
Next Action(s) Conditions	Initialize_File	File_Quantity_variable [Succeeded]				

Initialize_File_Quantity_variable

Name	· -		variable		
		Initialize_File_Quantity_variable			
Туре	InitializeVar	InitializeVariable			
Inputs					
metadata	operation	operationMetadataId 871cc568-f9ce-4959-a93f-5a7770e2d958			
variables	name	file_quant	file_quantity		
	type	integer			
	value	value 0			
Next Action(s) Conditions	Initialize_File_Name_variable_ [Succeeded]				

Initialize_File_Name_variable_

Name	Initialize_File_Name_variable_			
Туре	InitializeVariable			
Inputs				
metadata	operationMetadatald 7b377d57-6593-439d-84ac-aa9f716d04c0			

variables	name	file_name		
	type	string		
Next Action(s)	Apply_to_each_PDF_File [Succeeded]			
Conditions				

Apply_to_each_PDF_File

Name	Apply_to_each_PDF_File						
Туре	Foreach						
Inputs	·						
foreach	@outputs('Get_PDF_files_(properties_only)')?['body/value']						
metadata	operationMetadataId f4731233-bc8a-46ae-956b-d8dabd20f961						
Subactions	Get_PDF_file_content_using_path						
	Extract_Table_from_PDF						
	Apply_to_each_Table_Entry						
	Set_Finance_Table_Array						
	Create_Finance_Table_CSV						
	Create_Finance_Table_file						
	Extract_Text_from_PDF						
	Translate_text_into_German						
	Translate_text_into_Ukranian						
	Translate_text_into_Romanian						
	Translate_text_into_Bosnian						
	Translate_text_into_Bulgarian						
	Create_Languages_file						
	Create_CSV_table						
	Set_Languages_Array						
	Append_to_languages_array_						
	Increment_File_Quantity_variable						
	Append_to_File_Name_variable						

Next Action(s)	Create_a_work_item [Succeeded]
Conditions	

${\sf Get_PDF_file_content_using_path}$

Name	Get_PDF_file	e_conter	nt_using_path	
Туре	OpenApiConnection			
Connection	SharePoint			
Inputs				
metadata	operationN	/letadata	ald 13b2000e-9a73-41ad-80bb-d63fd8762571	
host	apild		/providers/Microsoft.PowerApps/apis/shared_sharepointonline	
	connection	Name	shared_sharepointonline	
	operationlo	t	GetFileContentByPath	
parameters	dataset		@triggerBody()['text']	
			@items('Apply_to_each_PDF_File')?['{FullPath}']	
	inferConte	ntType	True	
authentication	value	@json(decodeBase64(triggerOutputs().headers['X-MS-APIM-Tokens']))['\$ConnectionKey']		
type Raw				
Next Action(s) Conditions	Extract_Table_from_PDF [Succeeded] Extract_Text_from_PDF [Succeeded]			

Extract_Table_from_PDF

Name	Extract_Table_from_PDF						
Туре	OpenApiConnection						
Conne ction	Microsoft Dataverse						
Inputs							
metad ata	operation Metadata Id	3e84b0e2-fc30-4df9-a0e8-c39f8c4479e0					

	mMetada ta	mMetada ta DisplayNameOverri de portalOperationApi TierOverride portalOperationBra ndColorOverride portalOperationGr oup		Standard	
				#0A76C4	
				aibuilder	
	portal		alOperationIco erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb 6b.png	
		port	alOperationId	aibuilderpredict_formsprocessing	
host	apild		/providers/Mid	crosoft.PowerApps/apis/shared_commondataserviceforapps	
	connection	Name	shared_comm	ondataserviceforapps	
	operationId	operationId aibuilderpredic		ct_formsprocessing	
param eters	recordId			a5906245-75a6-4ecf-a1b0-223c7bf4b54d	
Ctcis	item/reques	stv2/m	imeType	application/pdf	
	item/requestv2/base64Encoded			@body('Get_PDF_file_content_using_path')	
authe nticati on	@parameters('\$authentication')				
Next Action (s) Condit ions	Apply_to_each_Table_Entry [Succeeded]				

Apply_to_each_Table_Entry

Name	Apply_to_each_Table_Entry				
Туре	Foreach				
Inputs					
foreac h	@outputs('Extract_Table_from_PDF')?['body/responsev2/predictionOutput/tables/Profit_0668b 9d3ccd1d573ef947c3432c074abf/entries']				
metad ata	operationMetadataId a3e0dcdc-1b12-4436-866e-dcb20950fc97				

Subacti	Translate_Column_into_German
ons	Translate_Column_into_Ukranian
	Translate_Column_into_Romanian
	Translate_Column_into_Bosnian
	Translate_Column_into_Bulgarian
	Append_to_Finance_Table_Array_
Next Action(s) Conditi ons	Create_Finance_Table_CSV [Succeeded]

Translate_Column_into_German

Name	Translate_Column_into_German				
Туре	OpenApiConnection				
Conne ction	Microsoft Dataverse				
Inputs					
metad ata	operation 3cf7bb1a-21c6-4b85-9694-6ed7d3259753 Metadata Id				
			al Operation Api lay Name Overri	Al Builder	
			alOperationApi Override	Standard	
			al Operation Bra olor Override	#0A76C4	
		port	alOperationGr	aibuilder	
			al Operation Ico erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png	
		port	alOperationId	aibuilderpredict_texttranslationpretrained	
host	apild		/providers/Mic	rosoft.PowerApps/apis/shared_commondataserviceforapps	
	connection	connectionName shared_commo		ndataserviceforapps	

	operationId	aibuilderpredi	ct_texttranslationpretrained	
param eters	item/requestv2/text item/requestv2/targetLanguage		@items('Apply_to_each_Table_Entry')?['KPI/text']	
Cicis			de	
	item/requestv2/sc	ourceLanguage	auto	
	recordId		6225038a-8b5a-4913-bfd2-d8236f4102ba	
authe nticati on	@parameters('\$authentication')			
Next	Translate_Column_	Translate_Column_into_Ukranian [Succeeded]		
Action (s)	Translate_Column_into_Romanian [Succeeded]			
Condit	Translate_Column_into_Bosnian [Succeeded]			
ions	Translate_Column_	into_Bulgarian	Succeeded]	

Translate Column into Ukranian

Name	Translate_Co	Translate_Column_into_Ukranian					
Туре	OpenApiConnection						
Conne ction	Microsoft Dataverse						
Inputs							
metad ata	operation bcd9ed00-24a4-429d-bf57-ed0bbc2f89b4 Metadata Id						
	flowSyste mMetada ta	portalOperationApi DisplayNameOverri de	Al Builder				
		portal Operation Api Tier Override	Standard				
		portalOperationBra ndColorOverride	#0A76C4				
		portalOperationGr oup	aibuilder				
		portalOperationIco nOverride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png				
		portalOperationId	aibuilderpredict_texttranslationpretrained				

host	apild	/providers/Mi	crosoft.PowerApps/apis/shared_commondataserviceforapps
	connectionName shared_comm		ondataserviceforapps
	operationId aibuilderpred		ct_texttranslationpretrained
param eters	item/requestv2/text		@items('Apply_to_each_Table_Entry')?['KPI/text']
	item/requestv2/ta	rgetLanguage	uk
	item/requestv2/sourceLanguage		auto
	recordId		6225038a-8b5a-4913-bfd2-d8236f4102ba
authe nticati	@parameters('\$authentication')		
On			
Next Action	Append_to_Finance_Table_Array_ [Succeeded]		
(s) Condit			
ions			

Append_to_Finance_Table_Array_

Name	Append_to_Finance_Table_Array_					
Туре	AppendToArrayVariable					
Inputs						
metadat a	operationMetadataId 8ce3067a-aee0-45e9-bb0d-9dcfba719bbf					
name	finance_tabl	le				
value	KPI (english)	@items('Apply_to_each_Table_Entry')?['KPI/text']				
	KPI (german)	@outputs('Translate_Column_into_German')?['body/responsev2/predictionOutput/text']				
	@outputs('Translate_Column_into_Ukranian')?['body/responsev2/predictionOut put/text']					
	KPI (romania n)	@outputs('Translate_Column_into_Romanian')?['body/responsev2/predictionOu tput/text']				
	KPI (bosnian)	@outputs('Translate_Column_into_Bosnian')?['body/responsev2/predictionOutput/text']				

KPI (bulgaria n)	@outputs('Translate_Column_into_Bulgarian')?['body/responsev2/predictionOut put/text']
Amount	@items('Apply_to_each_Table_Entry')?['Amount/text']

la+ ر ما، into R

Translate	e_Column_into_Romanian				
Name	Translate_Co	lumn_	nto_Romanian		
Туре	OpenApiConnection				
Conne ction	Micr	osoft I	Dataverse		
Inputs					
metad ata	operation Metadata Id	c002e	939-fc75-4855- <u>9</u>	9aef-c0acfd6a01e3	
	flowSyste mMetada ta		al Operation Api lay Name Overri	AI Builder	
			alOperationApi Override	Standard	
		-	al Operation Bra olor Override	#0A76C4	
		port	alOperationGr	aibuilder	
			al Operation Ico erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb 6b.png	
		port	alOperationId	aibuilderpredict_texttranslationpretrained	
host	apild		/providers/Mic	crosoft.PowerApps/apis/shared_commondataserviceforapps	
	connection	Name	shared_commondataserviceforapps		
	operationId aibuilderpred		aibuilderpredic	t_texttranslationpretrained	
param eters	item/reques	stv2/text		@items('Apply_to_each_Table_Entry')?['KPI/text']	
eleis	item/reques	stv2/ta	rgetLanguage	ro	
	item/requestv2/sourceLa		urceLanguage	auto	
	recordId			6225038a-8b5a-4913-bfd2-d8236f4102ba	

authe	@parameters('\$authentication')
nticati	
on	
Next Action (s) Condit ions	Append_to_Finance_Table_Array_ [Succeeded]

Translate_Column_into_Bosnian

Name	Translate_Co	Translate_Column_into_Bosnian			
Туре	OpenApiConnection				
Conne ction	Microsoft Dataverse				
Inputs					
metad ata	operation			9e26-14929b11a5ec	
	flowSyste mMetada ta		al Operation Api lay Name Overri	Al Builder	
			alOperationApi Override	Standard	
		ndC	alOperationBra olorOverride	#0A76C4	
			alOperationGr	aibuilder	
			al Operation Ico erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png	
		port	alOperationId	aibuilderpredict_texttranslationpretrained	
host	apild /providers/Microso		/providers/Mic	crosoft.PowerApps/apis/shared_commondataserviceforapps	
	connectionName		shared_commondataserviceforapps		
	operationId		aibuilderpredict_texttranslationpretrained		
param	item/reques	stv2/te	xt	@items('Apply_to_each_Table_Entry')?['KPI/text']	
eters	item/reques	item/requestv2/targetLanguage		bs	

	item/requestv2/sourceLanguage	auto
	recordId	6225038a-8b5a-4913-bfd2-d8236f4102ba
authe nticati on	@parameters('\$authentication')	
Next Action (s) Condit ions	Append_to_Finance_Table_Array_	[Succeeded]

Translate Column into Bulgarian

penApiConn	ection	nto_Bulgarian Dataverse	
D.A.L.			
Micr	osoft (Dataverse	
operation 2a74d053-4046-4557-9738-7686d3b2712b Metadata Id			
			Al Builder
	portalOperationApi TierOverride		Standard
ndColorOverride			#0A76C4
		alOperationGr	aibuilder
	portalOperationIco nOverride		https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png
portalOperationId			aibuilderpredict_texttranslationpretrained
apild		/providers/Micr	rosoft.PowerApps/apis/shared_commondataserviceforapps
connectionN	lame	shared_commo	ndataserviceforapps
operationId aibuilderpredict			t_texttranslationpretrained
	netadata d lowSyste nMetada a	Metadata d lowSyste nMetada a port Tier(port ndCo port oup port nOve port nOve port	Metadata d lowSyste nMetada a portalOperationApi DisplayNameOverri de portalOperationBra ndColorOverride portalOperationGr oup portalOperationIco nOverride portalOperationIco nOverride portalOperationIco shared_commo

param eters	item/requestv2/text	@items('Apply_to_each_Table_Entry')?['KPI/text']		
	item/requestv2/targetLanguage	bg		
	item/requestv2/sourceLanguage	auto		
	recordId	6225038a-8b5a-4913-bfd2-d8236f4102ba		
authe nticati on	@parameters('\$authentication')			
Next Action (s) Condit ions	Append_to_Finance_Table_Array_ [Succeeded]			

Create_Finance_Table_CSV

Name	Create_Finance_Table_CSV			
Туре	Table			
Inputs	nputs			
metadata	operationMetadataId 68044666-5695-4e2d-8ec0-79fafa22900f			
from	@variables('finance_table')			
format	CSV			
Next Action(s) Conditions	Create_Finance_Table_file [Succeeded]			

Create_Finance_Table_file

Name	Create_Finance_Table_file				
Туре	OpenApiConnection	OpenApiConnection			
Connection	SharePoint				
Inputs					
metadata	operationMetadatald 16cf911d-e3b4-446c-87f7-4a97a0d4333e				
host	apild /providers/Microsoft.PowerApps/apis/shared_sharepointonline				
	connectionName	onName shared_sharepointonline			
	operationId	CreateFile			

parameters	datase t	@triggerBody()['text']			
	folder Path	@triggerBody()['text_3']			
	name	@{concat(items('Apply_to_each_PDF_File')?['{Name}'],'_',formatDateTime(convertTimeZone(utcNow(),'UTC','Romance Standard Time'),'dd-MM-yyyy_hhmm-ss_tt'))}.csv			
	body @concat(uriComponentToString('%EF%BB%Bf'),body('Create_Finance_'CSV'))				
authenticatio n	value	@json(decodeBase64(triggerOutputs().headers['X-MS-APIM- Tokens']))['\$ConnectionKey']			
	type	Raw			
runtimeConfi guration	content	Transfer transferMode Chunked			
Next Action(s) Conditions	Set_Finan	ce_Table_Array [Succeeded]			

Set_Finance_Table_Array

	et_i manet_i abite_j ura;			
Name	Set_Finance_Table_Array			
Туре	SetVariable			
Inputs				
metadata	operationMetadatald b3192b05-18db-400a-998f-38430783a227			
name	finance_table			
value				
Next Action(s) Conditions	Append_to_languages_array_ [Succeeded]			

Append_to_languages_array_

Name	Append_to_languages_array_				
Туре	AppendToArrayVariable				
Inputs					
metad ata	operationMetadataId 3058a46c-0548-4d36-9689-a9c28752a47f				

name	languages
value	['English': @{outputs('Extract_Text_from_PDF')?['body/responsev2/predictionOutput/labels/Businessbb129 7be479d1c182503e9b5b9e6b2cb/text']}, 'German': @{outputs('Translate_text_into_German')?['body/responsev2/predictionOutput/text']}, 'Ukranian': @{outputs('Translate_text_into_Ukranian')?['body/responsev2/predictionOutput/text']}, 'Romanian': @{outputs('Translate_text_into_Romanian')?['body/responsev2/predictionOutput/text']}, 'Bosnian': @{outputs('Translate_text_into_Bosnian')?['body/responsev2/predictionOutput/text']}, 'Bulgarian': @{outputs('Translate_text_into_Bulgarian')?['body/responsev2/predictionOutput/text']}]
Next Action(s) Conditi ons	Create_CSV_table [Succeeded]

Create_CSV_table

Name	Create_CSV_table				
Туре	Table				
Inputs					
metad ata	operationMetadatald 2ba9ec76-ab56-4283-abca-91836df2828b				
from	@varia	bles('languages')			
format	CSV				
colum	hea der				
	valu e	@outputs('Extract_Text_from_PDF')?['body/responsev2/predictionOutput/labels/Busin essbb1297be479d1c182503e9b5b9e6b2cb/text']			
	header German				
	value @outputs('Translate_text_into_German')?['body/responsev2/predictionOutput/text']				
	heade Ukranian r				

	_	
	value	@outputs('Translate_text_into_Ukranian')?['body/responsev2/predictionOutput/text']
	heade r	Romanian
	value	@outputs('Translate_text_into_Romanian')?['body/responsev2/predictionOutput/tex t']
	header	Bosnian
	value	@outputs('Translate_text_into_Bosnian')?['body/responsev2/predictionOutput/text']
	heade r	Bulgarian
	value	@outputs('Translate_text_into_Bulgarian')?['body/responsev2/predictionOutput/text ']
Next	Create_La	anguages_file [Succeeded]
Action (s)		
Condit		

Create_Languages_file

Name	Create_Languages_file			
Туре	OpenApiConnection			
Connection	SharePoint			
Inputs				
metadata	operationMetadat	ald 3e8a4b70-6dfb-4a6f-bef7-5ac92cf7d69e		
host	apild	/providers/Microsoft.PowerApps/apis/shared_sharepointonline		
	connectionName	shared_sharepointonline		
	operationId	CreateFile		

parameters	datas	triggerBody()['text']			
	et				
	folder Path	@triggerBody()['text_3']			
	name	@{concat(items('Apply_to_each_PDF_File')?['{Name}'],'_languages_',formatDat eTime(convertTimeZone(utcNow(),'UTC','Romance Standard Time'),'dd-MM-yyyy_hh-mm-ss_tt'))}.csv			
	body	@concat(uriComponentToString('%EF%BB%Bf'),body('Create_CSV_table'))			
authenticati on	value	@json(decodeBase64(trig Tokens']))['\$ConnectionK	gerOutputs().headers['X-MS-APIM- ey']		
	type	Raw			
runtimeConf iguration	content	ntTransfer transferMode Chunked			
Next Action(s) Conditions	Incremer	ement_File_Quantity_variable [Succeeded]			

Increment_File_Quantity_variable

Name	Increment_File_Quantity_variable				
Туре	IncrementVariable				
Inputs					
metadata	operationMetadataId 72e2e6cb-3a1b-4f21-9ded-496592b6b7ef				
name	file_quantity				
value	1				
Next Action(s) Conditions	Append_to_File_Name_variable [Succeeded]				

Append_to_File_Name_variable

Name	Append_to_File_Name_variable				
Туре	AppendToStringVariable				
Inputs					
metadata	operationMetadataId Obc46711-d410-44d2-9851-91b751bae738				
name	file_name				

value	②{concat(' ',items('Apply_to_each_PDF_File')?['{Name}'])};				
Next Action(s) Conditions	Set_Languages_Array [Succeeded]				

Set_Languages_Array

Name	Set_Languages_Array				
Туре	SetVariable				
Inputs	puts				
metadata	operationMetadatald d1c6977e-11a4-4d30-bfa9-6ec1c3e1de99				
name	languages				
value					

Extract Text from PDF

Name	Extract_Text_from_PDF					
Туре	OpenApiConnection					
Conne ction	Microsoft Dataverse					
Inputs						
metad ata	operation Metadata Id	2cf5fdcb-73a7-44bf-a9	9e9-a42cc68c9784			
	flowSyste mMetada ta	portalOperationApi DisplayNameOverri de	Al Builder			
		portal Operation Api Tier Override	Standard			
		portal Operation Bra nd Color Override	#0A76C4			
		portalOperationGr oup	aibuilder			
		portalOperationIco nOverride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png			
		portalOperationId	aibuilderpredict_formsprocessing			

host	apild /providers/Microsoft.PowerApps/apis/shared_commondataservicefo			
	connectionName	shared_commondataserviceforapps		
	operationId	aibuilderpredict_formsprocessing		
param eters	recordid		6312a887-c224-49a0-9eda-68a80dab9dbc	
	item/requestv2/m	imeType	application/pdf	
	item/requestv2/ba	ase64Encoded	@body('Get_PDF_file_content_using_path')	
authe nticati on	@parameters('\$authentication')			
Next	Translate_text_into_German [Succeeded]			
Action (s)	Translate_text_into_Ukranian [Succeeded]			
Condit	Translate_text_into_Romanian [Succeeded]			
ions	Translate_text_into_Bosnian [Succeeded]			
	Translate_text_into_Bulgarian [Succeeded]			

Translate_text_into_German

Name	Translate_text_into_German					
Туре	OpenApiConnection					
Conne ction	Microsoft Dataverse					
Inputs						
metad ata	operation Metadata Id	c678c60d-b7fd-4ed4-a	156e-1113d85b1294			
	flowSyste mMetada ta	portalOperationApi DisplayNameOverri de	Al Builder			
		portalOperationApi TierOverride	Standard			
		portalOperationBra ndColorOverride	#0A76C4			
		aibuilder				

		portalOperationIco nOverride portalOperationId		https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png aibuilderpredict_texttranslationpretrained	
host	apild		/providers/Mici	rosoft.PowerApps/apis/shared_commondataserviceforapps	
	connectionN	lame	shared_commo	ndataserviceforapps	
	operationId		aibuilderpredict_texttranslationpretrained		
param eters	item/requestv2/t			ract_Text_from_PDF')?['body/responsev2/predictionOutput ssbb1297be479d1c182503e9b5b9e6b2cb/text']	
	item/requestv2/t argetLanguage item/requestv2/s ourceLanguage		de		
			auto		
	recordId		6225038a-8b5a-4913-bfd2-d8236f4102ba		
authe nticati on	@parameters('\$authentication')				
Next Action (s) Condit ions	Append_to_languages_array_ [Succeeded]				

Translate_text_into_Ukranian

Name	Translate_text_into_Ukranian					
Туре	OpenApiCon	nection				
Conne ction	Microsoft Dataverse					
Inputs	s					
metad ata	operation Metadata Id	3d7a1ca5-b6f1-41fc-a3b3-319339954b96				
	flowSyste mMetada ta	portalOperationApi DisplayNameOverri de	Al Builder			

portalOperationApi S TierOverride		•	Standard	
	ndColorOverride		#0A76C4	
			aibuilder	
			https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png	
	port	alOperationId	aibuilderpredict_texttranslationpretrained	
apild		/providers/Mic	rosoft.PowerApps/apis/shared_commondataserviceforapps	
connectionN	lame	shared_commondataserviceforapps		
operationId		aibuilderpredic	t_texttranslationpretrained	
item/requestv2/t		@outputs('Extract_Text_from_PDF')?['body/responsev2/predictionOutput /labels/Businessbb1297be479d1c182503e9b5b9e6b2cb/text']		
item/requestv2/t argetLanguage		uk		
item/requestv2/s ourceLanguage		auto		
recordId		6225038a-8b5	a-4913-bfd2-d8236f4102ba	
@parameters('\$authentication')				
Append_to_languages_array_ [Succeeded]				
	connectionNoperationId item/requesext item/requeseargetLangua item/requeseourceLangua recordId @parameters	port ndCo port ndCo port nove port n	TierOverride portalOperationBra ndColorOverride portalOperationIco noverride portalOperationIco noverride portalOperationId apild /providers/Mic connectionName shared_commo operationId aibuilderpredic item/requestv2/t ext /labels/Busine item/requestv2/t argetLanguage item/requestv2/s ourceLanguage recordId 6225038a-8b5 @parameters('\$authentication')	

Translate_text_into_Romanian

Name	Translate_text_into_Romanian					
Туре	OpenApiConnection					
Conne ction	Microsoft Dataverse					
Inputs						

metad ata	operation Metadata Id	4a900	0dd3-0fc2-4f51-8	060-1cc838e2ebc9
	flowSyste mMetada ta	portalOperationApi DisplayNameOverri de		Al Builder
		1	alOperationApi Override	Standard
			alOperationBra olorOverride	#0A76C4
		port oup	alOperationGr	aibuilder
			al Operation Ico erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png
		port	alOperationId	aibuilder predict_text translation pretrained
host	apild		/providers/Microsoft.PowerApps/apis/shared_commondataserviceforapps	
	connectionN	lame	shared_commondataserviceforapps	
	operationId		aibuilderpredic	t_texttranslationpretrained
param eters	item/reques	stv2/t		ract_Text_from_PDF')?['body/responsev2/predictionOutput ssbb1297be479d1c182503e9b5b9e6b2cb/text']
	item/requestargetLangua		ro	
	item/reques		auto	
	recordId 6225038a-8b5		6225038a-8b5	a-4913-bfd2-d8236f4102ba
authe nticati on	@parameters('\$authentication')			
Next Action (s) Condit ions	Append_to_languages_array_ [Succeeded]			

Translate_text_into_Bosnian

Name	Translate_text_into_Bosnian

Туре	OpenApiConnection				
Conne ction	Microsoft Dataverse				
Inputs					
metad ata	operation Metadata Id	3caa681f-ad71-4f83-ae9b-a22a7d98c3c9			
	flowSyste mMetada ta	portalOperationApi DisplayNameOverri de		Al Builder	
		portalOperationApi TierOverride		Standard	
			alOperationBra olorOverride	#0A76C4	
		port	alOperationGr	aibuilder	
			al Operation Ico erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png	
		portalOperationId		aibuilderpredict_texttranslationpretrained	
host	apild /providers/Mic		/providers/Mic	rosoft.PowerApps/apis/shared_commondataserviceforapps	
	connectionName		shared_commondataserviceforapps		
	operationId		aibuilderpredict_texttranslationpretrained		
param eters				Poutputs('Extract_Text_from_PDF')?['body/responsev2/predictionOutput labels/Businessbb1297be479d1c182503e9b5b9e6b2cb/text']	
	item/requestv2/t bs argetLanguage		bs		
	item/requestv2/s ourceLanguage		auto		
	recordId		6225038a-8b5a-4913-bfd2-d8236f4102ba		
authe nticati on	@parameters	arameters('\$authentication')			
Next Action (s)	Append_to_languages_array_ [Succeeded]			eeded]	

Condit		
ions		

Translate_text_into_Bulgarian

	e_text_into_Bulgarian			
Name	Translate_text_into_Bulgarian			
Туре	OpenApiConnection			
Conne ction	Microsoft Dataverse			
Inputs				
metad ata	operation d873850b-c341-42f3-b398-06990718ea5b Metadata Id			o398-06990718ea5b
	mMetada Display de portal		alOperationApi ayNameOverri	Al Builder
			alOperationApi Override	Standard
		portalOperationBra ndColorOverride		#0A76C4
		porta	alOperationGr	aibuilder
			alOperationIco erride	https://content.powerapps.com/resource/makerx/static/pauto/images/designeroperations/aiBuilderNew.51dbdb6b.png
		porta	alOperationId	aibuilderpredict_texttranslationpretrained
host	apild		/providers/Micr	rosoft.PowerApps/apis/shared_commondataserviceforapps
	connectionN	lame	shared_commondataserviceforapps	
	operationId		aibuilderpredict_texttranslationpretrained	
param eters	item/requestv2/t ext		@outputs('Extract_Text_from_PDF')?['body/responsev2/predictionOutput /labels/Businessbb1297be479d1c182503e9b5b9e6b2cb/text']	
		item/requestv2/t bg argetLanguage		
	item/requestv2/s ourceLanguage		auto	
	recordId		6225038a-8b5	a-4913-bfd2-d8236f4102ba

authe	@parameters('\$authentication')
nticati	
on	
Next Action (s) Condit ions	Append_to_languages_array_ [Succeeded]

Create_a_work_item

Name	Create_a_work_item					
Туре	OpenApiConnection					
Connection	Azure DevOps					
Inputs						
metadata	operationMetada	tald 44ef0032-0d22-4dca-	8444-39c2b32ea793			
host	apild	/providers/Microsoft.Powe	erApps/apis/shared_visualstudioteamservi			
	connectionNam e	shared_visualstudioteamse	ervices			
	operationId	CreateWorkItem				
parameters	account		mohammadusmani			
	project		Power Automate Tasks			
	type		Task			
	workItem/title		Fetch Table and Info (flow) - Ran for @{variables('file_quantity')} Pdf files			
	workItem/descrip	tion	The Power Automate flow 'Fetch Table and Info' details: Executed by: @{triggerOutputs()['headers']['x-ms-user-name-encoded']} Timestamp: @{triggerOutputs()['headers']['x-ms-user-timestamp']} Files: @{variables('file_name')}			
	workItem/dynam	icFields/System.AssignedTo	mohammad.usmani@stud.fra-uas.de			
	workItem/dynam	icFields/System.State	Done			

authenticatio n	value	@json(decodeBase64(triggerOutputs().headers['X-MS-APIM- Tokens']))['\$ConnectionKey']		
	type	Raw		

Detailed Flow Diagram

The following chart shows the detailed layout of the Flow

