

## Lampiran – *Source Code* Program

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
| -----
| AUTO-LOADER
| -----
| This file specifies which systems should be loaded by default.
|
| In order to keep the framework as light-weight as possible only the
| absolute minimal resources are loaded by default. For example,
| the database is not connected to automatically since no assumption
| is made regarding whether you intend to use it. This file lets
| you globally define which systems you would like loaded with every
| request.
|
| -----
| Instructions
| -----
|
| These are the things you can load automatically:
|
| 1. Packages
| 2. Libraries
| 3. Drivers
| 4. Helper files
| 5. Custom config files
| 6. Language files
| 7. Models
|
| */

/*
| -----
| Auto-load Packages
| -----
| Prototype:
|
| $autoload['packages'] = array(APPPATH.'third_party', '/usr/local/shared');
|
| */
$autoload['packages'] = array();

/*
```

## ----- | Auto-load Libraries |-----

| These are the classes located in system/libraries/ or your  
| application/libraries/ directory, with the addition of the  
| 'database' library, which is somewhat of a special case.

| Prototype:

|       \$autoload['libraries'] = array('database', 'email', 'session');

| You can also supply an alternative library name to be assigned  
| in the controller:

|       \$autoload['libraries'] = array('user\_agent' => 'ua');

| \*/

| \$autoload['libraries'] = array('database','session');

| /\*

## ----- | Auto-load Drivers |-----

| These classes are located in system/libraries/ or in your  
| application/libraries/ directory, but are also placed inside their  
| own subdirectory and they extend the CI\_Driver\_Library class. They  
| offer multiple interchangeable driver options.

| Prototype:

|       \$autoload['drivers'] = array('cache');

| You can also supply an alternative property name to be assigned in  
| the controller:

|       \$autoload['drivers'] = array('cache' => 'cch');

| \*/

| \$autoload['drivers'] = array();

| /\*

## ----- | Auto-load Helper Files |-----

| Prototype:

|       \$autoload['helper'] = array('url', 'file');

```

*/
$autoload['helper'] = array('url','file');

/*
|-----
| Auto-load Config files
|-----
| Prototype:
|
|     $autoload['config'] = array('config1', 'config2');
|
| NOTE: This item is intended for use ONLY if you have created custom
| config files. Otherwise, leave it blank.
|
*/
$autoload['config'] = array();

/*
|-----
| Auto-load Language files
|-----
| Prototype:
|
|     $autoload['language'] = array('lang1', 'lang2');
|
| NOTE: Do not include the "_lang" part of your file. For example
| "codeigniter_lang.php" would be referenced as array('codeigniter');
|
*/
$autoload['language'] = array();

/*
|-----
| Auto-load Models
|-----
| Prototype:
|
|     $autoload['model'] = array('first_model', 'second_model');
|
| You can also supply an alternative model name to be assigned
| in the controller:
|
|     $autoload['model'] = array('first_model' => 'first');
|
*/
$autoload['model'] = array();

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
|-----|
| Base Site URL
|-----|
|
| URL to your CodeIgniter root. Typically this will be your base URL,
| WITH a trailing slash:
|
|       http://example.com/
|
| WARNING: You MUST set this value!
|
| If it is not set, then CodeIgniter will try guess the protocol and path
| your installation, but due to security concerns the hostname will be set
| to $_SERVER['SERVER_ADDR'] if available, or localhost otherwise.
| The auto-detection mechanism exists only for convenience during
| development and MUST NOT be used in production!
|
| If you need to allow multiple domains, remember that this file is still
| a PHP script and you can easily do that on your own.
|
*/
$config['base_url'] = "http://".$_SERVER['HTTP_HOST'];
$config['base_url'] .=
preg_replace('@/+$', "",dirname($_SERVER['SCRIPT_NAME'])).'/';

/*
|-----|
| Index File
|-----|
|
| Typically this will be your index.php file, unless you've renamed it to
| something else. If you are using mod_rewrite to remove the page set this
| variable so that it is blank.
|
*/
$config['index_page'] = "";

/*
|-----|
| URI PROTOCOL
|-----|
|

```

| This item determines which server global should be used to retrieve the  
| URI string. The default setting of 'REQUEST\_URI' works for most servers.  
| If your links do not seem to work, try one of the other delicious flavors:

| 'REQUEST\_URI' Uses \$\_SERVER['REQUEST\_URI']  
| 'QUERY\_STRING' Uses \$\_SERVER['QUERY\_STRING']  
| 'PATH\_INFO' Uses \$\_SERVER['PATH\_INFO']

| WARNING: If you set this to 'PATH\_INFO', URIs will always be URL-  
| decoded!

\*/

```
$config['uri_protocol']          = 'REQUEST_URI';
```

/\*

|-----  
URL suffix

| This option allows you to add a suffix to all URLs generated by CodeIgniter.  
| For more information please see the user guide:

| [https://codeigniter.com/user\\_guide/general/urls.html](https://codeigniter.com/user_guide/general/urls.html)

\*/

```
$config['url_suffix'] = '.html';
```

/\*

|-----  
Default Language

| This determines which set of language files should be used. Make sure  
| there is an available translation if you intend to use something other  
| than english.

\*/

```
$config['language'] = 'english';
```

/\*

|-----  
Default Character Set

| This determines which character set is used by default in various methods  
| that require a character set to be provided.

| See <http://php.net/htmlspecialchars> for a list of supported charsets.

```

|
| */
| $config['charset'] = 'UTF-8';
|
| /*
| -----
| Enable/Disable System Hooks
| -----
|
| If you would like to use the 'hooks' feature you must enable it by
| setting this variable to TRUE (boolean). See the user guide for details.
|
| */
| $config['enable_hooks'] = FALSE;
|
| /*
| -----
| Class Extension Prefix
| -----
|
| This item allows you to set the filename/classname prefix when extending
| native libraries. For more information please see the user guide:
|
| https://codeigniter.com/user\_guide/general/core\_classes.html
| https://codeigniter.com/user\_guide/general/creating\_libraries.html
|
| */
| $config['subclass_prefix'] = 'MY_';
|
| /*
| -----
| Composer auto-loading
| -----
|
| Enabling this setting will tell CodeIgniter to look for a Composer
| package auto-loader script in application/vendor/autoload.php.
|
|         $config['composer_autoload'] = TRUE;
|
| Or if you have your vendor/ directory located somewhere else, you
| can opt to set a specific path as well:
|
|         $config['composer_autoload'] = '/path/to/vendor/autoload.php';
|
| For more information about Composer, please visit http://getcomposer.org/
|

```

```

| Note: This will NOT disable or override the CodeIgniter-specific
|       autoloading (application/config/autoload.php)
|
| */
$config['composer_autoload'] = FALSE;

/*
|-----|
| Allowed URL Characters
|-----|
|
| This lets you specify which characters are permitted within your URLs.
| When someone tries to submit a URL with disallowed characters they will
| get a warning message.
|
| As a security measure you are STRONGLY encouraged to restrict URLs to
| as few characters as possible. By default only these are allowed: a-z 0-9~%.:_-
|
| Leave blank to allow all characters -- but only if you are insane.
|
| The configured value is actually a regular expression character group
| and it will be executed as: ! preg_match('/^[<permitted_uri_chars>]+$/i
|
| DO NOT CHANGE THIS UNLESS YOU FULLY UNDERSTAND THE
| REPERCUSSIONS!!
|
| */
$config['permitted_uri_chars'] = 'a-z 0-9~%.:_-';

/*
|-----|
| Enable Query Strings
|-----|
|
| By default CodeIgniter uses search-engine friendly segment based URLs:
| example.com/who/what/where/
|
| You can optionally enable standard query string based URLs:
| example.com?who=me&what=something&where=here
|
| Options are: TRUE or FALSE (boolean)
|
| The other items let you set the query string 'words' that will
| invoke your controllers and its functions:
| example.com/index.php?c=controller&m=function
|
| Please note that some of the helpers won't work as expected when

```

```

| this feature is enabled, since CodeIgniter is designed primarily to
| use segment based URLs.
|
| */
$config['enable_query_strings'] = FALSE;
$config['controller_trigger'] = 'c';
$config['function_trigger'] = 'm';
$config['directory_trigger'] = 'd';

/*
|-----
| Allow $_GET array
|-----
|
| By default CodeIgniter enables access to the $_GET array. If for some
| reason you would like to disable it, set 'allow_get_array' to FALSE.
|
| WARNING: This feature is DEPRECATED and currently available only
|         for backwards compatibility purposes!
|
| */
$config['allow_get_array'] = TRUE;

/*
|-----
| Error Logging Threshold
|-----
|
| You can enable error logging by setting a threshold over zero. The
| threshold determines what gets logged. Threshold options are:
|
|     0 = Disables logging, Error logging TURNED OFF
|     1 = Error Messages (including PHP errors)
|     2 = Debug Messages
|     3 = Informational Messages
|     4 = All Messages
|
| You can also pass an array with threshold levels to show individual error types
|
|     array(2) = Debug Messages, without Error Messages
|
| For a live site you'll usually only enable Errors (1) to be logged otherwise
| your log files will fill up very fast.
|
| */
$config['log_threshold'] = 0;

```



```

/*
|-----
| Error Logging Directory Path
|-----
|
| Leave this BLANK unless you would like to set something other than the default
| application/logs/ directory. Use a full server path with trailing slash.
|
*/
$config['log_path'] = '';

/*
|-----
| Log File Extension
|-----
|
| The default filename extension for log files. The default 'php' allows for
| protecting the log files via basic scripting, when they are to be stored
| under a publicly accessible directory.
|
| Note: Leaving it blank will default to 'php'.
|
*/
$config['log_file_extension'] = '';

/*
|-----
| Log File Permissions
|-----
|
| The file system permissions to be applied on newly created log files.
|
| IMPORTANT: This MUST be an integer (no quotes) and you MUST use octal
| integer notation (i.e. 0700, 0644, etc.)
|
*/
$config['log_file_permissions'] = 0644;

/*
|-----
| Date Format for Logs
|-----
|
| Each item that is logged has an associated date. You can use PHP date
| codes to set your own date formatting
|

```

```

*/
$config['log_date_format'] = 'Y-m-d H:i:s';

/*
|-----|
| Error Views Directory Path
|-----|
|
| Leave this BLANK unless you would like to set something other than the default
| application/views/errors/ directory. Use a full server path with trailing slash.
|
*/
$config['error_views_path'] = "";

/*
|-----|
| Cache Directory Path
|-----|
|
| Leave this BLANK unless you would like to set something other than the default
| application/cache/ directory. Use a full server path with trailing slash.
|
*/
$config['cache_path'] = "";

/*
|-----|
| Cache Include Query String
|-----|
|
| Whether to take the URL query string into consideration when generating
| output cache files. Valid options are:
|
|     FALSE    = Disabled
|     TRUE     = Enabled, take all query parameters into account.
|                 Please be aware that this may result in numerous cache
|                 files generated for the same page over and over again.
|     array('q') = Enabled, but only take into account the specified list
|                 of query parameters.
|
*/
$config['cache_query_string'] = FALSE;

/*
|-----|
| Encryption Key

```

-----  
|  
| If you use the Encryption class, you must set an encryption key.  
| See the user guide for more info.

| [https://codeigniter.com/user\\_guide/libraries/encryption.html](https://codeigniter.com/user_guide/libraries/encryption.html)

| \*/  
\$config['encryption\_key'] = 'gfjfgjfgsg564674';

/\*

-----  
Session Variables

| 'sess\_driver'

|       The storage driver to use: files, database, redis, memcached

| 'sess\_cookie\_name'

|       The session cookie name, must contain only [0-9a-z\_-] characters

| 'sess\_expiration'

|       The number of SECONDS you want the session to last.  
|       Setting to 0 (zero) means expire when the browser is closed.

| 'sess\_save\_path'

|       The location to save sessions to, driver dependent.

|       For the 'files' driver, it's a path to a writable directory.  
|       WARNING: Only absolute paths are supported!

|       For the 'database' driver, it's a table name.  
|       Please read up the manual for the format with other session drivers.

|       IMPORTANT: You are REQUIRED to set a valid save path!

| 'sess\_match\_ip'

|       Whether to match the user's IP address when reading the session data.

|       WARNING: If you're using the database driver, don't forget to update  
|       your session table's PRIMARY KEY when changing this setting.

```

| 'sess_time_to_update'
|
|         How many seconds between CI regenerating the session ID.
|
| 'sess_regenerate_destroy'
|
|         Whether to destroy session data associated with the old session ID
|         when auto-regenerating the session ID. When set to FALSE, the data
|         will be later deleted by the garbage collector.
|
| Other session cookie settings are shared with the rest of the application,
| except for 'cookie_prefix' and 'cookie_httponly', which are ignored here.
|
| */
$config['sess_driver'] = 'files';
$config['sess_cookie_name'] = 'ci_session';
$config['sess_expiration'] = 7200;
$config['sess_save_path'] = NULL;
$config['sess_match_ip'] = FALSE;
$config['sess_time_to_update'] = 300;
$config['sess_regenerate_destroy'] = FALSE;

/*
|-----
| Cookie Related Variables
|-----
|
| 'cookie_prefix' = Set a cookie name prefix if you need to avoid collisions
| 'cookie_domain' = Set to .your-domain.com for site-wide cookies
| 'cookie_path'   = Typically will be a forward slash
| 'cookie_secure' = Cookie will only be set if a secure HTTPS connection exists.
| 'cookie_httponly' = Cookie will only be accessible via HTTP(S) (no javascript)
|
| Note: These settings (with the exception of 'cookie_prefix' and
|       'cookie_httponly') will also affect sessions.
|
| */
$config['cookie_prefix']   = "";
$config['cookie_domain']   = "";
$config['cookie_path']     = '/';
$config['cookie_secure']   = FALSE;
$config['cookie_httponly'] = FALSE;

/*
|-----

```

| Standardize newlines

|-----

| Determines whether to standardize newline characters in input data,  
| meaning to replace \r\n, \r, \n occurrences with the PHP\_EOL value.

| WARNING: This feature is DEPRECATED and currently available only  
| for backwards compatibility purposes!

|\*/

\$config['standardize\_newlines'] = FALSE;

/\*

|-----

| Global XSS Filtering

|-----

| Determines whether the XSS filter is always active when GET, POST or  
| COOKIE data is encountered

| WARNING: This feature is DEPRECATED and currently available only  
| for backwards compatibility purposes!

|\*/

\$config['global\_xss\_filtering'] = FALSE;

/\*

|-----

| Cross Site Request Forgery

|-----

| Enables a CSRF cookie token to be set. When set to TRUE, token will be  
| checked on a submitted form. If you are accepting user data, it is strongly  
| recommended CSRF protection be enabled.

| 'csrf\_token\_name' = The token name

| 'csrf\_cookie\_name' = The cookie name

| 'csrf\_expire' = The number in seconds the token should expire.

| 'csrf\_regenerate' = Regenerate token on every submission

| 'csrf\_exclude\_uris' = Array of URIs which ignore CSRF checks

|\*/

\$config['csrf\_protection'] = FALSE;

\$config['csrf\_token\_name'] = 'csrf\_test\_name';

\$config['csrf\_cookie\_name'] = 'csrf\_cookie\_name';

\$config['csrf\_expire'] = 7200;

\$config['csrf\_regenerate'] = TRUE;

\$config['csrf\_exclude\_uris'] = array();

```
/*
|-----
| Output Compression
|-----
|
| Enables Gzip output compression for faster page loads. When enabled,
| the output class will test whether your server supports Gzip.
| Even if it does, however, not all browsers support compression
| so enable only if you are reasonably sure your visitors can handle it.
|
| Only used if zlib.output_compression is turned off in your php.ini.
| Please do not use it together with httpd-level output compression.
|
| VERY IMPORTANT: If you are getting a blank page when compression is
enabled it
| means you are prematurely outputting something to your browser. It could
| even be a line of whitespace at the end of one of your scripts. For
| compression to work, nothing can be sent before the output buffer is called
| by the output class. Do not 'echo' any values with compression enabled.
|
*/
$config['compress_output'] = FALSE;
```

```
/*
|-----
| Master Time Reference
|-----
|
| Options are 'local' or any PHP supported timezone. This preference tells
| the system whether to use your server's local time as the master 'now'
| reference, or convert it to the configured one timezone. See the 'date
| helper' page of the user guide for information regarding date handling.
|
*/
$config['time_reference'] = 'local';
```

```
/*
|-----
| Rewrite PHP Short Tags
|-----
|
| If your PHP installation does not have short tag support enabled CI
| can rewrite the tags on-the-fly, enabling you to utilize that syntax
| in your view files. Options are TRUE or FALSE (boolean)
|

```

```

| Note: You need to have eval() enabled for this to work.
|
| */
$config['rewrite_short_tags'] = FALSE;

/*
|-----
| Reverse Proxy IPs
|-----
|
| If your server is behind a reverse proxy, you must whitelist the proxy
| IP addresses from which CodeIgniter should trust headers such as
| HTTP_X_FORWARDED_FOR and HTTP_CLIENT_IP in order to properly
| identify
| the visitor's IP address.
|
| You can use both an array or a comma-separated list of proxy addresses,
| as well as specifying whole subnets. Here are a few examples:
|
| Comma-separated: '10.0.1.200,192.168.5.0/24'
| Array:           array('10.0.1.200', '192.168.5.0/24')
| */
$config['proxy_ips'] = "";

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
|-----
| Display Debug backtrace
|-----
|
| If set to TRUE, a backtrace will be displayed along with php errors. If
| error_reporting is disabled, the backtrace will not display, regardless
| of this setting
|
| */
defined('SHOW_DEBUG_BACKTRACE') OR
define('SHOW_DEBUG_BACKTRACE', TRUE);

/*
|-----
| File and Directory Modes
|-----
|
| These prefs are used when checking and setting modes when working

```

| with the file system. The defaults are fine on servers with proper  
| security, but you may wish (or even need) to change the values in  
| certain environments (Apache running a separate process for each  
| user, PHP under CGI with Apache suEXEC, etc.). Octal values should  
| always be used to set the mode correctly.

|  
\*/

```
defined('FILE_READ_MODE') OR define('FILE_READ_MODE', 0644);  
defined('FILE_WRITE_MODE') OR define('FILE_WRITE_MODE', 0666);  
defined('DIR_READ_MODE') OR define('DIR_READ_MODE', 0755);  
defined('DIR_WRITE_MODE') OR define('DIR_WRITE_MODE', 0755);
```

/\*

|-----  
File Stream Modes

|  
| These modes are used when working with fopen()/popen()  
|

\*/

```
defined('FOPEN_READ') OR define('FOPEN_READ', 'rb');  
defined('FOPEN_READ_WRITE') OR  
define('FOPEN_READ_WRITE', 'r+b');  
defined('FOPEN_WRITE_CREATE_DESTRUCTIVE') OR  
define('FOPEN_WRITE_CREATE_DESTRUCTIVE', 'wb'); // truncates existing  
file data, use with care  
defined('FOPEN_READ_WRITE_CREATE_DESTRUCTIVE') OR  
define('FOPEN_READ_WRITE_CREATE_DESTRUCTIVE', 'w+b'); // truncates  
existing file data, use with care  
defined('FOPEN_WRITE_CREATE') OR  
define('FOPEN_WRITE_CREATE', 'ab');  
defined('FOPEN_READ_WRITE_CREATE') OR  
define('FOPEN_READ_WRITE_CREATE', 'a+b');  
defined('FOPEN_WRITE_CREATE_STRICT') OR  
define('FOPEN_WRITE_CREATE_STRICT', 'xb');  
defined('FOPEN_READ_WRITE_CREATE_STRICT') OR  
define('FOPEN_READ_WRITE_CREATE_STRICT', 'x+b');
```

/\*

|-----  
Exit Status Codes

|  
| Used to indicate the conditions under which the script is exit()ing.  
| While there is no universal standard for error codes, there are some  
| broad conventions. Three such conventions are mentioned below, for



| those who wish to make use of them. The CodeIgniter defaults were  
| chosen for the least overlap with these conventions, while still  
| leaving room for others to be defined in future versions and user  
| applications.

| The three main conventions used for determining exit status codes  
| are as follows:

| Standard C/C++ Library (stdlibc):

| [http://www.gnu.org/software/libc/manual/html\\_node/Exit-Status.html](http://www.gnu.org/software/libc/manual/html_node/Exit-Status.html)  
| (This link also contains other GNU-specific conventions)

| BSD sysexits.h:

| <http://www.gsp.com/cgi-bin/man.cgi?section=3&topic=sysexits>

| Bash scripting:

| <http://tldp.org/LDP/abs/html/exitcodes.html>

| \*/

```
defined('EXIT_SUCCESS')    OR define('EXIT_SUCCESS', 0); // no errors
defined('EXIT_ERROR')      OR define('EXIT_ERROR', 1); // generic error
defined('EXIT_CONFIG')     OR define('EXIT_CONFIG', 3); // configuration
error
defined('EXIT_UNKNOWN_FILE') OR define('EXIT_UNKNOWN_FILE', 4);
// file not found
defined('EXIT_UNKNOWN_CLASS') OR define('EXIT_UNKNOWN_CLASS',
5); // unknown class
defined('EXIT_UNKNOWN_METHOD') OR
define('EXIT_UNKNOWN_METHOD', 6); // unknown class member
defined('EXIT_USER_INPUT')   OR define('EXIT_USER_INPUT', 7); //
invalid user input
defined('EXIT_DATABASE')    OR define('EXIT_DATABASE', 8); // database
error
defined('EXIT__AUTO_MIN')   OR define('EXIT__AUTO_MIN', 9); // lowest
automatically-assigned error code
defined('EXIT__AUTO_MAX')   OR define('EXIT__AUTO_MAX', 125); //
highest automatically-assigned error code
```

<?php

```
defined('BASEPATH') OR exit('No direct script access allowed');
```

/\*

| -----  
| DATABASE CONNECTIVITY SETTINGS  
| -----

| This file will contain the settings needed to access your database.

| For complete instructions please consult the 'Database Connection'

| page of the User Guide.

| -----  
| EXPLANATION OF VARIABLES  
| -----

| ['dsn'] The full DSN string describe a connection to the database.

| ['hostname'] The hostname of your database server.

| ['username'] The username used to connect to the database

| ['password'] The password used to connect to the database

| ['database'] The name of the database you want to connect to

| ['dbdriver'] The database driver. e.g.: mysqli.

| Currently supported:

| cubrid, ibase, mssql, mysql, mysqli, oci8,

| odbc, pdo, postgre, sqlite, sqlite3, sqlsrv

| ['dbprefix'] You can add an optional prefix, which will be added

| to the table name when using the Query Builder

| class

| ['pconnect'] TRUE/FALSE - Whether to use a persistent connection

| ['db\_debug'] TRUE/FALSE - Whether database errors should be  
| displayed.

| ['cache\_on'] TRUE/FALSE - Enables/disables query caching

| ['cachedir'] The path to the folder where cache files should be stored

| ['char\_set'] The character set used in communicating with the database

| ['dbcollat'] The character collation used in communicating with the

| database

| setting is only used

| as a backup if your server is running PHP < 5.2.3 or  
| MySQL < 5.0.7

| (and in table creation queries made with DB  
| Forge).

| There is an incompatibility in PHP with  
| mysql\_real\_escape\_string() which

| can make your site vulnerable to SQL injection if  
| you are using a

| multi-byte character set and are running versions  
| lower than these.

| Sites using Latin-1 or UTF-8 database character set  
| and collation are unaffected.

| ['swap\_pre'] A default table prefix that should be swapped with the  
| dbprefix

| ['encrypt'] Whether or not to use an encrypted connection.

| 'mysql' (deprecated), 'sqlsrv' and 'pdo/sqlsrv' drivers accept  
| TRUE/FALSE

| 'mysqli' and 'pdo/mysqli' drivers accept an array with the following options:

- | 'ssl\_key' - Path to the private key file
- | 'ssl\_cert' - Path to the public key certificate file
- | 'ssl\_ca' - Path to the certificate authority file
- | 'ssl\_capath' - Path to a directory containing trusted CA certificates in PEM format
- | 'ssl\_cipher' - List of \*allowed\* ciphers to be used for the encryption, separated by colons (':')
- | 'ssl\_verify' - TRUE/FALSE; Whether verify the server certificate or not ('mysqli' only)
- | ['compress'] Whether or not to use client compression (MySQL only)
- | ['strict\_mode'] TRUE/FALSE - forces 'Strict Mode' connections - good for ensuring strict SQL while developing
- | ['ssl\_options'] Used to set various SSL options that can be used when making SSL connections.
- | ['failover'] array - A array with 0 or more data for connections if the main should fail.
- | ['save\_queries'] TRUE/FALSE - Whether to "save" all executed queries. NOTE: Disabling this will also effectively disable both \$this->db->last\_query() and profiling of DB queries.
- | When you run a query, with this setting set to TRUE (default), CodeIgniter will store the SQL statement for debugging purposes. However, this may cause high memory usage, especially if you run a lot of SQL queries ... disable this to avoid that problem.
- | The \$active\_group variable lets you choose which connection group to make active. By default there is only one group (the 'default' group).
- | The \$query\_builder variable lets you determine whether or not to load the query builder class.

```

*/
$active_group = 'default';
$query_builder = TRUE;
error_reporting(0);
$db['default'] = array(
    'dsn' => ",

```

```

        'hostname' => 'localhost',
        'username' => 'root',
        'password' => "",
        'database' => 'db_gaji',
        'dbdriver' => 'mysqli',
        'dbprefix' => "",
        'pconnect' => FALSE,
        'db_debug' => (ENVIRONMENT !== 'production'),
        'cache_on' => FALSE,
        'cachedir' => "",
        'char_set' => 'utf8',
        'dbcollat' => 'utf8_general_ci',
        'swap_pre' => "",
        'encrypt' => FALSE,
        'compress' => FALSE,
        'stricton' => FALSE,
        'failover' => array(),
        'save_queries' => TRUE
    );

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

```

```

$_doctypes = array(
    'xhtml11' => '<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">',
    'xhtml1-strict' => '<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">',
    'xhtml1-trans' => '<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">',
    'xhtml1-frame' => '<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
1.0 Frameset//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-frameset.dtd">',
    'xhtml-basic11' => '<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
Basic 1.1//EN" "http://www.w3.org/TR/xhtml1-basic/xhtml1-basic11.dtd">',
    'html5' => '<!DOCTYPE html>',
    'html4-strict' => '<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML
4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">',
    'html4-trans' => '<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML
4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">',
    'html4-frame' => '<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML
4.01 Frameset//EN" "http://www.w3.org/TR/html4/frameset.dtd">',
    'mathml1' => '<!DOCTYPE math SYSTEM
"http://www.w3.org/Math/DTD/mathml1/mathml.dtd">',
    'mathml2' => '<!DOCTYPE math PUBLIC "-//W3C//DTD MathML
2.0//EN" "http://www.w3.org/Math/DTD/mathml2/mathml2.dtd">',

```



[illegible]

```

        '/ij/' => 'ij',
        '/Œ/' => 'OE',
        '/f/' => 'f',
        '/ξ/' => 'ks',
        '/π/' => 'p',
        '/β/' => 'v',
        '/μ/' => 'm',
        '/ψ/' => 'ps',
        '/Ë/' => 'Yo',
        '/ë/' => 'yo',
        '/€/' => 'Ye',
        '/ε/' => 'ye',
        '/İ/' => 'Yi',
        '/Ж/' => 'Zh',
        '/ж/' => 'zh',
        '/X/' => 'Kh',
        '/x/' => 'kh',
        '/Ц/' => 'Ts',
        '/ц/' => 'ts',
        '/Ч/' => 'Ch',
        '/ч/' => 'ch',
        '/Ш/' => 'Sh',
        '/ш/' => 'sh',
        '/Щ/' => 'Shch',
        '/щ/' => 'shch',
        '/Ђ|Ђ|Б|Б/' => '',
        '/Ю/' => 'Yu',
        '/ю/' => 'yu',
        '/Я/' => 'Ya',
        '/я/' => 'ya'
    );

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
| -----
| Hooks
| -----
| This file lets you define "hooks" to extend CI without hacking the core
| files. Please see the user guide for info:
|
|      https://codeigniter.com/user_guide/general/hooks.html
|
*/

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
|-----
| Memcached settings
|-----
| Your Memcached servers can be specified below.
|
| See:
| https://codeigniter.com/user\_guide/libraries/caching.html#memcached
|
*/
$config = array(
    'default' => array(
        'hostname' => '127.0.0.1',
        'port' => '11211',
        'weight' => '1',
    ),
);

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
|-----
| Enable/Disable Migrations
|-----
|
| Migrations are disabled by default for security reasons.
| You should enable migrations whenever you intend to do a schema migration
| and disable it back when you're done.
|
*/
$config['migration_enabled'] = FALSE;

/*
|-----
| Migration Type
|-----
|
| Migration file names may be based on a sequential identifier or on
| a timestamp. Options are:
|
| 'sequential' = Sequential migration naming (001_add_blog.php)
| 'timestamp' = Timestamp migration naming (20121031104401_add_blog.php)

```



```

|           Use timestamp format YYYYMMDDHHIISS.
|
| Note: If this configuration value is missing the Migration library
|       defaults to 'sequential' for backward compatibility with CI2.
|
| */
$config['migration_type'] = 'timestamp';

/*
|-----
| Migrations table
|-----
|
| This is the name of the table that will store the current migrations state.
| When migrations runs it will store in a database table which migration
| level the system is at. It then compares the migration level in this
| table to the $config['migration_version'] if they are not the same it
| will migrate up. This must be set.
|
| */
$config['migration_table'] = 'migrations';

/*
|-----
| Auto Migrate To Latest
|-----
|
| If this is set to TRUE when you load the migrations class and have
| $config['migration_enabled'] set to TRUE the system will auto migrate
| to your latest migration (whatever $config['migration_version'] is
| set to). This way you do not have to call migrations anywhere else
| in your code to have the latest migration.
|
| */
$config['migration_auto_latest'] = FALSE;

/*
|-----
| Migrations version
|-----
|
| This is used to set migration version that the file system should be on.
| If you run $this->migration->current() this is the version that schema will
| be upgraded / downgraded to.
|
| */

```

```

$config['migration_version'] = 0;

/*
|-----
| Migrations Path
|-----
|
| Path to your migrations folder.
| Typically, it will be within your application path.
| Also, writing permission is required within the migrations path.
|
*/
$config['migration_path'] = APPPATH.'migrations/';

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
| -----
| MIME TYPES
| -----
| This file contains an array of mime types. It is used by the
| Upload class to help identify allowed file types.
|
*/
return array(
    'hqx' => array('application/mac-binhex40', 'application/mac-binhex',
'application/x-binhex40', 'application/x-mac-binhex40'),
    'cpt' => 'application/mac-compactpro',
    'csv' => array('text/x-comma-separated-values', 'text/comma-
separated-values', 'application/octet-stream', 'application/vnd.ms-excel',
'application/x-csv', 'text/x-csv', 'text/csv', 'application/csv', 'application/excel',
'application/vnd.msexcel', 'text/plain'),
    'bin' => array('application/macbinary', 'application/mac-binary',
'application/octet-stream', 'application/x-binary', 'application/x-macbinary'),
    'dms' => 'application/octet-stream',
    'lha' => 'application/octet-stream',
    'lzh' => 'application/octet-stream',
    'exe' => array('application/octet-stream', 'application/x-
msdownload'),
    'class' => 'application/octet-stream',
    'psd' => array('application/x-photoshop',
'image/vnd.adobe.photoshop'),
    'so' => 'application/octet-stream',
    'sea' => 'application/octet-stream',
    'dll' => 'application/octet-stream',

```

```

'oda' => 'application/oda',
'pdf' => array('application/pdf', 'application/force-download',
'application/x-download', 'binary/octet-stream'),
'ai' => array('application/pdf', 'application/postscript'),
'eps' => 'application/postscript',
'ps' => 'application/postscript',
'smi' => 'application/smil',
'smil' => 'application/smil',
'mif' => 'application/vnd.mif',
'xls' => array('application/vnd.ms-excel', 'application/msexcel',
'application/x-msexcel', 'application/x-ms-excel', 'application/x-excel',
'application/x-dos_ms_excel', 'application/xls', 'application/x-xls',
'application/excel', 'application/download', 'application/vnd.ms-office',
'application/msword'),
'ppt' => array('application/powerpoint', 'application/vnd.ms-
powerpoint', 'application/vnd.ms-office', 'application/msword'),
'pptx' => array('application/vnd.openxmlformats-
officedocument.presentationml.presentation', 'application/x-zip', 'application/zip'),
'wbxml' => 'application/wbxml',
'wmlc' => 'application/wmlc',
'dcr' => 'application/x-director',
'dir' => 'application/x-director',
'dxr' => 'application/x-director',
'dvi' => 'application/x-dvi',
'gtar' => 'application/x-gtar',
'gz' => 'application/x-gzip',
'gzip' => 'application/x-gzip',
'php' => array('application/x-httpd-php', 'application/php',
'application/x-php', 'text/php', 'text/x-php', 'application/x-httpd-php-source'),
'php4' => 'application/x-httpd-php',
'php3' => 'application/x-httpd-php',
'phtml' => 'application/x-httpd-php',
'phps' => 'application/x-httpd-php-source',
'js' => array('application/x-javascript', 'text/plain'),
'swf' => 'application/x-shockwave-flash',
'sit' => 'application/x-stuffit',
'tar' => 'application/x-tar',
'tgz' => array('application/x-tar', 'application/x-gzip-compressed'),
'z' => 'application/x-compress',
'xhtml' => 'application/xhtml+xml',
'xht' => 'application/xhtml+xml',
'zip' => array('application/x-zip', 'application/zip', 'application/x-
zip-compressed', 'application/s-compressed', 'multipart/x-zip'),
'rar' => array('application/x-rar', 'application/rar', 'application/x-rar-
compressed'),
'mid' => 'audio/midi',

```

```

'midi' => 'audio/midi',
'mpga' => 'audio/mpeg',
'mp2' => 'audio/mpeg',
'mp3' => array('audio/mpeg', 'audio/mpg', 'audio/mpeg3',
'audio/mp3'),
'aif' => array('audio/x-aiff', 'audio/aiff'),
'aiff' => array('audio/x-aiff', 'audio/aiff'),
'aifc' => 'audio/x-aiff',
'ram' => 'audio/x-pn-realaudio',
'rm' => 'audio/x-pn-realaudio',
'rpm' => 'audio/x-pn-realaudio-plugin',
'ra' => 'audio/x-realaudio',
'rv' => 'video/vnd.rn-realvideo',
'wav' => array('audio/x-wav', 'audio/wave', 'audio/wav'),
'bmp' => array('image/bmp', 'image/x-bmp', 'image/x-bitmap',
'image/x-xbitmap', 'image/x-win-bitmap', 'image/x-windows-bmp', 'image/ms-
bmp', 'image/x-ms-bmp', 'application/bmp', 'application/x-bmp', 'application/x-
win-bitmap'),
'gif' => 'image/gif',
'jpeg' => array('image/jpeg', 'image/pjpeg'),
'jpg' => array('image/jpeg', 'image/pjpeg'),
'jpe' => array('image/jpeg', 'image/pjpeg'),
'jp2' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'j2k' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'jpf' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'jpg2' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'jpx' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'jpm' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'mj2' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'mjp2' => array('image/jp2', 'video/mj2', 'image/jpx', 'image/jpm'),
'png' => array('image/png', 'image/x-png'),
'tiff' => 'image/tiff',
'tif' => 'image/tiff',
'css' => array('text/css', 'text/plain'),
'html' => array('text/html', 'text/plain'),
'htm' => array('text/html', 'text/plain'),
'shtml' => array('text/html', 'text/plain'),
'txt' => 'text/plain',
'text' => 'text/plain',
'log' => array('text/plain', 'text/x-log'),
'rtx' => 'text/richtext',
'rtf' => 'text/rtf',
'xml' => array('application/xml', 'text/xml', 'text/plain'),
'xsl' => array('application/xml', 'text/xsl', 'text/xml'),
'mpeg' => 'video/mpeg',
'mpg' => 'video/mpeg',

```

```

'mpe' => 'video/mpeg',
'qt'  => 'video/quicktime',
'mov' => 'video/quicktime',
'avi' => array('video/x-msvideo', 'video/msvideo', 'video/avi',
'application/x-troff-msvideo'),
'movie'=> 'video/x-sgi-movie',
'doc'  => array('application/msword', 'application/vnd.ms-office'),
'docx' => array('application/vnd.openxmlformats-
officedocument.wordprocessingml.document', 'application/zip',
'application/msword', 'application/x-zip'),
'dot'  => array('application/msword', 'application/vnd.ms-office'),
'dotx' => array('application/vnd.openxmlformats-
officedocument.wordprocessingml.document', 'application/zip',
'application/msword'),
'xlsx' => array('application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet', 'application/zip', 'application/vnd.ms-excel',
'application/msword', 'application/x-zip'),
'word' => array('application/msword', 'application/octet-stream'),
'xl'   => 'application/excel',
'eml'  => 'message/rfc822',
'json' => array('application/json', 'text/json'),
'pem'  => array('application/x-x509-user-cert', 'application/x-pem-
file', 'application/octet-stream'),
'p10'  => array('application/x-pkcs10', 'application/pkcs10'),
'p12'  => 'application/x-pkcs12',
'p7a'  => 'application/x-pkcs7-signature',
'p7c'  => array('application/pkcs7-mime', 'application/x-pkcs7-
mime'),
'p7m'  => array('application/pkcs7-mime', 'application/x-pkcs7-
mime'),
'p7r'  => 'application/x-pkcs7-certreqresp',
'p7s'  => 'application/pkcs7-signature',
'crt'  => array('application/x-x509-ca-cert', 'application/x-x509-user-
cert', 'application/pkix-cert'),
'crl'  => array('application/pkix-crl', 'application/pkcs-crl'),
'der'  => 'application/x-x509-ca-cert',
'kdb'  => 'application/octet-stream',
'pgp'  => 'application/pgp',
'gpg'  => 'application/gpg-keys',
'sst'  => 'application/octet-stream',
'csr'  => 'application/octet-stream',
'rsa'  => 'application/x-pkcs7',
'cer'  => array('application/pkix-cert', 'application/x-x509-ca-cert'),
'3g2'  => 'video/3gpp2',
'3gp'  => array('video/3gp', 'video/3gpp'),
'mp4'  => 'video/mp4',

```

```

'm4a' => 'audio/x-m4a',
'f4v' => array('video/mp4', 'video/x-f4v'),
'flv' => 'video/x-flv',
'webm' => 'video/webm',
'aac' => 'audio/x-acc',
'm4u' => 'application/vnd.mpegurl',
'm3u' => 'text/plain',
'xspf' => 'application/xspf+xml',
'vlc' => 'application/videolan',
'wmv' => array('video/x-ms-wmv', 'video/x-ms-asf'),
'au' => 'audio/x-au',
'ac3' => 'audio/ac3',
'flac' => 'audio/x-flac',
'ogg' => array('audio/ogg', 'video/ogg', 'application/ogg'),
'kmz' => array('application/vnd.google-earth.kmz', 'application/zip',
'application/x-zip'),
'kml' => array('application/vnd.google-earth.kml+xml',
'application/xml', 'text/xml'),
'ics' => 'text/calendar',
'ical' => 'text/calendar',
'zsh' => 'text/x-scriptzsh',
'7zip' => array('application/x-compressed', 'application/x-zip-
compressed', 'application/zip', 'multipart/x-zip'),
'cdr' => array('application/cdr', 'application/coreldraw',
'application/x-cdr', 'application/x-coreldraw', 'image/cdr', 'image/x-cdr', 'zz-
application/zz-winassoc-cdr'),
'wma' => array('audio/x-ms-wma', 'video/x-ms-asf'),
'jar' => array('application/java-archive', 'application/x-java-
application', 'application/x-jar', 'application/x-compressed'),
'svg' => array('image/svg+xml', 'application/xml', 'text/xml'),
'vcf' => 'text/x-vcard',
'srt' => array('text/srt', 'text/plain'),
'vtt' => array('text/vtt', 'text/plain'),
'ico' => array('image/x-icon', 'image/x-ico',
'image/vnd.microsoft.icon'),
'odc' => 'application/vnd.oasis.opendocument.chart',
'otc' => 'application/vnd.oasis.opendocument.chart-template',
'odf' => 'application/vnd.oasis.opendocument.formula',
'otf' => 'application/vnd.oasis.opendocument.formula-template',
'odg' => 'application/vnd.oasis.opendocument.graphics',
'otg' => 'application/vnd.oasis.opendocument.graphics-template',
'odi' => 'application/vnd.oasis.opendocument.image',
'oti' => 'application/vnd.oasis.opendocument.image-template',
'odp' => 'application/vnd.oasis.opendocument.presentation',
'otp' => 'application/vnd.oasis.opendocument.presentation-
template',

```

```

        'ods' => 'application/vnd.oasis.opendocument.spreadsheet',
        'ots' => 'application/vnd.oasis.opendocument.spreadsheet-template',
        'odt' => 'application/vnd.oasis.opendocument.text',
        'odm' => 'application/vnd.oasis.opendocument.text-master',
        'ott' => 'application/vnd.oasis.opendocument.text-template',
        'oth' => 'application/vnd.oasis.opendocument.text-web'
    );

```

```

<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

```

```

/*
 * Pagination Config Bootstrap 3 CSS Style
 * harviacode.com
 */

```

```

$config['query_string_segment'] = 'start';

```

```

$config['full_tag_open'] = '<nav><ul class="pagination" style="margin-top:0px">';

```

```

$config['full_tag_close'] = '</ul></nav>';

```

```

$config['first_link'] = 'First';

```

```

$config['first_tag_open'] = '<li>';

```

```

$config['first_tag_close'] = '</li>';

```

```

$config['last_link'] = 'Last';

```

```

$config['last_tag_open'] = '<li>';

```

```

$config['last_tag_close'] = '</li>';

```

```

$config['next_link'] = 'Next';

```

```

$config['next_tag_open'] = '<li>';

```

```

$config['next_tag_close'] = '</li>';

```

```

$config['prev_link'] = 'Prev';

```

```

$config['prev_tag_open'] = '<li>';

```

```

$config['prev_tag_close'] = '</li>';

```

```

$config['cur_tag_open'] = '<li class="active"><a>';

```

```

$config['cur_tag_close'] = '</a></li>';

```

```

$config['num_tag_open'] = '<li>';

```

```

$config['num_tag_close'] = '</li>';

```

```

/* End of file pagination.php */

```

```

/* Location: ./application/config/pagination.php */

```

```
/* Please DO NOT modify this information : */
/* Generated by Harviacode Codeigniter CRUD Generator 2017-11-03 10:36:06
*/
/* http://harviacode.com */
```

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
| -----
| Profiler Sections
| -----
| This file lets you determine whether or not various sections of Profiler
| data are displayed when the Profiler is enabled.
| Please see the user guide for info:
|
|      https://codeigniter.com/user_guide/general/profiling.html
|
*/
```

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
| -----
| URI ROUTING
| -----
| This file lets you re-map URI requests to specific controller functions.
|
| Typically there is a one-to-one relationship between a URL string
| and its corresponding controller class/method. The segments in a
| URL normally follow this pattern:
|
|      example.com/class/method/id/
|
| In some instances, however, you may want to remap this relationship
| so that a different class/function is called than the one
| corresponding to the URL.
|
| Please see the user guide for complete details:
|
|      https://codeigniter.com/user_guide/general/routing.html
|
| -----
| RESERVED ROUTES
| -----
```



```

|
| There are three reserved routes:
|
|     $route['default_controller'] = 'welcome';
|
| This route indicates which controller class should be loaded if the
| URI contains no data. In the above example, the "welcome" class
| would be loaded.
|
|     $route['404_override'] = 'errors/page_missing';
|
| This route will tell the Router which controller/method to use if those
| provided in the URL cannot be matched to a valid route.
|
|     $route['translate_uri_dashes'] = FALSE;
|
| This is not exactly a route, but allows you to automatically route
| controller and method names that contain dashes. '-' isn't a valid
| class or method name character, so it requires translation.
| When you set this option to TRUE, it will replace ALL dashes in the
| controller and method URI segments.
|
| Examples:  my-controller/index  -> my_controller/index
|            my-controller/my-method  -> my_controller/my_method
|
| */
| $route['default_controller'] = 'app';
| $route['404_override'] = "";
| $route['translate_uri_dashes'] = FALSE;
|
| $route['pegawai'] = 'karyawan';
| $route['jabatan'] = 'pekerjaan';
|
| <?php
| defined('BASEPATH') OR exit('No direct script access allowed');
|
| /*
| -----
| | SMILEYS
| -----
|
| This file contains an array of smileys for use with the emoticon helper.
| Individual images can be used to replace multiple smileys. For example:
| :-) and :) use the same image replacement.
|
| Please see user guide for more info:
| https://codeigniter.com/user_guide/helpers/smiley_helper.html
|

```

```

*/
$smileys = array(

//      smiley      image name
      width height alt

      ':-)'          =>    array('grin.gif',          '19',  '19',
      'grin'),
      ':lol:'        =>    array('lol.gif',          '19',  '19',
      'LOL'),
      ':cheese:'     =>    array('cheese.gif',        '19',
      '19',  'cheese'),
      ':)'           =>    array('smile.gif',        '19',
      '19',  'smile'),
      ';-)'          =>    array('wink.gif',          '19',
      '19',  'wink'),
      ':)'           =>    array('wink.gif',          '19',
      '19',  'wink'),
      ':smirk:'      =>    array('smirk.gif',        '19',
      '19',  'smirk'),
      ':roll:'       =>    array('rolleyes.gif',      '19',  '19',
      'rolleyes'),
      ':-S'          =>    array('confused.gif',      '19',  '19',
      'confused'),
      ':wow:'        =>    array('surprise.gif',      '19',  '19',
      'surprised'),
      ':bug:'        =>    array('bigsurprise.gif', '19',  '19',  'big
surprise'),
      ':-P'          =>    array('tongue_laugh.gif',  '19',  '19',
      'tongue laugh'),
      '%-P'          =>    array('tongue_rolleye.gif', '19',  '19',
      'tongue rolleye'),
      ';-P'          =>    array('tongue_wink.gif',   '19',  '19',
      'tongue wink'),
      ':P'           =>    array('raspberry.gif',    '19',  '19',
      'raspberry'),
      ':blank:'      =>    array('blank.gif',        '19',
      '19',  'blank stare'),
      ':long:'       =>    array('longface.gif',      '19',  '19',  'long
face'),
      ':ohh:'        =>    array('ohh.gif',          '19',  '19',
      'ohh'),
      ':grrr:'       =>    array('grrr.gif',          '19',  '19',  'grrr'),
      ':gulp:'       =>    array('gulp.gif',         '19',  '19',
      'gulp'),

```

```

'8-/' => array('ohoh.gif', '19',
'19', 'oh oh'),
':down:' => array('downer.gif', '19',
'19', 'downer'),
':red:' => array('embarrassed.gif', '19', '19',
'red face'),
':sick:' => array('sick.gif', '19', '19', 'sick'),
':shut:' => array('shuteye.gif', '19', '19', 'shut
eye'),
':-/ ' => array('hmm.gif', '19',
'19', 'hmmm'),
':>(' => array('mad.gif', '19',
'19', 'mad'),
':mad:' => array('mad.gif', '19',
'19', 'mad'),
':>-( ' => array('angry.gif', '19',
'19', 'angry'),
':angry:' => array('angry.gif', '19',
'19', 'angry'),
':zip:' => array('zip.gif', '19', '19',
'zipper'),
':kiss:' => array('kiss.gif', '19', '19', 'kiss'),
':ahhh:' => array('shock.gif', '19', '19',
'shock'),
':coolsmile:' => array('shade_smile.gif', '19', '19', 'cool
smile'),
':coolsmirk:' => array('shade_smirk.gif', '19', '19', 'cool
smirk'),
':coolgrin:' => array('shade_grin.gif', '19', '19', 'cool
grin'),
':coolhmm:' => array('shade_hmm.gif', '19',
'19', 'cool hmm'),
':coolmad:' => array('shade_mad.gif', '19', '19',
'cool mad'),
':coolcheese:' => array('shade_cheese.gif', '19', '19', 'cool
cheese'),
':vampire:' => array('vampire.gif', '19', '19',
'vampire'),
':snake:' => array('snake.gif', '19',
'19', 'snake'),
':exclaim:' => array('exclaim.gif', '19', '19',
'exclaim'),
':question:' => array('question.gif', '19', '19',
'question')
);

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

/*
| -----
| USER AGENT TYPES
| -----
| This file contains four arrays of user agent data. It is used by the
| User Agent Class to help identify browser, platform, robot, and
| mobile device data. The array keys are used to identify the device
| and the array values are used to set the actual name of the item.
*/
$platforms = array(
    'windows nt 10.0'    => 'Windows 10',
    'windows nt 6.3'     => 'Windows 8.1',
    'windows nt 6.2'     => 'Windows 8',
    'windows nt 6.1'     => 'Windows 7',
    'windows nt 6.0'     => 'Windows Vista',
    'windows nt 5.2'     => 'Windows 2003',
    'windows nt 5.1'     => 'Windows XP',
    'windows nt 5.0'     => 'Windows 2000',
    'windows nt 4.0'     => 'Windows NT 4.0',
    'winnt4.0'           => 'Windows NT 4.0',
    'winnt 4.0'          => 'Windows NT',
    'winnt'              => 'Windows NT',
    'windows 98'         => 'Windows 98',
    'win98'              => 'Windows 98',
    'windows 95'         => 'Windows 95',
    'win95'              => 'Windows 95',
    'windows phone'      => 'Windows Phone',
    'windows'            => 'Unknown Windows OS',
    'android'            => 'Android',
    'blackberry'         => 'BlackBerry',
    'iphone'             => 'iOS',
    'ipad'               => 'iOS',
    'ipod'               => 'iOS',
    'os x'               => 'Mac OS X',
    'ppc mac'            => 'Power PC Mac',
    'freebsd'            => 'FreeBSD',
    'ppc'                => 'Macintosh',
    'linux'              => 'Linux',
    'debian'             => 'Debian',
    'sunos'              => 'Sun Solaris',
    'beos'               => 'BeOS',
    'apachebench'        => 'ApacheBench',
    'aix'                => 'AIX',

```

```

        'irix'                => 'Irix',
        'osf'                 => 'DEC OSF',
        'hp-ux'               => 'HP-UX',
        'netbsd'              => 'NetBSD',
        'bsdi'                => 'BSDi',
        'openbsd'             => 'OpenBSD',
        'gnu'                 => 'GNU/Linux',
        'unix'                => 'Unknown Unix OS',
        'symbian'             => 'Symbian OS'
    );

```

```

// The order of this array should NOT be changed. Many browsers return
// multiple browser types so we want to identify the sub-type first.

```

```

$browsers = array(
    'OPR'                => 'Opera',
    'Flock'              => 'Flock',
    'Edge'               => 'Spartan',
    'Chrome'             => 'Chrome',
    // Opera 10+ always reports Opera/9.80 and appends Version/<real
    version> to the user agent string
    'Opera.*?Version'    => 'Opera',
    'Opera'              => 'Opera',
    'MSIE'               => 'Internet Explorer',
    'Internet Explorer'  => 'Internet Explorer',
    'Trident.* rv'       => 'Internet Explorer',
    'Shiira'             => 'Shiira',
    'Firefox'            => 'Firefox',
    'Chimera'            => 'Chimera',
    'Phoenix'            => 'Phoenix',
    'Firebird'           => 'Firebird',
    'Camino'             => 'Camino',
    'Netscape'           => 'Netscape',
    'OmniWeb'            => 'OmniWeb',
    'Safari'             => 'Safari',
    'Mozilla'            => 'Mozilla',
    'Konqueror'          => 'Konqueror',
    'icab'               => 'iCab',
    'Lynx'               => 'Lynx',
    'Links'              => 'Links',
    'hotjava'            => 'HotJava',
    'amaya'              => 'Amaya',
    'IBrowse'            => 'IBrowse',
    'Maxthon'            => 'Maxthon',
    'Ubuntu'             => 'Ubuntu Web Browser'
);

```

```

$mobiles = array(
    // legacy array, old values commented out
    'mobileexplorer'    => 'Mobile Explorer',
    // 'openwave'        => 'Open Wave',
    // 'opera mini'      => 'Opera Mini',
    // 'operamini'       => 'Opera Mini',
    // 'elaine'          => 'Palm',
    // 'palmsource'      => 'Palm',
    // 'digital paths'   => 'Palm',
    // 'avantgo'         => 'Avantgo',
    // 'xiino'           => 'Xiino',
    // 'palmscape'       => 'Palmscape',
    // 'nokia'           => 'Nokia',
    // 'ericsson'        => 'Ericsson',
    // 'blackberry'      => 'BlackBerry',
    // 'motorola'        => 'Motorola'

    // Phones and Manufacturers
    'motorola'          => 'Motorola',
    'nokia'             => 'Nokia',
    'palm'              => 'Palm',
    'iphone'           => 'Apple iPhone',
    'ipad'              => 'iPad',
    'ipod'              => 'Apple iPod Touch',
    'sony'              => 'Sony Ericsson',
    'ericsson'          => 'Sony Ericsson',
    'blackberry'        => 'BlackBerry',
    'cocoon'            => 'O2 Cocoon',
    'blazer'            => 'Treo',
    'lg'                => 'LG',
    'amoi'              => 'Amoi',
    'xda'               => 'XDA',
    'mda'               => 'MDA',
    'vario'             => 'Vario',
    'htc'               => 'HTC',
    'samsung'           => 'Samsung',
    'sharp'             => 'Sharp',
    'sie-'              => 'Siemens',
    'alcatel'           => 'Alcatel',
    'benq'              => 'BenQ',
    'ipaq'              => 'HP iPaq',
    'mot-'              => 'Motorola',
    'playstation portable' => 'PlayStation Portable',
    'playstation 3'     => 'PlayStation 3',
    'playstation vita'  => 'PlayStation Vita',

```

'hiptop' => 'Danger Hiptop',  
 'nec-' => 'NEC',  
 'panasonic' => 'Panasonic',  
 'philips' => 'Philips',  
 'sagem' => 'Sagem',  
 'sanyo' => 'Sanyo',  
 'spv' => 'SPV',  
 'zte' => 'ZTE',  
 'sendo' => 'Sendo',  
 'nintendo dsi' => 'Nintendo DSi',  
 'nintendo ds' => 'Nintendo DS',  
 'nintendo 3ds' => 'Nintendo 3DS',  
 'wii' => 'Nintendo Wii',  
 'open web' => 'Open Web',  
 'openweb' => 'OpenWeb',

#### // Operating Systems

'android' => 'Android',  
 'symbian' => 'Symbian',  
 'SymbianOS' => 'SymbianOS',  
 'elaine' => 'Palm',  
 'series60' => 'Symbian S60',  
 'windows ce' => 'Windows CE',

#### // Browsers

'obigo' => 'Obigo',  
 'netfront' => 'Netfront Browser',  
 'openwave' => 'Openwave Browser',  
 'mobileexplorer' => 'Mobile Explorer',  
 'operamini' => 'Opera Mini',  
 'opera mini' => 'Opera Mini',  
 'opera mobi' => 'Opera Mobile',  
 'fennec' => 'Firefox Mobile',

#### // Other

'digital paths' => 'Digital Paths',  
 'avantgo' => 'AvantGo',  
 'xiino' => 'Xiino',  
 'novarra' => 'Novarra Transcoder',  
 'vodafone' => 'Vodafone',  
 'docomo' => 'NTT DoCoMo',  
 'o2' => 'O2',

#### // Fallback

'mobile' => 'Generic Mobile',  
 'wireless' => 'Generic Mobile',

```

        'j2me'           => 'Generic Mobile',
        'midp'           => 'Generic Mobile',
        'cldc'           => 'Generic Mobile',
        'up.link'        => 'Generic Mobile',
        'up.browser'     => 'Generic Mobile',
        'smartphone'     => 'Generic Mobile',
        'cellphone'      => 'Generic Mobile'
    );

```

// There are hundreds of bots but these are the most common.

```

$robots = array(
    'googlebot'          => 'Googlebot',
    'msnbot'             => 'MSNBot',
    'baiduspider'        => 'Baiduspider',
    'bingbot'            => 'Bing',
    'slurp'              => 'Inktomi Slurp',
    'yahoo'              => 'Yahoo',
    'ask jeeves'         => 'Ask Jeeves',
    'fastcrawler'        => 'FastCrawler',
    'infoseek'           => 'InfoSeek Robot 1.0',
    'lycos'              => 'Lycos',
    'yandex'             => 'YandexBot',
    'mediapartners-google' => 'MediaPartners Google',
    'CRAZYWEBCRAWLER'    => 'Crazy Webcrawler',
    'adsbot-google'      => 'AdsBot Google',
    'feedfetcher-google' => 'Feedfetcher Google',
    'curious george'     => 'Curious George',
    'ia_archiver'        => 'Alexa Crawler',
    'MJ12bot'            => 'Majestic-12',
    'Uptimebot'          => 'Uptimebot'
);

```

```

<?php
if (!defined('BASEPATH')) exit('No direct script access allowed');
class Absensi extends CI_Controller{
    function __construct()
    {
        parent::__construct();
        $this->load->model('Absensi_model');
        $this->load->library('form_validation');
    }

    public function index(){
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
    }
}

```



```

$q = urldecode($this->input->get('q', TRUE));
$start = intval($this->input->get('start'));

if ($q <> "") {
    $config['base_url'] = base_url() . 'absensi/index.html?q=' . urlencode($q);
    $config['first_url'] = base_url() . 'absensi/index.html?q=' . urlencode($q);
} else {
    $config['base_url'] = base_url() . 'absensi/index.html';
    $config['first_url'] = base_url() . 'absensi/index.html';
}

$config['per_page'] = 10;
$config['page_query_string'] = TRUE;
$config['total_rows'] = $this->Absensi_model->total_rows($q);
$absensi = $this->Absensi_model->get_limit_data($config['per_page'],
$start, $q);

$this->load->library('pagination');
$this->pagination->initialize($config);

$data = array(
    'absensi_data' => $absensi,
    'q' => $q,
    'pagination' => $this->pagination->create_links(),
    'total_rows' => $config['total_rows'],
    'start' => $start,
    'konten' => 'absensi/absensi',
    'judul' => 'Absensi',
);
$this->load->view('v_index', $data);
}

public function create()
{
    $absensi = $this->db->get('karyawan');
    $data = array(
        'button' => 'Create',
        'action' => site_url('absensi/create_action'),
        'id_karyawan' => set_value('id_karyawan'),
        'nik' => set_value('nik'),
        'username' => set_value('username'),
        'password' => set_value('password'),
        'nama' => set_value('nama'),
        'alamat' => set_value('alamat'),
        'jenis_kelamin' => set_value('jenis_kelamin'),
        'agama' => set_value('agama'),
    );
}

```

```

        'pendidikan' => set_value('pendidikan'),
        'asal_sekolah' => set_value('asal_sekolah'),
        'id_pekerjaan' => set_value('id_pekerjaan'),
        'konten' => 'absensi/absensi_form',
        'judul' => 'Absensi',
        'absensi_data' => $absensi,
    );
    $this->load->view('v_index', $data);
}

public function create_action() {

    //$absen = $_POST['absen']; // Ambil data nis dan masukkan ke variabel nis
    //$nik = $_POST['nik'];
    //$data = array();

    /*$index = 0; // Set index array awal dengan 0
    foreach($absen as $databs){ // Kita buat perulangan berdasarkan nis
sampai data terakhir
        array_push($data, array(
            'kehadiran'=>$databs[$index],
            'nik' => $nik[$index]
        ));

        $index++;
    }

    $insert = $this->db->insert_batch('absensi', $data);
    if($insert){
        return redirect('absensi');
    }*/
    $n = $this->db->get('karyawan')->num_rows();
    for ($i = 1; $i <= $n; $i++) {
        $nik = $_POST['nik' . $i];
        $absen = $_POST['absen' . $i];
        $sql = $this->db->query("INSERT into absensi set nik='$nik',
kehadiran='$absen' ");
    }
    return redirect('absensi');

}

public function lihat_absensi(){
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
}

```

```

        $id = $this->uri->segment(3);
        $view = $this->db->get_where('absensi',['nik'=>$id]);
        $data = array(
            'judul' => 'Detail Absensi',
            'konten' => 'absensi/lihat_absensi',
            'detail_absensi' => $view,
        );
        $this->load->view('v_index', $data);
    }
}

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

```

```

class App extends CI_Controller {

```

```

    public function index()
    {

```

```

        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }

```

```

        $data = array(
            'konten' => 'home',
            'judul' => 'Dashboard',
        );
        $this->load->view('v_index', $data);
    }

```

```

    public function lap_karyawan()
    {

```

```

        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }

```

```

        $data = array(
            'rw' => $this->db->query("SELECT * FROM karyawan,
pekerjaan where karyawan.id_pekerjaan=pekerjaan.id_pekerjaan"),
            'konten' => 'lapkaryawan',
            'judul' => 'Dashboard',
        );
        $this->load->view('lapkaryawan', $data);
    }

```

```

    public function lap_gajikaryawan()
    {

```

```

        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
        $data = array(
            'rw' => $this->db->query("SELECT * FROM karyawan,
pekerjaan where karyawan.id_pekerjaan=pekerjaan.id_pekerjaan "),
            'konten' => 'lapgajikaryawan',
            'judul' => 'Dashboard',
        );
        $this->load->view('lapgajikaryawan', $data);
    }

    public function tampilprofil($id)
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
        $d = $this->db->query("SELECT * from karyawan, pekerjaan
where karyawan.id_pekerjaan=pekerjaan.id_pekerjaan and id_karyawan='$id')->row();
        $data = array(
            'rw' => $d,
            'konten' => 'tampilprofil',
            'judul' => 'Data User',
        );
        $this->load->view('v_index', $data);
    }

    function profiluser($id){
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
        if ($_POST==NULL) {
            $d = $this->db->query("SELECT * from karyawan,
pekerjaan where karyawan.id_pekerjaan=pekerjaan.id_pekerjaan and
id_karyawan='$id')->row();
            $data = array(
                'rw' => $d,
                'konten' => 'profiluser',
                'judul' => 'Data Profil',
            );
            $this->load->view('v_index', $data);
        } else {
            $data = array(
                'nik' => $this->input->post('nik'),
                'username' => $this->input->post('username'),
            );
        }
    }

```

```

        'nama' => $this->input->post('nama'),
        'alamat' => $this->input->post('alamat'),
        'jenis_kelamin' => $this->input->
>post('jenis_kelamin'),
        'agama' => $this->input->post('agama'),
        'pendidikan' => $this->input->post('pendidikan'),
        'asal_sekolah' => $this->input->post('asal_sekolah'),
        'id_pekerjaan' => $this->input->post('id_pekerjaan'),
    );

    $this->db->where('id_karyawan', $id);
    $this->db->update('karyawan', $data);
    ?>
    <script type="text/javascript">
        alert('Berhasil ubah data !');
        window.location='<?php echo
base_url()?>app/profiluser/<?php echo $id; ?>';
    </script>
    <?php
    }
}

function profiladmin($id){
    if ($this->session->userdata('username') == '') {
        redirect('app/login');
    }
    if ($_POST==NULL) {
        $d = $this->db->query("SELECT * from user where
id_user='$id'")->row();
        $data = array(
            'rw' => $d,
            'konten' => 'profiladmin',
            'judul' => 'Data Profil',
        );
        $this->load->view('v_index', $data);
    } else {
        $data = array(
            'nama' => $this->input->post('nama'),
            'username' => $this->input->post('username'),
            'password' => $this->input->post('password'),
        );

        $this->db->where('id_user', $id);
        $this->db->update('user', $data);
        ?>

```

```

        <script type="text/javascript">
            alert('Berhasil ubah data !');
            window.location='<?php echo
base_url()?>app/profiladmin/<?php echo $id; ?>';
        </script>
        <?php
    }
}

function ubahpass($id){
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    if ($_POST == NULL) {
        $data = array(
            'konten' => 'ubahpass',
            'judul' => 'Ubah password',
        );
        $this->load->view('v_index', $data);
    } else {
        $pass_lama = $this->input->post('pass_lama');
        $pass_baru = $this->input->post('pass_baru');

        $cek = $this->db->query("SELECT password FROM
karyawan where id_karyawan='$id'")->row();
        if ($cek->password == $pass_lama) {
            $data = array(
                'password' => $pass_baru
            );
            $this->db->where('id_karyawan', $id);
            $this->db->update('karyawan',$data);
            ?>
            <script type="text/javascript">
                alert('Berhasil ubah password, silahkan login
kembali');
                window.location='<?php echo
base_url()?>app/logout';
            </script>
            <?php
        }
    }
}

}

public function login()
{

```

```

        if ($this->input->post() == NULL) {
            $this->load->view('login');
        } else {
            $username = $this->input->post('username');
            $password = $this->input->post('password');
            $cek_user = $this->db->query("SELECT * FROM user
WHERE username='$username' and password='$password' ");
            $cek_kry = $this->db->query("SELECT * FROM
karyawan WHERE username='$username' and password='$password' ");
            if ($cek_user->num_rows() == 1) {
                foreach ($cek_user->result() as $row) {
                    $sess_data['id_user'] = $row->id_user;
                    $sess_data['nama'] = $row->nama;
                    $sess_data['username'] = $row->username;
                    $sess_data['level'] = 'admin';
                    $this->session->set_userdata($sess_data);
                }
                redirect('app');
            } elseif ($cek_kry->num_rows() == 1) {
                foreach ($cek_kry->result() as $row) {
                    $sess_data['id_user'] = $row->id_karyawan;
                    $sess_data['nama'] = $row->nama;
                    $sess_data['username'] = $row->username;
                    $sess_data['level'] = 'user';
                    $sess_data['nik'] = $row->nik;
                    $this->session->set_userdata($sess_data);
                }
                redirect('app');
            } else {
                ?>
                <script type="text/javascript">
                    alert('Username dan password kamu salah
!');
                    window.location="<?php echo
base_url('app/login'); ?>";
                </script>
                <?php
            }
        }
    }

function slip_gaji($nik, $tgl){
    if ($this->session->userdata('username') == "") {

```

```

        redirect('app/login');
    }
    $data = array(
        'nik' => $nik,
        'tgl' => $tgl,
    );
    $this->load->view('slipgaji', $data);
}

function logout()
{
    $this->session->unset_userdata('id_user');
    $this->session->unset_userdata('nama');
    $this->session->unset_userdata('username');
    $this->session->unset_userdata('level');
    session_destroy();
    redirect('app/login');
}

public function validasi()
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $q = $this->session->userdata('nik');
    $start = intval($this->input->get('start'));

    $config['per_page'] = 10;
    $config['page_query_string'] = TRUE;
    $config['total_rows'] = $this->db->get_where('gaji',['nik'=>$q])-
>num_rows();
    $gaji = $this->db->order_by('id_gaji','desc')
        ->limit($config['per_page'],0)
        ->get_where('gaji',['nik'=>$q])
        ->result();
    //$gaji = $this->Gaji_model->get_limit_data_user($q);

    $this->load->library('pagination');
    $this->pagination->initialize($config);

    $data = array(
        'gaji_data' => $gaji,
        'q' => $q,
        'pagination' => $this->pagination->create_links(),
        'total_rows' => $config['total_rows'],
        'start' => $start,
    );
}

```



```

        'konten' => 'validasi',
        'judul' => 'Data Gaji Pegawai',
    );
    $this->load->view('v_index', $data);
}

}

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Gaji extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this->load->model('Gaji_model');
        $this->load->library('form_validation');
    }

    public function index()
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }

        $q = urldecode($this->input->get('q', TRUE));
        $start = intval($this->input->get('start'));

        if ($q <> "") {
            $config['base_url'] = base_url() . 'gaji/index.html?q=' . urlencode($q);
            $config['first_url'] = base_url() . 'gaji/index.html?q=' . urlencode($q);
        } else {
            $config['base_url'] = base_url() . 'gaji/index.html';
            $config['first_url'] = base_url() . 'gaji/index.html';
        }

        $config['per_page'] = 10;
        $config['page_query_string'] = TRUE;
        $config['total_rows'] = $this->Gaji_model->total_rows($q);
        $gaji = $this->Gaji_model->get_limit_data($config['per_page'], $start, $q);

        $this->load->library('pagination');
        $this->pagination->initialize($config);
    }
}

```

```

        $data = array(
            'gaji_data' => $gaji,
            'q' => $q,
            'pagination' => $this->pagination->create_links(),
            'total_rows' => $config['total_rows'],
            'start' => $start,
            'konten' => 'gaji/gaji_list',
            'judul' => 'Data Gaji Pegawai',
        );
        $this->load->view('v_index', $data);
    }

    public function read($id)
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
        $row = $this->Gaji_model->get_by_id($id);
        if ($row) {
            $data = array(
                'id_gaji' => $row->id_gaji,
                'tgl' => $row->tgl,
                'nik' => $row->nik,
            );
            $this->load->view('gaji/gaji_read', $data);
        } else {
            $this->session->set_flashdata('message', 'Record Not Found');
            redirect(site_url('gaji'));
        }
    }

    public function create()
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
        $data = array(
            'button' => 'Create',
            'action' => site_url('gaji/create_action'),
            'id_gaji' => set_value('id_gaji'),
            'tgl' => set_value('tgl'),
            'nik' => set_value('nik'),
            'konten' => 'gaji/gaji_form',
            'judul' => 'Data Gaji Karyawan',
        );
    }

```

```

        $this->load->view('v_index', $data);
    }

    public function create_action()
    {
        $this->_rules();

        if ($this->form_validation->run() == FALSE) {
            $this->create();
        } else {
            $data = array(
                'tgl' => $this->input->post('tgl',TRUE),
                'nik' => $this->input->post('nik',TRUE),
                'validasi' => $this->input->post('validasi',TRUE),
            );

            $this->Gaji_model->insert($data);
            $this->session->set_flashdata('message', 'Create Record Success');
            redirect(site_url('gaji'));
        }
    }

    public function update($id)
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
        $row = $this->Gaji_model->get_by_id($id);

        if ($row) {
            $data = array(
                'button' => 'Update',
                'action' => site_url('gaji/update_action'),
                'id_gaji' => set_value('id_gaji', $row->id_gaji),
                'tgl' => set_value('tgl', $row->tgl),
                'nik' => set_value('nik', $row->nik),
                'konten' => 'gaji/gaji_form',
                'judul' => 'Data Gaji Karyawan',
            );
            $this->load->view('v_index', $data);
        } else {
            $this->session->set_flashdata('message', 'Record Not Found');
            redirect(site_url('gaji'));
        }
    }
}

```

```

public function update_action()
{
    $this->_rules();

    if ($this->form_validation->run() == FALSE) {
        $this->update($this->input->post('id_gaji', TRUE));
    } else {
        $data = array(
            'tgl' => $this->input->post('tgl',TRUE),
            'nik' => $this->input->post('nik',TRUE),
            'validasi' => $this->input->post('validasi',TRUE),
        );

        $this->Gaji_model->update($this->input->post('id_gaji', TRUE), $data);
        $this->session->set_flashdata('message', 'Update Record Success');
        redirect(site_url('gaji'));
    }
}

public function delete($id)
{
    $row = $this->Gaji_model->get_by_id($id);

    if ($row) {
        $this->Gaji_model->delete($id);
        $this->session->set_flashdata('message', 'Delete Record Success');
        redirect(site_url('gaji'));
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('gaji'));
    }
}

public function _rules()
{
    $this->form_validation->set_rules('tgl', 'tgl', 'trim|required');
    $this->form_validation->set_rules('nik', 'nik', 'trim|required');

    $this->form_validation->set_rules('id_gaji', 'id_gaji', 'trim');
    $this->form_validation->set_error_delimiters('<span class="text-
danger">', '</span>');
}

}

<?php

```

```

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Karyawan extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this->load->model('Karyawan_model');
        $this->load->library('form_validation');
    }

    public function index()
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }

        $q = urldecode($this->input->get('q', TRUE));
        $start = intval($this->input->get('start'));

        if ($q <> "") {
            $config['base_url'] = base_url() . 'karyawan/index.html?q=' .
            urlencode($q);
            $config['first_url'] = base_url() . 'karyawan/index.html?q=' .
            urlencode($q);
        } else {
            $config['base_url'] = base_url() . 'karyawan/index.html';
            $config['first_url'] = base_url() . 'karyawan/index.html';
        }

        $config['per_page'] = 10;
        $config['page_query_string'] = TRUE;
        $config['total_rows'] = $this->Karyawan_model->total_rows($q);
        $karyawan = $this->Karyawan_model->get_limit_data($config['per_page'],
        $start, $q);

        $this->load->library('pagination');
        $this->pagination->initialize($config);

        $data = array(
            'karyawan_data' => $karyawan,
            'q' => $q,
            'pagination' => $this->pagination->create_links(),
            'total_rows' => $config['total_rows'],
            'start' => $start,

```

```

        'konten' => 'karyawan/karyawan_list',
        'judul' => 'Data Pegawai',
    );
    $this->load->view('v_index', $data);
}

```

```

public function read($id)
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $row = $this->Karyawan_model->get_by_id($id);
    if ($row) {
        $data = array(
            'id_karyawan' => $row->id_karyawan,
            'nik' => $row->nik,
            'username' => $row->username,
            'password' => $row->password,
            'nama' => $row->nama,
            'alamat' => $row->alamat,
            'jenis_kelamin' => $row->jenis_kelamin,
            'id_pekerjaan' => $row->id_pekerjaan,
        );
        $this->load->view('karyawan/karyawan_read', $data);
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('karyawan'));
    }
}

```

```

public function create()
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $data = array(
        'button' => 'Create',
        'action' => site_url('karyawan/create_action'),
        'id_karyawan' => set_value('id_karyawan'),
        'nik' => set_value('nik'),
        'username' => set_value('username'),
        'password' => set_value('password'),
        'nama' => set_value('nama'),
        'alamat' => set_value('alamat'),
        'jenis_kelamin' => set_value('jenis_kelamin'),
        'agama' => set_value('agama'),
    );
}

```

```

        'pendidikan' => set_value('pendidikan'),
        'asal_sekolah' => set_value('asal_sekolah'),
        'id_pekerjaan' => set_value('id_pekerjaan'),
        'konten' => 'karyawan/karyawan_form',
        'judul' => 'Data Karyawan',
    );
    $this->load->view('v_index', $data);
}

public function create_action()
{
    $this->_rules();

    if ($this->form_validation->run() == FALSE) {
        $this->create();
    } else {
        $data = array(
            'nik' => $this->input->post('nik',TRUE),
            'username' => $this->input->post('username',TRUE),
            'password' => $this->input->post('password',TRUE),
            'nama' => $this->input->post('nama',TRUE),
            'alamat' => $this->input->post('alamat',TRUE),
            'jenis_kelamin' => $this->input->post('jenis_kelamin',TRUE),
            'agama' => $this->input->post('agama',TRUE),
            'pendidikan' => $this->input->post('pendidikan',TRUE),
            'asal_sekolah' => $this->input->post('asal_sekolah',TRUE),
            'id_pekerjaan' => $this->input->post('id_pekerjaan',TRUE),
        );

        $this->Karyawan_model->insert($data);
        $this->session->set_flashdata('message', 'Create Record Success');
        redirect(site_url('karyawan'));
    }
}

public function update($id)
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $row = $this->Karyawan_model->get_by_id($id);

    if ($row) {
        $data = array(
            'button' => 'Update',
            'action' => site_url('karyawan/update_action'),

```

```

        'id_karyawan' => set_value('id_karyawan', $row->id_karyawan),
        'nik' => set_value('nik', $row->nik),
        'username' => set_value('username', $row->username),
        'password' => set_value('password', $row->password),
        'nama' => set_value('nama', $row->nama),
        'alamat' => set_value('alamat', $row->alamat),
        'jenis_kelamin' => set_value('jenis_kelamin', $row->jenis_kelamin),
        'agama' => set_value('agama', $row->agama),
        'pendidikan' => set_value('pendidikan', $row->pendidikan),
        'asal_sekolah' => set_value('asal_sekolah', $row->asal_sekolah),
        'id_pekerjaan' => set_value('id_pekerjaan', $row->id_pekerjaan),
        'konten' => 'karyawan/karyawan_form',
        'judul' => 'Data Karyawan',
    );
    $this->load->view('v_index', $data);
} else {
    $this->session->set_flashdata('message', 'Record Not Found');
    redirect(site_url('karyawan'));
}
}

public function update_action()
{
    $this->_rules();

    if ($this->form_validation->run() == FALSE) {
        $this->update($this->input->post('id_karyawan', TRUE));
    } else {
        $data = array(
            'nik' => $this->input->post('nik', TRUE),
            'username' => $this->input->post('username', TRUE),
            'password' => $this->input->post('password', TRUE),
            'nama' => $this->input->post('nama', TRUE),
            'alamat' => $this->input->post('alamat', TRUE),
            'jenis_kelamin' => $this->input->post('jenis_kelamin', TRUE),
            'agama' => $this->input->post('agama', TRUE),
            'pendidikan' => $this->input->post('pendidikan', TRUE),
            'asal_sekolah' => $this->input->post('asal_sekolah', TRUE),
            'id_pekerjaan' => $this->input->post('id_pekerjaan', TRUE),
        );

        $this->Karyawan_model->update($this->input->post('id_karyawan',
TRUE), $data);
        $this->session->set_flashdata('message', 'Update Record Success');
        redirect(site_url('karyawan'));
    }
}

```



```

    }

    public function delete($id)
    {
        $row = $this->Karyawan_model->get_by_id($id);

        if ($row) {
            $this->Karyawan_model->delete($id);
            $this->session->set_flashdata('message', 'Delete Record Success');
            redirect(site_url('karyawan'));
        } else {
            $this->session->set_flashdata('message', 'Record Not Found');
            redirect(site_url('karyawan'));
        }
    }

    public function _rules()
    {
        $this->form_validation->set_rules('nik', 'nik', 'trim|required');
        $this->form_validation->set_rules('username', 'username', 'trim|required');
        $this->form_validation->set_rules('password', 'password', 'trim|required');
        $this->form_validation->set_rules('nama', 'nama', 'trim|required');
        $this->form_validation->set_rules('alamat', 'alamat', 'trim|required');
        $this->form_validation->set_rules('jenis_kelamin', 'jenis kelamin',
'trim|required');
        $this->form_validation->set_rules('id_pekerjaan', 'id pekerjaan',
'trim|required');

        $this->form_validation->set_rules('id_karyawan', 'id karyawan', 'trim');
        $this->form_validation->set_error_delimiters('<span class="text-
danger">', '</span>');
    }
}

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Pekerjaan extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this->load->model('Pekerjaan_model');
    }
}

```

```

        $this->load->library('form_validation');
    }

    public function index()
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }

        $q = urldecode($this->input->get('q', TRUE));
        $start = intval($this->input->get('start'));

        if ($q <> "") {
            $config['base_url'] = base_url() . 'pekerjaan/index.html?q=' .
            urlencode($q);
            $config['first_url'] = base_url() . 'pekerjaan/index.html?q=' .
            urlencode($q);
        } else {
            $config['base_url'] = base_url() . 'pekerjaan/index.html';
            $config['first_url'] = base_url() . 'pekerjaan/index.html';
        }

        $config['per_page'] = 10;
        $config['page_query_string'] = TRUE;
        $config['total_rows'] = $this->Pekerjaan_model->total_rows($q);
        $pekerjaan = $this->Pekerjaan_model->get_limit_data($config['per_page'],
        $start, $q);

        $this->load->library('pagination');
        $this->pagination->initialize($config);

        $data = array(
            'pekerjaan_data' => $pekerjaan,
            'q' => $q,
            'pagination' => $this->pagination->create_links(),
            'total_rows' => $config['total_rows'],
            'start' => $start,
            'konten' => 'pekerjaan/pekerjaan_list',
            'judul' => 'Data Jabatan',
        );
        $this->load->view('v_index', $data);
    }

    public function read($id)
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }
    }

```

```

    }
    $row = $this->Pekerjaan_model->get_by_id($id);
    if ($row) {
        $data = array(
            'id_pekerjaan' => $row->id_pekerjaan,
            'pekerjaan' => $row->pekerjaan,
            'gapok' => $row->gapok,
            'tukes' => $row->tukes,
            'tutra' => $row->tutra,
            'tupen' => $row->tupen,
        );
        $this->load->view('pekerjaan/pekerjaan_read', $data);
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('pekerjaan'));
    }
}

public function create()
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $data = array(
        'button' => 'Create',
        'action' => site_url('pekerjaan/create_action'),
        'id_pekerjaan' => set_value('id_pekerjaan'),
        'pekerjaan' => set_value('pekerjaan'),
        'gapok' => set_value('gapok'),
        'tukes' => set_value('tukes'),
        '//tutra' => set_value('tutra'),
        '//tupen' => set_value('tupen'),
        'tukel' => set_value('tukel'),
        'judul' => 'Data Pekerjaan',
        'konten' => 'pekerjaan/pekerjaan_form',
    );
    $this->load->view('v_index', $data);
}

public function create_action()
{
    $this->_rules();

    if ($this->form_validation->run() == FALSE) {
        $this->create();
    } else {

```

```

        $data = array(
            'pekerjaan' => $this->input->post('pekerjaan',TRUE),
            'gapok' => $this->input->post('gapok',TRUE),
            'tukes' => $this->input->post('tukes',TRUE),
            //'tutra' => $this->input->post('tutra',TRUE),
            //'tupen' => $this->input->post('tupen',TRUE),
            'tukel' => $this->input->post('tukel',TRUE),
        );

        $this->Pekerjaan_model->insert($data);
        $this->session->set_flashdata('message', 'Create Record Success');
        redirect(site_url('pekerjaan'));
    }
}

public function update($id)
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $row = $this->Pekerjaan_model->get_by_id($id);

    if ($row) {
        $data = array(
            'button' => 'Update',
            'action' => site_url('pekerjaan/update_action'),
            'id_pekerjaan' => set_value('id_pekerjaan', $row->id_pekerjaan),
            'pekerjaan' => set_value('pekerjaan', $row->pekerjaan),
            'gapok' => set_value('gapok', $row->gapok),
            'tukes' => set_value('tukes', $row->tukes),
            //'tutra' => set_value('tutra', $row->tutra),
            //'tupen' => set_value('tupen', $row->tupen),
            'tukel' => set_value('tukel', $row->tukel),
            'konten' => 'pekerjaan/pekerjaan_form',
            'judul' => 'Data Pekerjaan',
        );
        $this->load->view('v_index', $data);
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('pekerjaan'));
    }
}

public function update_action()
{
    $this->_rules();

```

```

if ($this->form_validation->run() == FALSE) {
    $this->update($this->input->post('id_pekerjaan', TRUE));
} else {
    $data = array(
        'pekerjaan' => $this->input->post('pekerjaan', TRUE),
        'gapok' => $this->input->post('gapok', TRUE),
        'tukes' => $this->input->post('tukes', TRUE),
        //'tutra' => $this->input->post('tutra', TRUE),
        //'tupen' => $this->input->post('tupen', TRUE),
        'tukel' => $this->input->post('tukel', TRUE),
    );

    $this->Pekerjaan_model->update($this->input->post('id_pekerjaan',
TRUE), $data);
    $this->session->set_flashdata('message', 'Update Record Success');
    redirect(site_url('pekerjaan'));
}
}

public function delete($id)
{
    $row = $this->Pekerjaan_model->get_by_id($id);

    if ($row) {
        $this->Pekerjaan_model->delete($id);
        $this->session->set_flashdata('message', 'Delete Record Success');
        redirect(site_url('pekerjaan'));
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('pekerjaan'));
    }
}

public function _rules()
{
    $this->form_validation->set_rules('pekerjaan', 'pekerjaan', 'trim|required');
    $this->form_validation->set_rules('gapok', 'gapok', 'trim|required');
    $this->form_validation->set_rules('tukes', 'tukes', 'trim|required');
    //$this->form_validation->set_rules('tutra', 'tutra', 'trim|required');
    //$this->form_validation->set_rules('tupen', 'tupen', 'trim|required');
    //$this->form_validation->set_rules('tukel', 'tukel', 'trim|required');

    $this->form_validation->set_rules('id_pekerjaan', 'id_pekerjaan', 'trim');
    $this->form_validation->set_error_delimiters('<span class="text-
danger">', '</span>');

```

```

    }

}

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class User extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this->load->model('User_model');
        $this->load->library('form_validation');
    }

    public function index()
    {
        if ($this->session->userdata('username') == "") {
            redirect('app/login');
        }

        $q = urldecode($this->input->get('q', TRUE));
        $start = intval($this->input->get('start'));

        if ($q <> "") {
            $config['base_url'] = base_url() . 'user/index.html?q=' . urlencode($q);
            $config['first_url'] = base_url() . 'user/index.html?q=' . urlencode($q);
        } else {
            $config['base_url'] = base_url() . 'user/index.html';
            $config['first_url'] = base_url() . 'user/index.html';
        }

        $config['per_page'] = 10;
        $config['page_query_string'] = TRUE;
        $config['total_rows'] = $this->User_model->total_rows($q);
        $user = $this->User_model->get_limit_data($config['per_page'], $start, $q);

        $this->load->library('pagination');
        $this->pagination->initialize($config);

        $data = array(
            'user_data' => $user,
            'q' => $q,
            'pagination' => $this->pagination->create_links(),

```

```

        'total_rows' => $config['total_rows'],
        'start' => $start,
        'konten' => 'user/user_list',
        'judul' => 'Manajemen User',
    );
    $this->load->view('v_index', $data);
}

public function read($id)
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $row = $this->User_model->get_by_id($id);
    if ($row) {
        $data = array(
            'id_user' => $row->id_user,
            'nama' => $row->nama,
            'username' => $row->username,
            'password' => $row->password,
        );
        $this->load->view('user/user_read', $data);
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('user'));
    }
}

public function create()
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }
    $data = array(
        'button' => 'Create',
        'action' => site_url('user/create_action'),
        'id_user' => set_value('id_user'),
        'nama' => set_value('nama'),
        'username' => set_value('username'),
        'password' => set_value('password'),
        'konten' => 'user/user_form',
        'judul' => 'Manajemen User',
    );
    $this->load->view('v_index', $data);
}

```

```

public function create_action()
{
    $this->_rules();

    if ($this->form_validation->run() == FALSE) {
        $this->create();
    } else {
        $data = array(
            'nama' => $this->input->post('nama',TRUE),
            'username' => $this->input->post('username',TRUE),
            'password' => $this->input->post('password',TRUE),
        );

        $this->User_model->insert($data);
        $this->session->set_flashdata('message', 'Create Record Success');
        redirect(site_url('user'));
    }
}

public function update($id)
{
    if ($this->session->userdata('username') == "") {
        redirect('app/login');
    }

    $row = $this->User_model->get_by_id($id);

    if ($row) {
        $data = array(
            'button' => 'Update',
            'action' => site_url('user/update_action'),
            'id_user' => set_value('id_user', $row->id_user),
            'nama' => set_value('nama', $row->nama),
            'username' => set_value('username', $row->username),
            'password' => set_value('password', $row->password),
            'konten' => 'user/user_form',
            'judul' => 'Manajemen User',
        );
        $this->load->view('v_index', $data);
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('user'));
    }
}

public function update_action()
{

```



```

$this->_rules();

if ($this->form_validation->run() == FALSE) {
    $this->update($this->input->post('id_user', TRUE));
} else {
    $data = array(
        'nama' => $this->input->post('nama',TRUE),
        'username' => $this->input->post('username',TRUE),
        'password' => $this->input->post('password',TRUE),
    );

    $this->User_model->update($this->input->post('id_user', TRUE), $data);
    $this->session->set_flashdata('message', 'Update Record Success');
    redirect(site_url('user'));
}
}

public function delete($id)
{
    $row = $this->User_model->get_by_id($id);

    if ($row) {
        $this->User_model->delete($id);
        $this->session->set_flashdata('message', 'Delete Record Success');
        redirect(site_url('user'));
    } else {
        $this->session->set_flashdata('message', 'Record Not Found');
        redirect(site_url('user'));
    }
}

public function _rules()
{
    $this->form_validation->set_rules('nama', 'nama', 'trim|required');
    $this->form_validation->set_rules('username', 'username', 'trim|required');
    $this->form_validation->set_rules('password', 'password', 'trim|required');

    $this->form_validation->set_rules('id_user', 'id_user', 'trim');
    $this->form_validation->set_error_delimiters('<span class="text-
danger">', '</span>');
}

}

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

```

```

class Welcome extends CI_Controller {

    /**
     * Index Page for this controller.
     *
     * Maps to the following URL
     *      http://example.com/index.php/welcome
     *    - or -
     *      http://example.com/index.php/welcome/index
     *    - or -
     * Since this controller is set as the default controller in
     * config/routes.php, it's displayed at http://example.com/
     *
     * So any other public methods not prefixed with an underscore will
     * map to /index.php/welcome/<method_name>
     * @see https://codeigniter.com/user_guide/general/urls.html
     */
    public function index()
    {
        $this->load->view('welcome_message');
        // $s = "passadminlc";
        // echo md5($s);
    }
}

```

```
<?php
```

```

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

```

```

class Absensi_model extends CI_Model
{

```

```

    public $table = 'absensi';
    public $id = 'id_absensi';
    public $order = 'DESC';

```

```

    function __construct()
    {
        parent::__construct();
    }

```

```

    // get all
    function get_all()
    {

```

```

        $this->db->order_by('id_karyawan', $this->order);
        return $this->db->get('karyawan')->result();
    }

    // get data by id
    function get_by_id($id)
    {
        $this->db->where($this->id, $id);
        return $this->db->get($this->table)->row();
    }

    // get total rows
    function total_rows($q = NULL) {
        $this->db->like('id_karyawan', $q);
        $this->db->or_like('nik', $q);
        $this->db->or_like('username', $q);
        $this->db->or_like('password', $q);
        $this->db->or_like('nama', $q);
        $this->db->or_like('alamat', $q);
        $this->db->or_like('jenis_kelamin', $q);
        $this->db->or_like('id_pekerjaan', $q);
        $this->db->from('karyawan');
        return $this->db->count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start = 0, $q = NULL) {
        $this->db->order_by('id_karyawan', $this->order);
        $this->db->like('id_karyawan', $q);
        $this->db->or_like('nik', $q);
        $this->db->or_like('username', $q);
        $this->db->or_like('password', $q);
        $this->db->or_like('nama', $q);
        $this->db->or_like('alamat', $q);
        $this->db->or_like('jenis_kelamin', $q);
        $this->db->or_like('id_pekerjaan', $q);
        $this->db->limit($limit, $start);
        return $this->db->get('karyawan');
    }

    // insert data
    function insert($data)
    {
        $this->db->insert($this->table, $data);
    }

```

```

// update data
function update($id, $data)
{
    $this->db->where($this->id, $id);
    $this->db->update($this->table, $data);
}

// delete data
function delete($id)
{
    $this->db->where($this->id, $id);
    $this->db->delete($this->table);
}

}

/* End of file Gaji_model.php */
/* Location: ./application/models/Gaji_model.php */
/* Please DO NOT modify this information : */
/* Generated by Harviacode Codeigniter CRUD Generator 2017-11-03 07:54:31
*/
/* http://harviacode.com */

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Gaji_model extends CI_Model
{

    public $table = 'gaji';
    public $id = 'id_gaji';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this->db->order_by($this->id, $this->order);
        return $this->db->get($this->table)->result();
    }

```

```

}

// get data by id
function get_by_id($id)
{
    $this->db->where($this->id, $id);
    return $this->db->get($this->table)->row();
}

// get total rows
function total_rows($q = NULL) {
    $this->db->like('id_gaji', $q);
    $this->db->or_like('tgl', $q);
    $this->db->or_like('nik', $q);
    $this->db->from($this->table);
    return $this->db->count_all_results();
}

// get total rows
function total_rows_user($q) {
    return $this->db->get($this->table,['nik'=>$q])
        ->num_rows();
}

// get data with limit and search
function get_limit_data($limit, $start = 0, $q = NULL) {
    $this->db->order_by($this->id, $this->order);
    $this->db->like('id_gaji', $q);
    $this->db->or_like('tgl', $q);
    $this->db->or_like('nik', $q);
    $this->db->limit($limit, $start);
    return $this->db->get($this->table)->result();
}

// get data with limit and search
function get_limit_data_user($limit, $q) {
    $this->db->order_by($this->id, $this->order);
    $this->db->where('nik', $q);
    $this->db->limit($limit, 0);
    return $this->db->get('gaji')->result();
}

// insert data
function insert($data)
{
    $this->db->insert($this->table, $data);
}

```

```

    }

    // update data
    function update($id, $data)
    {
        $this->db->where($this->id, $id);
        $this->db->update($this->table, $data);
    }

    // delete data
    function delete($id)
    {
        $this->db->where($this->id, $id);
        $this->db->delete($this->table);
    }
}

/* End of file Gaji_model.php */
/* Location: ./application/models/Gaji_model.php */
/* Please DO NOT modify this information : */
/* Generated by Harviacode Codeigniter CRUD Generator 2017-11-03 07:54:31 */
/* http://harviacode.com */

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Karyawan_model extends CI_Model
{

    public $table = 'karyawan';
    public $id = 'id_karyawan';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this->db->order_by($this->id, $this->order);
    }

```

```

        return $this->db->get($this->table)->result();
    }

    // get data by id
    function get_by_id($id)
    {
        $this->db->where($this->id, $id);
        return $this->db->get($this->table)->row();
    }

    // get total rows
    function total_rows($q = NULL) {
        $this->db->like('id_karyawan', $q);
        $this->db->or_like('nik', $q);
        $this->db->or_like('username', $q);
        $this->db->or_like('password', $q);
        $this->db->or_like('nama', $q);
        $this->db->or_like('alamat', $q);
        $this->db->or_like('jenis_kelamin', $q);
        $this->db->or_like('id_pekerjaan', $q);
        $this->db->from($this->table);
        return $this->db->count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start = 0, $q = NULL) {
        $this->db->order_by($this->id, $this->order);
        $this->db->like('id_karyawan', $q);
        $this->db->or_like('nik', $q);
        $this->db->or_like('username', $q);
        $this->db->or_like('password', $q);
        $this->db->or_like('nama', $q);
        $this->db->or_like('alamat', $q);
        $this->db->or_like('jenis_kelamin', $q);
        $this->db->or_like('id_pekerjaan', $q);
        $this->db->limit($limit, $start);
        return $this->db->get($this->table);
    }

    // insert data
    function insert($data)
    {
        $this->db->insert($this->table, $data);
    }

    // update data

```

```

function update($id, $data)
{
    $this->db->where($this->id, $id);
    $this->db->update($this->table, $data);
}

// delete data
function delete($id)
{
    $this->db->where($this->id, $id);
    $this->db->delete($this->table);
}

}

/* End of file Karyawan_model.php */
/* Location: ./application/models/Karyawan_model.php */
/* Please DO NOT modify this information : */
/* Generated by Harviacode Codeigniter CRUD Generator 2017-11-02 11:43:18
*/
/* http://harviacode.com */

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Pkerjaan_model extends CI_Model
{

    public $table = 'pekerjaan';
    public $id = 'id_pekerjaan';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this->db->order_by($this->id, $this->order);
        return $this->db->get($this->table)->result();
    }

```



```

// get data by id
function get_by_id($id)
{
    $this->db->where($this->id, $id);
    return $this->db->get($this->table)->row();
}

// get total rows
function total_rows($q = NULL) {
    $this->db->like('id_pekerjaan', $q);
    $this->db->or_like('pekerjaan', $q);
    $this->db->or_like('gapok', $q);
    $this->db->or_like('tukes', $q);
    $this->db->or_like('tutra', $q);
    $this->db->or_like('tupen', $q);
    $this->db->from($this->table);
    return $this->db->count_all_results();
}

// get data with limit and search
function get_limit_data($limit, $start = 0, $q = NULL) {
    $this->db->order_by($this->id, $this->order);
    $this->db->like('id_pekerjaan', $q);
    $this->db->or_like('pekerjaan', $q);
    $this->db->or_like('gapok', $q);
    $this->db->or_like('tukes', $q);
    $this->db->or_like('tutra', $q);
    $this->db->or_like('tupen', $q);
    $this->db->limit($limit, $start);
    return $this->db->get($this->table);
}

// insert data
function insert($data)
{
    $this->db->insert($this->table, $data);
}

// update data
function update($id, $data)
{
    $this->db->where($this->id, $id);
    $this->db->update($this->table, $data);
}

// delete data

```

```

function delete($id)
{
    $this->db->where($this->id, $id);
    $this->db->delete($this->table);
}

}

/* End of file Pekerjaan_model.php */
/* Location: ./application/models/Pekerjaan_model.php */
/* Please DO NOT modify this information : */
/* Generated by Harviacode Codeigniter CRUD Generator 2017-11-02 11:43:24 */
/* http://harviacode.com */

<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class User_model extends CI_Model
{

    public $table = 'user';
    public $id = 'id_user';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this->db->order_by($this->id, $this->order);
        return $this->db->get($this->table)->result();
    }

    // get data by id
    function get_by_id($id)
    {
        $this->db->where($this->id, $id);
        return $this->db->get($this->table)->row();
    }
}

```

```

// get total rows
function total_rows($q = NULL) {
    $this->db->like('id_user', $q);
    $this->db->or_like('nama', $q);
    $this->db->or_like('username', $q);
    $this->db->or_like('password', $q);
    $this->db->from($this->table);
    return $this->db->count_all_results();
}

// get data with limit and search
function get_limit_data($limit, $start = 0, $q = NULL) {
    $this->db->order_by($this->id, $this->order);
    $this->db->like('id_user', $q);
    $this->db->or_like('nama', $q);
    $this->db->or_like('username', $q);
    $this->db->or_like('password', $q);
    $this->db->limit($limit, $start);
    return $this->db->get($this->table)->result();
}

// insert data
function insert($data)
{
    $this->db->insert($this->table, $data);
}

// update data
function update($id, $data)
{
    $this->db->where($this->id, $id);
    $this->db->update($this->table, $data);
}

// delete data
function delete($id)
{
    $this->db->where($this->id, $id);
    $this->db->delete($this->table);
}

}

/* End of file User_model.php */
/* Location: ./application/models/User_model.php */
/* Please DO NOT modify this information : */

```

```
/* Generated by Harviacode Codeigniter CRUD Generator 2017-11-03 10:36:06
*/
```

```
/* http://harviacode.com */
```

```
<div class="row" style="margin-bottom: 10px">
    <div class="col-md-4">
        <?php echo anchor(site_url('absensi/create'),'Tambah Absensi',
'class="btn btn-primary"); ?>
    </div>
    <div class="col-md-4 text-center">
        <div style="margin-top: 8px" id="message">
            <?php echo $this->session->userdata('message') <> " ? $this-
>session->userdata('message') : "; ?>
        </div>
    </div>
    <div class="col-md-1 text-right">
    </div>
    <div class="col-md-3 text-right">
        <form action="<?php echo site_url('gaji/index'); ?>" class="form-
inline" method="get">
            <div class="input-group">
                <input type="text" class="form-control" name="q" value="<?php
echo $q; ?>">
                <span class="input-group-btn">
                    <?php
                    if ($q <> "")
                    {
                        ?>
                        <a href="<?php echo site_url('gaji'); ?>" class="btn btn-
default">Reset</a>
                    <?php
                    }
                    ?>
                    <button class="btn btn-primary" type="submit">Search</button>
                </span>
            </div>
        </form>
    </div>
</div>
<table class="table table-bordered" style="margin-bottom: 10px">
    <tr>
        <th>No</th>
        <th>NIK</th>
        <th>Nama</th>
        <th>Action</th>
    </tr><?php
```

```

if ($absensi_data->num_rows() > 0) {

    foreach ($absensi_data->result() as $absensi)
    {
        ?>
        <tr>
        <td width="80px"><?php echo ++$start ?></td>
        <td><?php echo $absensi->nik ?></td>
        <td><?php echo $absensi->nama ?></td>
        <td style="text-align:center" width="200px">
            <?php
            echo anchor(site_url('absensi/lihat_absensi/'.$absensi->nik),'Lihat
Absensi');
            ?>
        </td>
    </tr>
    <?php
    } }
    ?>
</table>
<div class="row">
    <div class="col-md-6">
        <a href="#" class="btn btn-primary">Total Record : <?php echo
$total_rows ?></a>
    </div>
    <div class="col-md-6 text-right">
        <?php echo $pagination ?>
    </div>
</div>

<div class="row" style="margin-bottom: 10px">
</div>
<form action="<?php echo $action; ?>" method="post">
<table class="table table-bordered" style="margin-bottom: 10px">
    <tr>
        <th>No</th>
        <th>NIK</th>
        <th>Nama</th>
        <th>Action</th>
    </tr><?php
    if ($absensi_data->num_rows() > 0) {

        foreach ($absensi_data->result() as $key => $absensi)
        {
            ?>
            <tr>

```

```

        <td width="80px"><?php echo ++$start ?></td>
        <td><?php echo $absensi->nik ?></td>
        <td><?php echo $absensi->nama ?></td>
        <input type="hidden" name="nik<?= $key+1; ?>" value="<?= $absensi->nik; ?>" >
        <td style="text-align:center" width="200px">
            <div class="form-group">
                <label><input type="radio" name="absen<?= $key+1; ?>"
id="absen" value="hadir"> Hadir</label> &nbsp;
                <label><input type="radio" name="absen<?= $key+1; ?>"
id="absen" value="absen"> Absen</label>
            </div>
        </td>
    </tr>
<?php
} }
?>
</table>
<div class="row">
    <div class="col-md-6">
        <button class="btn btn-primary" type="submit">Simpan</button>
    </div>
</div>
</form>

<div class="row" style="margin-bottom: 10px">
</div>
<table class="table table-bordered" style="margin-bottom: 10px">
    <tr>
        <th>No</th>
        <th>Tanggal </th>
        <th>Kehadiraan</th>
    </tr>
    <?php
    foreach ($detail_absensi->result() as $detail)
    {
        ?>
    <tr>
        <td width="80px"><?php echo ++$start ?></td>
        <td><?php echo $detail->tgl_absensi ?></td>
        <td><?php echo $detail->kehadiran ?></td>
    </tr>
    <?php
    }
    ?>
</table>

```

```

<div class="row">
  <div class="col-md-6">
    <a href="absensi" class="btn btn-primary" >Kembali</a>
  </div>
</div>

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

```

```

echo "\nERROR: ",
    $heading,
    "\n\n",
    $message,
    "\n\n";

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

```

```

echo "\nDatabase error: ",
    $heading,
    "\n\n",
    $message,
    "\n\n";

```

```

<?php defined('BASEPATH') OR exit('No direct script access allowed'); ?>

```

An uncaught Exception was encountered

```

Type:      <?php echo get_class($exception), "\n"; ?>
Message:   <?php echo $message, "\n"; ?>
Filename:  <?php echo $exception->getFile(), "\n"; ?>
Line Number: <?php echo $exception->getLine(); ?>

```

```

<?php if (defined('SHOW_DEBUG_BACKTRACE') &&
SHOW_DEBUG_BACKTRACE === TRUE): ?>

```

Backtrace:

```

<?php foreach ($exception->getTrace() as $error): ?>
<?php      if (isset($error['file']) && strpos($error['file'],
realpath(BASEPATH)) !== 0): ?>
    File: <?php echo $error['file'], "\n"; ?>
    Line: <?php echo $error['line'], "\n"; ?>
    Function: <?php echo $error['function'], "\n\n"; ?>
<?php      endif ?>

```

```
<?php endforeach ?>
```

```
<?php endif ?>
```

```
<?php
```

```
defined('BASEPATH') OR exit('No direct script access allowed');
```

```
echo "\nERROR: ",  
    $heading,  
    "\n\n",  
    $message,  
    "\n\n";
```

```
<?php defined('BASEPATH') OR exit('No direct script access allowed'); ?>
```

A PHP Error was encountered

```
Severity: <?php echo $severity, "\n"; ?>  
Message: <?php echo $message, "\n"; ?>  
Filename: <?php echo $filepath, "\n"; ?>  
Line Number: <?php echo $line; ?>
```

```
<?php if (defined('SHOW_DEBUG_BACKTRACE') &&  
SHOW_DEBUG_BACKTRACE === TRUE): ?>
```

Backtrace:

```
<?php foreach (debug_backtrace() as $error): ?>  
<?php      if (isset($error['file']) && strpos($error['file'],  
realpath(BASEPATH)) !== 0): ?>  
    File: <?php echo $error['file'], "\n"; ?>  
    Line: <?php echo $error['line'], "\n"; ?>  
    Function: <?php echo $error['function'], "\n\n"; ?>  
<?php      endif ?>  
<?php endforeach ?>
```

```
<?php endif ?>
```

```
<?php
```

```
defined('BASEPATH') OR exit('No direct script access allowed');
```

```
?><!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<title>404 Page Not Found</title>
```

```
<style type="text/css">
```



```
::selection { background-color: #E13300; color: white; }
::-moz-selection { background-color: #E13300; color: white; }

body {
    background-color: #fff;
    margin: 40px;
    font: 13px/20px normal Helvetica, Arial, sans-serif;
    color: #4F5155;
}

a {
    color: #003399;
    background-color: transparent;
    font-weight: normal;
}

h1 {
    color: #444;
    background-color: transparent;
    border-bottom: 1px solid #D0D0D0;
    font-size: 19px;
    font-weight: normal;
    margin: 0 0 14px 0;
    padding: 14px 15px 10px 15px;
}

code {
    font-family: Consolas, Monaco, Courier New, Courier, monospace;
    font-size: 12px;
    background-color: #f9f9f9;
    border: 1px solid #D0D0D0;
    color: #002166;
    display: block;
    margin: 14px 0 14px 0;
    padding: 12px 10px 12px 10px;
}

#container {
    margin: 10px;
    border: 1px solid #D0D0D0;
    box-shadow: 0 0 8px #D0D0D0;
}

p {
    margin: 12px 15px 12px 15px;
}
```

```

</style>
</head>
<body>
    <div id="container">
        <h1><?php echo $heading; ?></h1>
        <?php echo $message; ?>
    </div>
</body>
</html>

```

```

<?php
defined('BASEPATH') OR exit('No direct script access allowed');
?><!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Database Error</title>
<style type="text/css">

```

```

::selection { background-color: #E13300; color: white; }
::-moz-selection { background-color: #E13300; color: white; }

```

```

body {
    background-color: #fff;
    margin: 40px;
    font: 13px/20px normal Helvetica, Arial, sans-serif;
    color: #4F5155;
}

```

```

a {
    color: #003399;
    background-color: transparent;
    font-weight: normal;
}

```

```

h1 {
    color: #444;
    background-color: transparent;
    border-bottom: 1px solid #D0D0D0;
    font-size: 19px;
    font-weight: normal;
    margin: 0 0 14px 0;
    padding: 14px 15px 10px 15px;
}

```

```

code {

```

```

        font-family: Consolas, Monaco, Courier New, Courier, monospace;
        font-size: 12px;
        background-color: #f9f9f9;
        border: 1px solid #D0D0D0;
        color: #002166;
        display: block;
        margin: 14px 0 14px 0;
        padding: 12px 10px 12px 10px;
    }

    #container {
        margin: 10px;
        border: 1px solid #D0D0D0;
        box-shadow: 0 0 8px #D0D0D0;
    }

    p {
        margin: 12px 15px 12px 15px;
    }
</style>
</head>
<body>
    <div id="container">
        <h1><?php echo $heading; ?></h1>
        <?php echo $message; ?>
    </div>
</body>
</html>

<?php
defined('BASEPATH') OR exit('No direct script access allowed');
?>

<div style="border:1px solid #990000;padding-left:20px;margin:0 0 10px 0;">

<h4>An uncaught Exception was encountered</h4>

<p>Type: <?php echo get_class($exception); ?></p>
<p>Message: <?php echo $message; ?></p>
<p>Filename: <?php echo $exception->getFile(); ?></p>
<p>Line Number: <?php echo $exception->getLine(); ?></p>

<?php if (defined('SHOW_DEBUG_BACKTRACE') &&
SHOW_DEBUG_BACKTRACE === TRUE): ?>

    <p>Backtrace:</p>

```

```

        <?php foreach ($exception->getTrace() as $error): ?>

            <?php if (isset($error['file']) && strpos($error['file'],
realpath(BASEPATH)) !== 0): ?>

                <p style="margin-left:10px">
                    File: <?php echo $error['file']; ?><br />
                    Line: <?php echo $error['line']; ?><br />
                    Function: <?php echo $error['function']; ?>
                </p>
            <?php endif ?>

        <?php endforeach ?>

<?php endif ?>

</div>

<?php
defined('BASEPATH') OR exit('No direct script access allowed');
?><!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Error</title>
<style type="text/css">

::selection { background-color: #E13300; color: white; }
::-moz-selection { background-color: #E13300; color: white; }

body {
    background-color: #fff;
    margin: 40px;
    font: 13px/20px normal Helvetica, Arial, sans-serif;
    color: #4F5155;
}

a {
    color: #003399;
    background-color: transparent;
    font-weight: normal;
}

h1 {
    color: #444;
    background-color: transparent;

```

```

        border-bottom: 1px solid #D0D0D0;
        font-size: 19px;
        font-weight: normal;
        margin: 0 0 14px 0;
        padding: 14px 15px 10px 15px;
    }

code {
    font-family: Consolas, Monaco, Courier New, Courier, monospace;
    font-size: 12px;
    background-color: #f9f9f9;
    border: 1px solid #D0D0D0;
    color: #002166;
    display: block;
    margin: 14px 0 14px 0;
    padding: 12px 10px 12px 10px;
}

#container {
    margin: 10px;
    border: 1px solid #D0D0D0;
    box-shadow: 0 0 8px #D0D0D0;
}

p {
    margin: 12px 15px 12px 15px;
}
</style>
</head>
<body>
    <div id="container">
        <h1><?php echo $heading; ?></h1>
        <?php echo $message; ?>
    </div>
</body>
</html>

<?php
defined('BASEPATH') OR exit('No direct script access allowed');
?>

<div style="border:1px solid #990000;padding-left:20px;margin:0 0 10px 0;">

<h4>A PHP Error was encountered</h4>

<p>Severity: <?php echo $severity; ?></p>

```

<p>Message: <?php echo \$message; ?></p>

<p>Filename: <?php echo \$filepath; ?></p>

<p>Line Number: <?php echo \$line; ?></p>

<?php if (defined('SHOW\_DEBUG\_BACKTRACE') &&  
SHOW\_DEBUG\_BACKTRACE === TRUE): ?>

<p>Backtrace:</p>

<?php foreach (debug\_backtrace() as \$error): ?>

<?php if (isset(\$error['file']) && strpos(\$error['file'],  
realpath(BASEPATH)) !== 0): ?>

<p style="margin-left:10px">

File: <?php echo \$error['file'] ?><br />

Line: <?php echo \$error['line'] ?><br />

Function: <?php echo \$error['function'] ?>

</p>

<?php endif ?>

<?php endforeach ?>

<?php endif ?>

</div>

<div class="row">

<div class="col-xl-12">

<div class="card">

<div class="card-body">

<form action="<?php echo \$action; ?>" method="post">

<div class="form-group">

<label for="date">Tanggal <?php echo form\_error('tgl') ?></label>

<div class="row">

<div class="col-md-12">

<input type="date" class="form-control" name="tgl" id="tgl"  
placeholder="Tgl"

value="<?php echo \$tgl; ?>" />

</div>

</div>

</div>

<div class="form-group">

<label for="varchar">Nik <?php echo form\_error('nik') ?></label>

<div class="row">

```

        <div class="col-md-12">
            <select class="form-control" name="nik">
                <option value="">--Pilih NIK--</option>
                <?php
$adb = $this->db->get('karyawan');
foreach ($adb->result() as $rw) {
    ?>
                <option value="<?php echo $rw->nik; ?>"><?php echo
$rw->nik; ?></option>
                <?php } ?>
            </select>
        </div>
    </div>
    <div class="form-group">
        <label for="varchar">Validasi <?php echo form_error('validasi')
?></label>
        <div class="row">
            <div class="col-md-12">
                <select class="form-control" name="validasi">
                    <option value="">--Pilih Validasi--</option>
                    <option value="sudah dibayar">Sudah Dibayar</option>
                    <option value="belum dibayar">Belum Dibayar</option>
                </select>
            </div>
        </div>
        <div>
            <input type="hidden" name="id_gaji" value="<?php echo $id_gaji;
?>" />
            <button type="submit" class="btn btn-primary"><?php echo $button
?></button>
            <a href="<?php echo site_url('gaji') ?>" class="btn btn-
default">Cancel</a>
        </form>
    </div>
</div>
</div>
</div>
<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <div class="row" style="margin-bottom: 10px">

```

```

        <div class="col-md-4">
            <?php echo anchor(site_url('gaji/create'),'Create', 'class="btn btn-
primary"); ?>
        </div>
        <div class="col-md-4 text-center">
            <div style="margin-top: 8px" id="message">
                <?php echo $this->session->userdata('message') <> " ? $this-
>session->userdata('message') : "; ?>
            </div>
        </div>
        <div class="col-md-1 text-right">
        </div>
        <div class="col-md-3 text-right">
            <form action="<?php echo site_url('gaji/index'); ?>" class="form-
inline" method="get">
                <div class="input-group">
                    <input type="text" class="form-control" name="q"
value="<?php echo $q; ?>">
                    <span class="input-group-btn">
                        <?php
                        if ($q <> ")
                        {
                            ?>
                            <a href="<?php echo site_url('gaji'); ?>" class="btn btn-
default">Reset</a>
                            <?php
                        }
                        ?>
                        <button class="btn btn-primary"
type="submit">Search</button>
                    </span>
                </div>
            </form>
        </div>
    </div>
    <table class="table table-bordered" style="margin-bottom: 10px">
        <tr>
            <th>No</th>
            <th>Tanggal</th>
            <th>Nik</th>
            <th>Validasi</th>
            <th>Action</th>
        </tr><?php
foreach ($gaji_data as $gaji)
{
    ?>

```



```

        <tr>
            <td width="80px"><?php echo ++$start ?></td>
            <td><?php echo $gaji->tgl ?></td>
            <td><?php echo $gaji->nik ?></td>
            <td><?php echo $gaji->validasi ?></td>
            <td style="text-align:center" width="350px">
                <?php
                    echo anchor(site_url('app/slip_gaji/'.$gaji->nik.'/'.$gaji->tgl),'Cetak
Slip','class="btn btn-info") . " ";
                    echo anchor(site_url('gaji/update/'.$gaji->id_gaji),'Update','class="btn
btn-warning") ; ?>
                    <a href="<?= base_url('gaji/delete/'.$gaji->id_gaji) ?>" class="btn btn-
danger"
                        onclick="return confirm('Are You Sure ?')">Delete</a>
                </td>
        </tr>
    </?php
}
?>
</table>
<div class="row">
    <div class="col-md-6">
        <a href="#" class="btn btn-primary">Total Record : <?php echo
$total_rows ?></a>
    </div>
    <div class="col-md-6 text-right">
        <?php echo $pagination ?>
    </div>
</div>
</div>
</div>
</div>
<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <form action="<?php echo $action; ?>" method="post">
                    <div class="form-group">
                        <label for="varchar">Nik <?php echo form_error('nik') ?></label>
                        <input type="text" class="form-control" name="nik" id="nik"
placeholder="Nik"
                            value="<?php echo $nik; ?>" />
                    </div>
                    <div class="form-group">

```

```

        <label for="varchar">Username <?php echo
form_error('username') ?></label>
        <input type="text" class="form-control" name="username"
id="username" placeholder="Username"
        value="<?php echo $username; ?>" />
    </div>
    <div class="form-group">
        <label for="varchar">Password <?php echo form_error('password')
?></label>
        <input type="text" class="form-control" name="password"
id="password" placeholder="Password"
        value="<?php echo $password; ?>" />
    </div>
    <div class="form-group">
        <label for="varchar">Nama <?php echo form_error('nama')
?></label>
        <input type="text" class="form-control" name="nama" id="nama"
placeholder="Nama"
        value="<?php echo $nama; ?>" />
    </div>
    <div class="form-group">
        <label for="alamat">Alamat <?php echo form_error('alamat')
?></label>
        <textarea class="form-control" rows="3" name="alamat"
id="alamat"
        placeholder="Alamat"><?php echo $alamat; ?></textarea>
    </div>
    <div class="form-group">
        <label for="varchar">Jenis Kelamin <?php echo
form_error('jenis_kelamin') ?></label>
        <!-- <input type="text" class="form-control"
name="jenis_kelamin" id="jenis_kelamin" placeholder="Jenis Kelamin"
value="<?php echo $jenis_kelamin; ?>" /> -->
        <select name="jenis_kelamin" class="form-control">
            <option value="">--Pilih Jenis Kelamin--</option>
            <option value="Laki-laki">Laki-laki</option>
            <option value="Perempuan">Perempuan</option>
        </select>
    </div>
    <div class="form-group">
        <label>Agama</label>
        <select name="agama" class="form-control">
            <option value="<?php echo $agama ?>"><?php echo $agama
?></option>
            <option value="Islam">Islam</option>
            <option value="Kristen">Kristen</option>

```

```

        <option value="Hindu">Hindu</option>
        <option value="Budha">Budha</option>
    </select>
</div>
<div class="form-group">
    <label>Pendidikan</label>
    <input type="text" name="pendidikan" class="form-control"
value="<?php echo $pendidikan ?>">
</div>
<div class="form-group">
    <label>Asal Sekolah</label>
    <input type="text" name="asal_sekolah" class="form-control"
value="<?php echo $asal_sekolah ?>">
</div>
<div class="form-group">
    <label for="int">Jabatan <?php echo form_error('id_pekerjaan')
?></label>
    <!-- <input type="text" class="form-control" name="id_pekerjaan"
id="id_pekerjaan" placeholder="Id Pekerjaan" value="<?php echo $id_pekerjaan;
?>" /> -->
    <select name="id_pekerjaan" class="form-control">
        <option value="<?php echo $id_pekerjaan ?>"><?php echo
$id_pekerjaan ?></option>
        <?php
        $sql = $this->db->get('pekerjaan');
        foreach ($sql->result() as $row) {
            ?>
            <option value="<?php echo $row->id_pekerjaan; ?>"><?php
echo $row->pekerjaan; ?></option>
            <?php } ?>
        </select>
    </div>
    <input type="hidden" name="id_karyawan" value="<?php echo
$id_karyawan; ?>" />
    <button type="submit" class="btn btn-primary"><?php echo $button
?></button>
    <a href="<?php echo site_url('karyawan') ?>" class="btn btn-
default">Cancel</a>
</form>
</div>
</div>
</div>
<div class="row">
    <div class="col-xl-12">

```

```

<div class="card">
  <div class="card-body">
    <div class="row" style="margin-bottom: 10px">
      <div class="col-md-4">
        <?php echo anchor(site_url('karyawan/create'),'Create', 'class="btn
btn-primary"); ?>
      </div>
      <div class="col-md-4 text-center">
        <div style="margin-top: 8px" id="message">
          <?php echo $this->session->userdata('message') <> " ? $this-
>session->userdata('message') : "; ?>
        </div>
      </div>
      <div class="col-md-1 text-right">
      </div>
      <div class="col-md-3 text-right">
        <form action="<?php echo site_url('karyawan/index'); ?>"
class="form-inline" method="get">
          <div class="input-group">
            <input type="text" class="form-control" name="q"
value="<?php echo $q; ?>">
            <span class="input-group-btn">
              <?php
if ($q <> "")
{
  ?>
  <a href="<?php echo site_url('karyawan'); ?>" class="btn
btn-default">Reset</a>
  <?php
}
?>
              <button class="btn btn-primary"
type="submit">Search</button>
            </span>
          </div>
        </form>
      </div>
    </div>
    <table class="table table-bordered" style="margin-bottom: 10px">
      <tr>
        <th>No</th>
        <th>Nik</th>
        <th>Username</th>
        <th>Password</th>
        <th>Nama</th>
        <th>Alamat</th>

```

```

        <th>Jenis Kelamin</th>
        <th>Agama</th>
        <th>Pendidikan</th>
        <th>Asal Sekolah</th>
        <th>Jabatan</th>
        <th>Action</th>
    </tr><?php

    if ($karyawan_data->num_rows() > 0) {

    foreach ($karyawan_data->result() as $karyawan)
    {
        ?>
        <tr>
            <td width="80px"><?php echo ++$start ?></td>
            <td><?php echo $karyawan->nik ?></td>
            <td><?php echo $karyawan->username ?></td>
            <td><?php echo $karyawan->password ?></td>
            <td><?php echo $karyawan->nama ?></td>
            <td><?php echo $karyawan->alamat ?></td>
            <td><?php echo $karyawan->jenis_kelamin ?></td>
            <td><?php echo $karyawan->agama ?></td>
            <td><?php echo $karyawan->pendidikan ?></td>
            <td><?php echo $karyawan->asal_sekolah ?></td>
            <td><?php echo $karyawan->id_pekerjaan ?></td>
            <td style="text-align:center" width="200px">
                <?php
                echo anchor(site_url('karyawan/update/'.$karyawan-
>id_karyawan), 'Update', 'class="btn btn-warning"'); ?>
                <a href="<? = base_url('karyawan/delete/'.$karyawan-
>id_karyawan) ?>" class="btn btn-danger"
                onclick="return confirm('Are You Sure ?')>Delete</a>
            </td>
        </tr>
    </tr>
    <?php
    }
    } else {
        ?>
        <tr>
            <th colspan="12">
                <center>DATA TIDAK DI TEMUKAN</center>
            </th>
        </tr>
    </tr>
    <?php
    }
    ?>

```

```

        </table>
        <div class="row">
            <div class="col-md-6">
                <a href="#" class="btn btn-primary">Total Record : <?php echo
$total_rows ?></a>
            </div>
            <div class="col-md-6 text-right">
                <?php echo $pagination ?>
            </div>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <form action="<?php echo $action; ?>" method="post">
                    <div class="form-group">
                        <label for="varchar">Jabatan <?php echo form_error('pekerjaan')
?></label>
                        <input type="text" class="form-control" name="pekerjaan"
id="pekerjaan" placeholder="Pekerjaan"
value="<?php echo $pekerjaan; ?>" />
                    </div>
                    <div class="form-group">
                        <label for="int">Gaji Pokok <?php echo form_error('gapok')
?></label>
                        <input type="text" class="form-control" name="gapok"
id="gapok" placeholder="Gapok"
value="<?php echo $gapok; ?>" />
                    </div>
                    <div class="form-group">
                        <label>Tunjangan Keluarga</label>
                        <select name="tukel" class="form-control">
                            <option value="<?php echo $tukel ?>"><?php echo $tukel
?></option>
                            <option value="30000">KK0</option>
                            <option value="50000">KK1</option>
                            <option value="70000">KK2</option>
                            <option value="100000">KK3</option>
                            <option value="125000">KK4</option>
                        </select>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>

```

```

        <div class="form-group">
            <label for="int">Tunjangan Kesehatan <?php echo
form_error('tukes') ?></label>
            <input type="text" class="form-control" name="tukes" id="tukes"
placeholder="Tukes"
            value="<?php echo $tukes; ?>" />
        </div>
        <input type="hidden" name="id_pekerjaan" value="<?php echo
$id_pekerjaan; ?>" />
        <button type="submit" class="btn btn-primary"><?php echo $button
?></button>
        <a href="<?php echo site_url('pekerjaan') ?>" class="btn btn-
default">Cancel</a>
    </form>
</div>
</div>
</div>
</div>
</div>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <div class="row" style="margin-bottom: 10px">
                    <div class="col-md-4">
                        <?php echo anchor(site_url('pekerjaan/create'),'Create', 'class="btn
btn-primary"); ?>
                    </div>
                    <div class="col-md-4 text-center">
                        <div style="margin-top: 8px" id="message">
                            <?php echo $this->session->userdata('message') <> " ? $this-
>session->userdata('message') : "; ?>
                        </div>
                    </div>
                    <div class="col-md-1 text-right">
                    </div>
                    <div class="col-md-3 text-right">
                        <form action="<?php echo site_url('pekerjaan/index'); ?>"
class="form-inline" method="get">
                            <div class="input-group">
                                <input type="text" class="form-control" name="q"
value="<?php echo $q; ?>">
                                <span class="input-group-btn">
                                    <?php
                                    if ($q <> ")
                                    {

```

```

        ?>
        <a href="<?php echo site_url('pekerjaan'); ?>" class="btn
btn-default">Reset</a>
        <?php
        }
        ?>
        <button class="btn btn-primary"
type="submit">Search</button>
        </span>
        </div>
        </form>
        </div>
        </div>
        <table class="table table-bordered" style="margin-bottom: 10px">
        <tr>
        <th>No</th>
        <th>Jabatan</th>
        <th>Gaji Pokok</th>
        <th>Tunjangan Keluarga</th>
        <th>Tunjangan Kesehatan</th>
        <!--<th>Tunjangan Transfortasi</th>
        <th>Tunjangan Pendidikan</th>-->
        <th>Action</th>
        </tr><?php
        if ($pekerjaan_data->num_rows() > 0) {
        foreach ($pekerjaan_data->result() as $pekerjaan)
        {
        ?>
        <tr>
        <td width="80px"><?php echo ++$start ?></td>
        <td><?php echo $pekerjaan->pekerjaan ?></td>
        <td><?php echo "Rp.".number_format($pekerjaan->gapok,0,',','.')
?></td>
        <td><?php echo "Rp.".number_format($pekerjaan->tukel,0,',','.')
?></td>
        <td><?php echo "Rp.".number_format($pekerjaan->tukes,0,',','.')
?></td>
        <!--<td><?php echo $pekerjaan->tutra ?></td>
        <td><?php echo $pekerjaan->tupen ?></td>-->
        <td style="text-align:center" width="200px">
        <?php
        echo anchor(site_url('pekerjaan/update/'.$pekerjaan-
>id_pekerjaan),'Update', 'class="btn btn-warning"); ?>
        <a href="<?php echo base_url('pekerjaan/delete/'.$pekerjaan->id_pekerjaan)
?>" class="btn btn-danger"
        onclick="return confirm('Are You Sure ?')">Delete</a>

```



```

        </td>
    </tr>
<?php
}
} else {
    ?>
    <tr>
        <th colspan="8">
            <center>DATA TIDAK DI TEMUKAN</center>
        </th>
    </tr>
    <?php
}
?>
</table>
<div class="row">
    <div class="col-md-6">
        <a href="#" class="btn btn-primary">Total Record : <?php echo
$total_rows ?></a>
    </div>
    <div class="col-md-6 text-right">
        <?php echo $pagination ?>
    </div>
</div>
</div>
</div>
</div>
</div>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <form action="<?php echo $action; ?>" method="post">
                    <div class="form-group">
                        <label for="varchar">Nama <?php echo form_error('nama')
?></label>
                        <input type="text" class="form-control" name="nama" id="nama"
placeholder="Nama"
                        value="<?php echo $nama; ?>" />
                    </div>
                    <div class="form-group">
                        <label for="varchar">Username <?php echo
form_error('username') ?></label>
                        <input type="text" class="form-control" name="username"
id="username" placeholder="Username"

```

```

        value="<?php echo $username; ?>" />
    </div>
    <div class="form-group">
        <label for="varchar">Password <?php echo form_error('password')
?></label>
        <input type="text" class="form-control" name="password"
id="password" placeholder="Password"
        value="<?php echo $password; ?>" />
    </div>
    <input type="hidden" name="id_user" value="<?php echo $id_user;
?>" />
    <button type="submit" class="btn btn-primary"><?php echo $button
?></button>
    <a href="<?php echo site_url('user') ?>" class="btn btn-
default">Cancel</a>
    </form>
</div>
</div>
</div>
</div>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <div class="row" style="margin-bottom: 10px">
                    <div class="col-md-4">
                        <?php echo anchor(site_url('user/create'),'Create', 'class="btn btn-
primary"); ?>
                    </div>
                    <div class="col-md-4 text-center">
                        <div style="margin-top: 8px" id="message">
                            <?php echo $this->session->userdata('message') <> " ? $this-
>session->userdata('message') : "; ?>
                        </div>
                    </div>
                    <div class="col-md-1 text-right">
                    </div>
                    <div class="col-md-3 text-right">
                        <form action="<?php echo site_url('user/index'); ?>" class="form-
inline" method="get">
                            <div class="input-group">
                                <input type="text" class="form-control" name="q"
value="<?php echo $q; ?>">
                                <span class="input-group-btn">
                                    <?php

```

```

        if ($q <> "")
        {
            ?>
            <a href="<?php echo site_url('user'); ?>" class="btn btn-
default">Reset</a>
            <?php
            }
            ?>
            <button class="btn btn-primary"
type="submit">Search</button>
            </span>
        </div>
    </form>
</div>
</div>
<table class="table table-bordered" style="margin-bottom: 10px">
    <tr>
        <th>No</th>
        <th>Nama</th>
        <th>Username</th>
        <th>Action</th>
    </tr><?php
foreach ($user_data as $user)
{
    ?>
    <tr>
        <td width="80px"><?php echo ++$start ?></td>
        <td><?php echo $user->nama ?></td>
        <td><?php echo $user->username ?></td>
        <td style="text-align:center" width="200px">
            <a href="<?= base_url('user/delete/'.$user->id_user) ?>"
class="btn btn-danger"
            onclick="return confirm('Are You Sure ?')>Delete</a>
        </td>
    </tr>
    <?php
}
?>
</table>
<div class="row">
    <div class="col-md-6">
        <a href="#" class="btn btn-primary">Total Record : <?php echo
$total_rows ?></a>
    </div>
    <div class="col-md-6 text-right">
        <?php echo $pagination ?>
    </div>

```

```

</div>
</div>
</div>
</div>
</div>

<aside class="left-side sidebar-offcanvas">
  <!-- sidebar: style can be found in sidebar.less -->
  <section class="sidebar">
    <!-- Sidebar user panel -->
    <div class="user-panel">
      <div class="pull-left image">
        
      </div>
      <div class="pull-left info">
        <p>
          <?php
            if ($this->session->userdata('username') == 'admin') {
              ?>
              <a href="app/profiladmin/<?php echo $this->session-
>userdata('id_user'); ?>">
                Hello, Mr. <?php echo $this->session->userdata('username');
?></a>

              <?php
            } else {

              ?>
              <a href="app/profiluser/<?php echo $this->session-
>userdata('id_user'); ?>">
                Hello, Mr. <?php echo $this->session->userdata('username');
?></a>

              <?php } ?>
            </p>

            <a href="#"><i class="fa fa-circle text-success"></i>
Online</a>
          </div>
        </div>
        <!-- search form -->
        <form action="#" method="get" class="sidebar-form">
          <div class="input-group">
            <input type="text" name="q" class="form-control"
placeholder="Search..." />
            <span class="input-group-btn">

```

```

        <button type='submit' name='seach' id='search-btn' class='btn
btn-flat"><i class="fa fa-search"></i></button>
    </span>
</div>
</form>
<!-- /.search form -->
<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
    <?php
    if ($this->session->userdata('level') == 'admin') {
        ?>

    <li class="active">
        <a href="">
            <i class="fa fa-dashboard"></i> <span>Dashboard</span>
        </a>
    </li>

    <li>
        <a href="pegawai">
            <i class="fa fa-dashboard"></i> <span>Data Pegawai</span>
        </a>
    </li>
    <li>
        <a href="jabatan">
            <i class="fa fa-dashboard"></i> <span>Data Jabatan</span>
        </a>
    </li>
    <li>
        <a href="gaji">
            <i class="fa fa-dashboard"></i> <span>Gaji Pegawai</span>
        </a>
    </li>
    <!-- <li>
        <a href="absensi">
            <i class="fa fa-dashboard"></i> <span>Absensi</span>
        </a>
    </li> -->

    <li class="treeview">
        <a href="#">
            <i class="fa fa-bar-chart-o"></i>
            <span>Laporan</span>
            <i class="fa fa-angle-left pull-right"></i>
        </a>
        <ul class="treeview-menu">

```

```

        <li><a href="app/lap_karyawan"><i class="fa fa-angle-
double-right"></i> Laporan Data Karyawan</a></li>
        <li><a href="app/lap_gajikaryawan"><i class="fa fa-angle-
double-right"></i> Laporan Gaji Karyawan</a></li>

```

```

    </ul>
</li>

```

```

<li>
    <a href="user">
        <i class="fa fa-dashboard"></i> <span>Manajemen
User</span>
    </a>
</li>

```

```

<?php } elseif ($this->session->userdata('level') == 'user') {
    $iduser = $this->session->userdata('id_user');
    $data = $this->db->query("SELECT * FROM karyawan, gaji
where karyawan.nik=gaji.nik and karyawan.id_karyawan='$iduser' order by
gaji.tgl desc")->row();
    ?>

```

```

<li>
    <a href="app/tampilprofil/<?php echo $this->session-
>userdata('id_user'); ?>">
        <i class="fa fa-dashboard"></i> <span>Profil</span>
    </a>
</li>

```

```

<li>
    <a href="app/slip_gaji/<?php echo $data->nik; ?>/<?php echo
$data->tgl; ?>">
        <i class="fa fa-dashboard"></i> <span>Lihat gaji</span>
    </a>
</li>

```

```

<li>
    <a href="app/ubahpass/<?php echo $this->session-
>userdata('id_user'); ?>">
        <i class="fa fa-dashboard"></i> <span> Ubah
Password</span>
    </a>
</li>
<?php } ?>

```

```

</li>
    <a href="app/logout">
        <i class="fa fa-laptop"></i> <span>LogOut</span>
    </a>
</li>

</ul>
</section>
<!-- /.sidebar -->
</aside>

<header id="page-topbar">
    <div class="navbar-header">
        <div class="container-fluid">
            <div class="float-right">
                <div class="dropdown d-inline-block">
                    <button type="button" class="btn header-item waves-effect"
id="page-header-user-dropdown"
                    data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                        
                        <span class="d-none d-sm-inline-block ml-1">Mr.
                            <?php echo $this->session->userdata('username'); ?></span>
                        <i class="mdi mdi-chevron-down d-none d-sm-inline-block"></i>
                    </button>
                    <div class="dropdown-menu dropdown-menu-right">
                        <!-- item-->
                        <?php
                            if ($this->session->userdata('username') == 'admin') {
                                ?>
                                <a class="dropdown-item"
                                    href="app/profiladmin/<?php echo $this->session-
>userdata('id_user'); ?>">
                                    <?php
                                        } else {

                                ?>
                                <a class="dropdown-item"
                                    href="app/profiluser/<?php echo $this->session-
>userdata('id_user'); ?>">
                                    <?php } ?>

```

```

        <i class="mdi mdi-face-profile font-size-16 align-middle mr-
1"></i> Profile</a>
        <a class="dropdown-item" href="app/logout"><i
        class="mdi mdi-logout font-size-16 align-middle mr-
1"></i>
        Logout</a>
    </div>
</div>
</div>

<!-- LOGO -->
<div class="navbar-brand-box">
    <a href="index.html" class="logo logo-dark">
        <span class="logo-sm">
            
        </span>
        <span class="logo-lg">
            
        </span>
    </a>

    <a href="index.html" class="logo logo-light">
        <span class="logo-sm">
            
        </span>
        <span class="logo-lg">
            
        </span>
    </a>
</div>

<button type="button" class="btn btn-sm mr-2 font-size-16 d-lg-none
header-item waves-effect waves-light"
    data-toggle="collapse" data-target="#topnav-menu-content">
    <i class="fa fa-fw fa-bars"></i>
</button>

<div class="topnav">
    <nav class="navbar navbar-light navbar-expand-lg topnav-menu">

        <div class="collapse navbar-collapse" id="topnav-menu-content">
            <ul class="navbar-nav">

```



```

        <?php
        if ($this->session->userdata('level') == 'admin') {
        ?>

        <li class="nav-item">
            <a class="nav-link" href="">
                <i class="fa fa-dashboard"></i> <span>Dashboard</span>
            </a>
        </li>

        <li class="nav-item">
            <a class="nav-link" href="pegawai">
                <i class="fa fa-dashboard"></i> <span>Data
Pegawai</span>
            </a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="jabatan">
                <i class="fa fa-dashboard"></i> <span>Data
Jabatan</span>
            </a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="gaji">
                <i class="fa fa-dashboard"></i> <span>Gaji
Pegawai</span>
            </a>
        </li>

        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle arrow-none" href="#"
id="topnav-components"
            role="button" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                Laporan <div class="arrow-down"></div>
            </a>
            <div class="dropdown-menu" aria-labelledby="topnav-
components">
                <a href="app/lap_karyawan" class="dropdown-item">
                    <div class="d-inline-block icons-sm mr-2"><i
class="uim uim-schedule"></i></div>
                    Laporan Data Karyawan
                </a>
                <a href="app/lap_gajikaryawan" class="dropdown-item">
                    <div class="d-inline-block icons-sm mr-2"><i
class="uim uim-schedule"></i></div>

```

```

        Laporan Gaji Karyawan
    </a>
</div>
</li>

<li class="nav-item">
    <a class="nav-link" href="user">
        <i class="fa fa-dashboard"></i> <span>Manajemen
User</span>
    </a>
</li>

<?php } elseif ($this->session->userdata('level') == 'user') {
    $iduser = $this->session->userdata('id_user');
    $data = $this->db->query("SELECT * FROM karyawan join gaji
on(karyawan.nik = gaji.nik) where karyawan.id_karyawan='$iduser' order by
gaji.tgl desc")->row();
    ?>

    <li class="nav-item">
        <a class="nav-link" href="app/tampilprofil/<?php echo $this-
>session->userdata('id_user'); ?>">
            <i class="fa fa-dashboard"></i> <span>Profil</span>
        </a>
    </li>

    <?php if($data->nik != ""):?>
    <li class="nav-item">
        <a class="nav-link" href="app/slip_gaji/<?php echo $data-
>nik; ?>/<?php echo $data->tgl; ?>">
            <i class="fa fa-dashboard"></i> <span>Lihat gaji</span>
        </a>
    </li>
    <?php endif; ?>

    <li class="nav-item">
        <a class="nav-link" href="app/validasi">
            <i class="fa fa-dashboard"></i> <span>Validasi</span>
        </a>
    </li>

    <li class="nav-item">
        <a class="nav-link" href="app/ubahpass/<?php echo $this-
>session->userdata('id_user'); ?>">
            <i class="fa fa-dashboard"></i> <span> Ubah
Password</span>

```

```

        </a>
    </li>
<?php } ?>

</ul>
</div>
</nav>
</div>
</div>
</div>

</header>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <center>
                    <div class="container">
                        <div class="row">

                            <div class="offset-2 col-md-8">
                                
                                <h2>SISTEM PENGGAJIAN PEMERINTAHAN DESA
KUTAMBARU, KEC. MUNTE, KAB. KARO</h2>
                                </div>
                            </div>
                        <div class="row">
                            <!-- Artikel -->
                            <div id="artikel" class="col-sm-12 offset-2 col-md-8">
                                <h4 class="title">Visi dan Misi</h4>
                                <div class="body">
                                    <div class="content">
                                        <p>Visi Desa Kutambaru, Kec. Munte, Kab. Karo
adalah:</p>
                                        <p style="text-align:
center;"><strong>TERWUJUDNYA MASYARAKAT DESA KUTAMBARU
                                        YANG MAJU DAN
                                        MAKMUR DAN DIDUKUNG OLEH SEKTOR
PERTANIAN DAN PETERNAKAN YANG UNGGUL DAN
                                        SARANA
                                        PRASARANA TRANSPORTASI YANG
MEMADAI BAIK JALAN, KESEHATAN MASYARAKAT DAN
                                        PELAYANAN

```

**PEMERINTAH DENGAN BAIK.**

&nbsp;

Misi Desa Kutambaru,  
Kec. Munte, Kab. Karo

adalah:

- Meningkatkan pembangunan infrastruktur yang mendukung peremonomian desa, seperti jalan, jembatan serta infrastruktur strategi lainny.
- Meningkatkan pembangunan di bidang kesehatan untuk mendorong derajat kesehatan masyarakat agar dapat bekerja lebih optimal dan memiliki harapan hidup yang lebih panjang.
- Meningkatkan pembangunan di bidang pendidikan untuk mendorong peningkatan kualitas sumber daya manusia agar memiliki kecerdsan dan daya saing lebih baik.
- Meningkatkan pembangunan ekonomi dengan mendorong semakin tumbuh dan berkembangnya pembangunan di bidang pertanian dalam arti luasi, industri, perdagangan dan pariwisata.
- Menciptakan tata kelola pemerintah yang baik (good govermance) berdsarkan demokratis, transparansi, penengakan hukum, berkadilan, kesetaraan gender dan mengutamakan pelayanan kepada masyarakat.
- Mengupayakan pelestarian sumber daya alam untuk memenuhi kebutuhan dan pemerataan pembangunan guna meningkatkan perekonomian.

```
</li>
</ol>
<p style="text-align: justify;">Kutambaru adalah salah
satu Desa / Kelurahan di
Kecamatan Munte
yang ada di Kota / Kabupaten Karo dan termasuk
Propinsi Sumatera Utara,
Negara Indonesia</p>
<p style="text-align: justify;">Kecamatan yang
berbatasan langsung dengan
kecamatan Munte
adalah:</p>
<ul>
<li style="text-align: justify;">Kecamatan Kabanjahe
di sebelah timur.</li>
<li style="text-align: justify;">Kecamatan Juhar di
sebelah selatan.</li>
<li style="text-align: justify;">Kecamatan Tiga
Binanga di sebelah barat.
</li>
<li style="text-align: justify;">Kecamatan Payung di
sebelah utara.</li>
</ul>

<p style="text-align: justify;">Merdang Merdem atau
kerja tahun di kecamatan
Munte jatuh pada
hari ke-26, beraspati medem bulan ketujuh kalender
Karo yang pada kalender
masehi jatuh di
bulan Juli.</p>

</div>
</div>
</div> <!-- /#artikel -->
</div>
</div>
</center>
</div>
</div>
</div>
</div>

<!DOCTYPE html>
<html>
<head>
```

```

        <title>Data Karyawan</title>
        <base href="<?php echo base_url() ?>">
        <meta content='width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no' name='viewport'>
        <!-- bootstrap 3.0.2 -->
        <link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
</head>
<body onload="print()">
    <center>
        <table>
            <tr>
                <td>
                    
                </td>
                <td>
                    <center>
                        <h3><strong>LAPORAN PENGGAJIAN
PEMERINTAHAN DESA KUTAMBARU, KEC. MUNTE, KAB.
KARO</strong></h3>
                    </center>
                </td>
            </tr>
        </table>
        <h4>GAJI KARYAWAN</h4>
    </center>
    <hr>
    <table class="table table-bordered">
        <thead>
            <tr>
                <th>No.</th>
                <th>Nik</th>
                <th>Nama</th>
                <th>Jabatan</th>
                <th>Gaji Pokok</th>
                <th>Tunjangan Kesehatan</th>
                <!--<th>Tunjangan Tranportasi</th>
                <th>Tunjangan Pendidikan</th>-->
                <th>Tunjangan Keluarga</th>
            </tr>
        </thead>
        <tbody>
            <?php
            $no = 1;
            foreach ($rw->result() as $row) {

```

```

?>
<tr>
    <td><?php echo $no++; ?></td>
    <td><?php echo $row->nik; ?></td>
    <td><?php echo $row->nama; ?></td>
    <td><?php echo $row->pekerjaan; ?></td>
    <td><?php echo "Rp. ".number_format($row-
>gapok,0,',','.'); ?></td>
    <td><?php echo "Rp. ".number_format($row-
>tukes,0,',','.'); ?></td>
    <!--<td><?php echo "Rp. ".number_format($row-
>tutra,0,',','.'); ?></td>
    <td><?php echo "Rp. ".number_format($row-
>tupen,0,',','.'); ?></td>-->
    <td><?php echo "Rp. ".number_format($row-
>tukel,0,',','.'); ?></td>
</tr>
<?php } ?>
</tbody>
</table>

</body>
</html>

<!DOCTYPE html>
<html>
<head>
    <title>Data Karyawan</title>
    <base href="<?php echo base_url() ?>">
    <meta content='width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no' name='viewport'>
    <!-- bootstrap 3.0.2 -->
    <link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
</head>
<body onload="print()">
    <center>
        <table>
            <tr>
                <td>
                    
                </td>
                <td>
                    <center>

```

### LAPORAN PENGGAJIAN PEMERINTAHAN DESA KUTAMBARU, KEC. MUNTE, KAB. KARO

```
</center>
</td>
</tr>
</table>
<h4>LAPORAN DATA KARYAWAN</h4>
</center>
<hr>
<table class="table table-bordered">
  <thead>
    <tr>
      <th>No.</th>
      <th>Nik</th>
      <th>Nama</th>
      <th>Alamat</th>
      <th>Jenis Kelamin</th>
      <th>Agama</th>
      <th>Pendidikan</th>
      <th>Asal Sekolah</th>
      <th>Jabatan</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $no = 1;
      foreach ($rw->result() as $row) {
        ?>
        <tr>
          <td><?php echo $no++; ?></td>
          <td><?php echo $row->nik; ?></td>
          <td><?php echo $row->nama; ?></td>
          <td><?php echo $row->alamat; ?></td>
          <td><?php echo $row->jenis_kelamin; ?></td>
          <td><?php echo $row->agama; ?></td>
          <td><?php echo $row->pendidikan; ?></td>
          <td><?php echo $row->asal_sekolah; ?></td>
          <td><?php echo $row->pekerjaan; ?></td>
        </tr>
        <?php } ?>
      </tbody>
    </table>
  </body>
```



</html>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>SISTEM PENGGAJIAN</title>

<link href="<?= base\_url() ?>assets/img/favicon.png" rel="shortcut icon" type="image/png">

<link rel="stylesheet" type="text/css" href="<?= base\_url() ?>assets/login/css/bootstrap.min.css">

<link rel="stylesheet" type="text/css" href="<?= base\_url() ?>assets/login/css/fontawesome-all.min.css">

<link rel="stylesheet" type="text/css" href="<?= base\_url() ?>assets/login/css/iofrm-style.css">

<link rel="stylesheet" type="text/css" href="<?= base\_url() ?>assets/login/css/iofrm-theme5.css">

<style>

.website-logo .logo {  
background-image: url("../assets/img/logo.png");  
}

</style>

</head>

<body>

<div class="form-body">

<div class="website-logo">

<a href="index-2.html">

<div class="logo">



</div>

</a>

</div>

<div class="row">

<div class="img-holder">

<div class="bg"></div>

<div class="info-holder">



</div>

</div>

<div class="form-holder">

<div class="form-content">

```

        <div class="form-items">
            <div class="website-logo-inside">
                <a href="#">
                    
                </a>
            </div>
            <h3>SISTEM PENGGAJIAN PEMERINTAHAN DESA
KUTAMBARU, KEC. MUNTE, KAB. KARO.</h3>
            <div class="page-links">
                <a href="#" class="active">Login</a>
            </div>
            <form action="" method="post" class="form-login">
                <input class="form-control" type="text" name="username"
placeholder="NIP"
                required>
                <input class="form-control" type="password" name="password"
placeholder="Password" required>
                <div class="form-button">
                    <button id="submit" type="submit"
class="ibtn">Login</button>
                </div>
            </form>
        </div>
    </div>
</div>
</div>
</div>
<script src="<?= base_url() ?>assets/login/js/jquery.min.js"></script>
<script src="<?= base_url() ?>assets/login/js/popper.min.js"></script>
<script src="<?= base_url() ?>assets/login/js/bootstrap.min.js"></script>
<script src="<?= base_url() ?>assets/login/js/main.js"></script>
</body>

</html>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <form action="" method="post">
                    <div class="form-group">
                        <label>Nama Lengkap</label>
                        <input type="text" name="nama" class="form-control"
value="<?php echo $rw->nama ?>">
                    </div>

```

```

        <div class="form-group">
            <label>Username</label>
            <input type="text" name="username" class="form-control"
value="<?php echo $rw->username ?>">
        </div>
        <div class="form-group">
            <label>Password</label>
            <input type="text" name="password" class="form-control"
value="<?php echo $rw->password ?>">
        </div>
        <div class="form-group">
            <button class="btn btn-primary" type="submit">Ubah</button>
        </div>
    </form>
</div>
</div>
</div>
</div>
</div>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <form action="" method="post">
                    <div class="form-group">
                        <label>Nik</label>
                        <input type="text" name="nik" class="form-control"
value="<?php echo $rw->nik ?>">
                    </div>
                    <div class="form-group">
                        <label>username</label>
                        <input type="text" name="username" class="form-control"
value="<?php echo $rw->username ?>">
                    </div>
                    <div class="form-group">
                        <label>nama</label>
                        <input type="text" name="nama" class="form-control"
value="<?php echo $rw->nama ?>">
                    </div>
                    <div class="form-group">
                        <label>Alamat</label>
                        <textarea name="alamat" class="form-control" rows="3"><?php
echo $rw->alamat ?></textarea>
                    </div>
                    <div class="form-group">
                        <label>Jenis Kelamin</label>

```

```

        <select name="jenis_kelamin" class="form-control">
            <option value="<?php echo $rw->jenis_kelamin ?>"><?php
echo $rw->jenis_kelamin ?></option>
            <option value="Laki-laki">Laki-laki</option>
            <option value="Perempuan">Perempuan</option>
        </select>
    </div>
    <div class="form-group">
        <label>Agama</label>
        <select name="agama" class="form-control">
            <option value="<?php echo $rw->agama ?>"><?php echo $rw-
>agama ?></option>
            <option value="Islam">Islam</option>
            <option value="Kristen">Kristen</option>
            <option value="Hindu">Hindu</option>
            <option value="Budha">Budha</option>
        </select>
    </div>
    <div class="form-group">
        <label>Pendidikan</label>
        <input type="text" name="pendidikan" class="form-control"
value="<?php echo $rw->pendidikan ?>">
    </div>
    <div class="form-group">
        <label>Asal Sekolah</label>
        <input type="text" name="asal_sekolah" class="form-control"
value="<?php echo $rw->asal_sekolah ?>">
    </div>
    <div class="form-group">
        <label>Jabatan</label>
        <select name="id_pekerjaan" class="form-control">
            <option value="<?php echo $rw->id_pekerjaan ?>"><?php echo
$rw->pekerjaan ?></option>
            <?php
            $sql = $this->db->get('pekerjaan');
            foreach ($sql->result() as $row) {
                ?>
                <option value="<?php echo $row->id_pekerjaan; ?>"><?php
echo $row->pekerjaan; ?></option>
                <?php } ?>
            </select>
        </div>
    <div class="form-group">
        <button class="btn btn-primary" type="submit">Ubah</button>
    </div>
</form>

```

```

        </div>
    </div>
</div>
</div>

<!DOCTYPE html>
<html>
<head>
    <title>Slip Gaji Karyawan</title>
    <base href="<?php echo base_url() ?>">
    <meta content='width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no' name='viewport'>
    <!-- bootstrap 3.0.2 -->
    <link href="assets/css/bootstrap.min.css" rel="stylesheet" type="text/css" />
</head>
<body onload="print()">

<?php
$rw = $this->db->query("SELECT * FROM karyawan,pekerjaan where
karyawan.id_pekerjaan=pekerjaan.id_pekerjaan and karyawan.nik='$nik'")-
>row();
$jam = $this->db->query("SELECT COUNT('kehadiran') as hadir FROM
`absensi` WHERE nik='$nik' and kehadiran='hadir'")->row();
$lost = $this->db->query("SELECT COUNT('kehadiran') as lost FROM `absensi`
WHERE nik='$nik' and kehadiran='absen'")->row();

?>

        <center>
            <table>
                <tr>
                    <td>
                        
                    </td>
                    <td>
                        <center>
                            <h3>SISTEM PENGGAJIAN
PEMERINTAHAN DESA KUTAMBARU, KEC. MUNTE, KAB. KARO </h3>
                        </center>
                    </td>
                </tr>
            </table>
            <h4>SLIP GAJI</h4>
        </center>

```

```

<hr>
<table class="table">
    <tr>
        <td width="10%">Nik</td>
        <td>:</td>
        <td><?php echo $rw->nik; ?></td>
        <td width="10%">Alamat</td>
        <td>:</td>
        <td><?php echo $rw->alamat; ?></td>
        <td width="10%">Tanggal</td>
        <td>:</td>
        <td><?php echo $tgl; ?></td>
    </tr>
    <tr>
        <td width="10%">Nama</td>
        <td>:</td>
        <td><?php echo $rw->nama; ?></td>
        <td width="10%">Jabatan</td>
        <td>:</td>
        <td><?php echo $rw->pekerjaan; ?></td>
        <td></td>
        <td></td>
        <td></td>
    </tr>
</table>

<table class="table table-bordered">
    <thead>
        <tr>
            <th>NO</th>
            <th>KETERANGAN</th>
            <th>JUMLAH</th>
        </tr>
    </thead>
    <tbody>
        <tr>
            <th>1</th>
            <td>Gaji Pokok</td>
            <td>Rp. <?php echo number_format($rw->gapok)
?></td>
        </tr>
        <tr>
            <th>2</th>
            <td>Tunjangan Kesehatan</td>
            <td>Rp. <?php echo number_format($rw->tukes)
?></td>

```

```

        </tr>
        <tr>
            <th>3</th>
            <td>Tunjangan Transportasi</td>
            <td>Rp. <?php echo number_format($rw->tutra)
?></td>
        </tr>
        <tr>
            <th>4</th>
            <td>Tunjangan Pendidikan</td>
            <td>Rp. <?php echo number_format($rw->tupen)
?></td>
        </tr>
        <tr>
            <th>5</th>
            <td>Tunjangan Keluarga</td>
            <td>Rp. <?php echo number_format($rw->tukel)
?></td>
        </tr>
        <tr>
            <th>6</th>
            <td>Kehadiran</td>
            <td><?= $jam->hadir * 8; ?> Jam</td>
        </tr>
        <tr>
            <th>7</th>
            <td>Potongan Kehadiran</td>
            <td>Rp. <?php $a = number_format($lost->lost *
50000); echo $a;?></td>
        </tr>
        <tr>
            <th colspan="2">TOTAL DITERIMA</th>
            <th>Rp.
                <?php
                    $total = ($rw->gapok+$rw->tukes+$rw-
>tutra+$rw->tupen+$rw->tukel) - $lost->lost * 50000;
                    echo number_format($total);
                ?>
            </th>
        </tr>
    </tbody>
</table>
<p style="text-align: right;">
    Penerima,
    <br><br><br><br>

```

```

        <b><?php echo $rw->nama; ?></b>
    </p>
</body>
</html>

<div class="row">
    <div class="col-xl-12">
        <div class="card">
            <div class="card-body">
                <h3>Data Pegawai <?php echo $rw->nama; ?></h3>
                <table class="table">
                    <tr>
                        <th>Nik</th>
                        <th>:</th>
                        <th><?php echo $rw->nik; ?></th>
                    </tr>
                    <tr>
                        <th>Nama Lengkap</th>
                        <th>:</th>
                        <th><?php echo $rw->nama; ?></th>
                    </tr>
                    <tr>
                        <th>Username</th>
                        <th>:</th>
                        <th><?php echo $rw->username; ?></th>
                    </tr>
                    <tr>
                        <th>Alamat</th>
                        <th>:</th>
                        <th><?php echo $rw->alamat; ?></th>
                    </tr>
                    <tr>
                        <th>Jenis Kelamin</th>
                        <th>:</th>
                        <th><?php echo $rw->jenis_kelamin; ?></th>
                    </tr>
                    <tr>
                        <th>Agama</th>
                        <th>:</th>
                        <th><?php echo $rw->agama; ?></th>
                    </tr>
                    <tr>
                        <th>Pendidikan</th>
                        <th>:</th>
                        <th><?php echo $rw->pendidikan; ?></th>
                    </tr>
                </table>
            </div>
        </div>
    </div>
</div>

```



```

<tr>
  <th>Asal Sekolah</th>
  <th>:</th>
  <th><?php echo $rw->asal_sekolah; ?></th>
</tr>
<tr>
  <th>Jabatan</th>
  <th>:</th>
  <th><?php echo $rw->pekerjaan; ?></th>
</tr>
<tr>
  <td></td>
  <td></td>
  <td>
    <a href="app/profiluser/<?php echo $this->session-
>userdata('id_user'); ?>">
      <button class="btn btn-primary">Ubah Profil</button>
    </a>
    <a href="app/ubahpass/<?php echo $this->session-
>userdata('id_user'); ?>">
      <button class="btn btn-primary">Ubah Password</button>
    </a>
  </td>
</tr>
</table>
</div>
</div>
</div>
</div>

<div class="row">
  <div class="col-xl-12">
    <div class="card">
      <div class="card-body">
        <form action="" method="post">
          <div class="form-group">
            <label>Password Lama</label>
            <input type="text" name="pass_lama" class="form-control">
          </div>
          <div class="form-group">
            <label>Password Baru</label>
            <input type="text" name="pass_baru" class="form-control">
          </div>
          <div class="form-group">
            <button class="btn btn-primary" type="submit">Ubah</button>
          </div>
        </form>
      </div>
    </div>
  </div>
</div>

```

```
</form>
</div>
</div>
</div>
</div>

<!DOCTYPE html>
<html>

<head>
  <meta charset="UTF-8">
  <title>Gaji Karyawan</title>
  <base href="<?php echo base_url() ?>">
  <meta content='width=device-width, initial-scale=1, maximum-scale=1, user-
scalable=no' name='viewport'>
  <!-- datePicker -->
  <link href="<?php echo base_url() ?>assets/img/favicon.png" rel="shortcut icon"
type="image/png">
  <link href="<?php echo base_url() ?>assets/admin/libs/air-
datepicker/css/datepicker.min.css" rel="stylesheet"
type="text/css" />

  <!-- jvectormap -->
  <link href="<?php echo base_url() ?>assets/admin/libs/jqvmap/jqvmap.min.css"
rel="stylesheet" />

  <!-- Bootstrap Css -->
  <link href="<?php echo base_url() ?>assets/admin/css/bootstrap.min.css"
rel="stylesheet" type="text/css" />
  <!-- Icons Css -->
  <link href="<?php echo base_url() ?>assets/admin/css/icons.min.css" rel="stylesheet"
type="text/css" />
  <!-- App Css-->
  <link href="<?php echo base_url() ?>assets/admin/css/app.min.css" rel="stylesheet"
type="text/css" />

</head>

<body data-topbar="colored" data-layout="horizontal" data-layout-size="boxed">
  <div id="layout-wrapper">
    <?php include 'header.php'; ?>
    <div class="main-content">
      <div class="page-content">
        <!-- Page-Title -->
        <div class="page-title-box">
          <div class="container-fluid">
```

```

        <div class="row align-items-center">
            <div class="col-md-8">
                <h4 class="page-title mb-1"><?php echo $judul; ?></h4>
                <ol class="breadcrumb m-0">
                    <li class="breadcrumb-item">Home</li>
                    <li class="breadcrumb-item active"><?php echo $judul;
?></li>
                </ol>
            </div>
        </div>

    </div>
<!-- end page title end breadcrumb -->

<div class="page-content-wrapper">
    <div class="container-fluid">
        <?php include $konten.'.php'; ?>
    </div>
</div>

<footer class="footer">
    <div class="container-fluid">
        <div class="row">
            <div class="offset-3 col-sm-6">
                2019 © EMERINTAHAN DESA KUTAMBARU, KEC.
MUNTE, KAB. KARO.
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>

```

```

<!-- JAVASCRIPT -->
<script src="<?= base_url()
?>assets/admin/libs/jquery/jquery.min.js"></script>
<script src="<?= base_url()
?>assets/admin/libs/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="<?= base_url()
?>assets/admin/libs/metismenu/metisMenu.min.js"></script>
<script src="<?= base_url()
?>assets/admin/libs/simplebar/simplebar.min.js"></script>

```

```
<script src="<?= base_url() ?>assets/admin/libs/node-  
waves/waves.min.js"></script>
```

```
<script  
src="https://unicons.iconscout.com/release/v2.0.1/script/monochrome/bundle.js">  
</script>
```

```
<!-- datepicker -->  
<script src="<?= base_url() ?>assets/admin/libs/air-  
datepicker/js/datepicker.min.js"></script>  
<script src="<?= base_url() ?>assets/admin/libs/air-  
datepicker/js/i18n/datepicker.en.js"></script>
```

```
<!-- apexcharts -->  
<script src="<?= base_url() ?>assets/admin/libs/apexcharts/apexcharts.min.js"></script>
```

```
<script src="<?= base_url() ?>assets/admin/libs/jquery-  
knob/jquery.knob.min.js"></script>
```

```
<!-- Jq vector map -->  
<script src="<?= base_url() ?>assets/admin/libs/jqvmap/jquery.vmap.min.js"></script>  
<script src="<?= base_url() ?>assets/admin/libs/jqvmap/maps/jquery.vmap.usa.js"></script>
```

```
<script src="<?= base_url() ?>assets/admin/js/app.js"></script>  
</body>
```

```
</html>
```

```
</html>
```

```
<div class="row">  
  <div class="col-xl-12">  
    <div class="card">  
      <div class="card-body">  
        <div class="row" style="margin-bottom: 10px">  
          <div class="col-md-4 text-center">  
            <div style="margin-top: 8px" id="message">  
              <?php echo $this->session->userdata('message') <> " ? $this->  
session->userdata('message') : "; ?>  
            </div>  
          </div>  
        </div>  
      </div>  
    </div>  
  </div>  
</div>
```

```

        <div class="col-md-1 text-right">
        </div>

</div>
<table class="table table-bordered" style="margin-bottom: 10px">
    <tr>
        <th>No</th>
        <th>Tanggal</th>
        <th>Nik</th>
        <th>Validasi</th>
        <th>Action</th>
    </tr><?php
foreach ($gaji_data as $gaji)
{
    ?>
    <tr>
        <td width="80px"><?php echo ++$start ?></td>
        <td><?php echo $gaji->tgl ?></td>
        <td><?php echo $gaji->nik ?></td>
        <td><?php echo $gaji->validasi ?></td>
        <td style="text-align:center" width="350px">
            <?php
                echo anchor(site_url('app/slip_gaji/'.$gaji->nik.'/'.$gaji->tgl),'Cetak
Slip','class="btn btn-info")'." ";
            ?>
        </td>
    </tr>
    <?php
}
?>
</table>
<div class="row">
    <div class="col-md-6">
        <a href="#" class="btn btn-primary">Total Record : <?php echo
$total_rows ?></a>
    </div>
    <div class="col-md-6 text-right">
        <?php echo $pagination ?>
    </div>
</div>
</div>
</div>
</div>
<?php

```

```
defined('BASEPATH') OR exit('No direct script access allowed');
?><!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Welcome to CodeIgniter</title>

    <style type="text/css">

::selection { background-color: #E13300; color: white; }
::-moz-selection { background-color: #E13300; color: white; }

body {
    background-color: #fff;
    margin: 40px;
    font: 13px/20px normal Helvetica, Arial, sans-serif;
    color: #4F5155;
}

a {
    color: #003399;
    background-color: transparent;
    font-weight: normal;
}

h1 {
    color: #444;
    background-color: transparent;
    border-bottom: 1px solid #D0D0D0;
    font-size: 19px;
    font-weight: normal;
    margin: 0 0 14px 0;
    padding: 14px 15px 10px 15px;
}

code {
    font-family: Consolas, Monaco, Courier New, Courier, monospace;
    font-size: 12px;
    background-color: #f9f9f9;
    border: 1px solid #D0D0D0;
    color: #002166;
    display: block;
    margin: 14px 0 14px 0;
    padding: 12px 10px 12px 10px;
}
```

```

#body {
    margin: 0 15px 0 15px;
}

p.footer {
    text-align: right;
    font-size: 11px;
    border-top: 1px solid #D0D0D0;
    line-height: 32px;
    padding: 0 10px 0 10px;
    margin: 20px 0 0 0;
}

#container {
    margin: 10px;
    border: 1px solid #D0D0D0;
    box-shadow: 0 0 8px #D0D0D0;
}
</style>
</head>
<body>

<div id="container">
    <h1>Welcome to CodeIgniter!</h1>

    <div id="body">
        <p>The page you are looking at is being generated dynamically by
CodeIgniter.</p>

        <p>If you would like to edit this page you'll find it located at:</p>
        <code>application/views/welcome_message.php</code>

        <p>The corresponding controller for this page is found at:</p>
        <code>application/controllers/Welcome.php</code>

        <p>If you are exploring CodeIgniter for the very first time, you
should start by reading the <a href="user_guide/">User Guide</a>.</p>
    </div>

    <p class="footer">Page rendered in <strong>{elapsed_time}</strong>
seconds. <?php echo (ENVIRONMENT === 'development') ? 'CodeIgniter
Version <strong>' . CI_VERSION . '</strong>' : ">?</p>
</div>

</body>
</html>

```