

MENU LISTING KALIBRASI

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Klik

Excel

CSV

PDF

No.	Nomor Serial	Nomor Order	Order Date	Cust.	Item Desc.	Manufacture/Model	Nomor S/N	Status	NIK Assign	Action
	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	
1	CCL-21-002	AJKT-OC-21-10001	21-Jan-2021	PT ABC	Fiber Optim	HP/8989	33333	Open		<input type="button" value="Task"/>
2	CCL-21-2029	AJKT-OC-21-10002	21-Jan-2021	PT EFG	Fiber Optim	HP/9090	33334	Calibrated	900019	<input type="button" value="Task"/>

V 1.0

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Excel

CSV

PDF

No.	Nomor Serial	Nomor Order	Order Date	Cust.	Item Desc.	Manufacture/Model	Nomor S/N	Status	NIK Assign	Action
	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	<input type="text" value="Search"/>	
1	CCL-21-002	AJKT-OC-21-10001	21-Jan-2021	PT ABC	Fiber Optim	HP/8989	33333	Open		<input type="button" value="Task"/>
2	CCL-21-2029	AJKT-OC-21-10002	21-Jan-2021	PT EFG	Fiber Optim	HP/9090	33334	Calibrated	900019	<input type="button" value="Task"/>

Klik

V 1.0

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Item Kalibrasi Detail

Date of Issue:	01-Feb-2021	← Tarik api list item order
Submitted by:	PT. SATKOMINDO MEDIIYASA Jl. RS. Fatmawati Raya No.1, RT.2/RW.8, Kota Jakarta Selatan, 12430	← Tarik api list item order
Attention:	Ahmad	← Tarik api list item order
Item Description:	Spectrum Analyzer	← Tarik api list item order
Manufacturer/Model:	HP/ 8563EC	← Tarik api list item order
Serial Number:	4103A01064	← Tarik api list item order
Environment:	23 °C ± 2 °C 55 % ± 10 % RH	← Tarik api list item order
Calibration Location:	Inhouse	← Tarik api list item order
Date Calibrated:	21 September 2021	← Tarik api list item order
Date Reeceived:	5 Agustus 2021	← Tarik api list item order

Scroll 1

Task Item Kalibrasi

No.	Status Deskripsi	Status	Tanggal	Assign.	Action
1	Technician Assignment	Close ▼	21-Jan-2021	900018 - NI Made ▼	
2	Calibrate	Open ▼			Start
3	Draft Approval	Open ▼			View Approve
4	TM Review	Open ▼			View Approve
5	TM CLOse	Open ▼			Print
6	Certificate Close	Open ▼			Upload

Dropdown open/close

Back

Dropdown Auto
suggest NIK

MENU START DRAFT KALIBRASI

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Item Kalibrasi Detail

Date of Issue:	01-Feb-2021	← Tarik api list item order
Submitted by:	PT. SATKOMINDO MEDIIYASA Jl. RS. Fatmawati Raya No.1, RT.2/RW.8, Kota Jakarta Selatan, 12430	← Tarik api list item order
Attention:	Ahmad	← Tarik api list item order
Item Description:	Spectrum Analyzer	← Tarik api list item order
Manufacturer/Model:	HP/ 8563EC	← Tarik api list item order
Serial Number:	4103A01064	← Tarik api list item order
Environment:	23 °C ± 2 °C 55 % ± 10 % RH	← Tarik api list item order
Calibration Location:	Inhouse	← Tarik api list item order
Date Calibrated:	21 September 2021	← Tarik api list item order
Date Reeceived:	5 Agustus 2021	← Tarik api list item order

Scroll 1

Task Item Kalibrasi

No.	Status Deskripsi	Status	Tanggal	Assign.	Action
1	Technician Assignment	Close	21-Jan-2021	900018 - NI Made	
2	Calibrate	Open			Start
3	Draft Approval	Open			View Approve
4	TM Review	Open			View Approve
5	TM CLOse	Open			Print
6	Certificate Close	Open			Upload

Back

KLIK

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

Template:	0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO MEDIYASA	Drop down Master Data Template atau create NEW
Create Date:	21 September 2021	Date Template
Description:	Spectrum Analyzer HP	CITEM_DESC Data Template



Date of Issue:	01-Feb-2021	Date draft approval
Submitted by:	PT. SATKOMINDO MEDIYASA Jl. RS. Fatmawati Raya No.1, RT.2/RW.8, Kota Jakarta Selatan, 12430	Tarik Customer dari order
Attention:	Ahmad	Tarik nama pemilik sertifikat dari order (editable input data)
Description:	Spectrum Analyzer	Tarik CITEM_DESC dari order
Manufacturer/Model:	HP/ 8563EC	Tarik CITEM_Pabrik / CITEM_PN dari order
Serial Number:	4103A01064	Tarik serial dari order
Environment:	23 °C ± 2 °C 55 % ± 10 % RH	Input data environment dari order
Calibration Location:	Inhouse	Tarik dari order
Date Calibrated:	21 September 2021	Tarik dari order (date close calibrate)
Date Reeceived:	5 Agustus 2021	Tarik dari order

Scroll 1

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Attention:

Ahmad

Description:

Spectrum Analyzer

Manufacturer/Model:

HP/ 8563EC

Serial Number:

4103A01064

Environment:

23 °C ± 2 °C 55 % ± 10 % RH

Calibration Location:

Inhouse

Date Calibrated:

21 September 2021

Date Reeceived:

5 Agustus 2021

Tarik nama pemilik sertifikat dari order (editable input data)

Tarik CITEM_DESC dari order

Tarik CITEM_Pabrik / CITEM_PN dari order

Tarik serial dari order

Input data

Tarik dari order

Tarik dari order

Tarik dari order

PT. Telekomunikasi Indonesia, Tbk. - Telkom Certifies that this instrument has been calibrated under the environmental condition stated above using telkom standard (s) which is (are) traceable to the international system of Units (SI) through SNSU BSN and Keysight Technologies.

Method of Calibration:

Default Edit Text

The calibration was carried out based on the established Standard Telkom Calibration Procedure, TCL-WI-F007 and by comparison against the following standard(s) and instrument(s) which is (are) calibrated on schedule to maintain traceability and required accuracy :

Default Edit Text

Scroll 2

Method of Calibration:

The calibration was carried out based on the established Standard Telkom Calibration Procedure, TCL-WI-F007 and by comparison against the following standard(s) and instrument(s) which is (are) calibrated on schedule to maintain traceability and required accuracy :

+ Tambah Kalibrator

Nomor	Description	S/N	Cal Date	Due Date
1	Signal Generator - FB44AA	3722A00415	18-Nov-2020	17-Nov-2021
2	Frequency Counter – FB79B	3722A00415	07-Mar-2021	HP

Master Data Uncertainty Maker
BufferDB,kolom Description - Initial

Generate dari
kolom serial
number

Generate dari
kolom Cal date

Generate dari
kolom Cal Due

Next

Klik ke step 2

Klik
Scroll 3

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

+ Tambah Order

Template:	0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO MEDIYASA	Drop down Master Data Template atau create NEW
Create Date:	21 September 2021	Date Template
Description:	Spectrum Analyzer HP	CITEM_DESC Data Template



1

Judul:	Value Judul Parameter		
Tipe Kolom/Baris	Value Judul Kolom/Baris	Value Cell Kolom/Baris	+ Tambah Kolom/Baris
+ Tambah Table			
Submit Draft			

Scroll 1

Klik

Atemis

Kalibrasi

Pre Oder

Order


Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

+ Tambah Order

Template:	0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO MEDIYASA	Drop down Master Data Template atau create NEW
Create Date:	21 September 2021	Date Template
Description:	Spectrum Analyzer HP	CITEM_DESC Data Template



1

Judul:	Value Judul Parameter			
Tipe Kolom/Baris ▼	Value Kolom/Baris ▼	Tipe Kolom/Baris ▼	Value Kolom/Baris ▼	+ Tambah Kolom/Baris
				+ Tambah Table

Submit Draft

Scroll 1

Klik

Atemis

Kalibrasi

Pre Oder

Order


Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

+ Tambah Order

Template:	0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO MEDIYASA	← Drop down Master Data Template atau create NEW
Create Date:	21 September 2021	← Date Template
Description:	Spectrum Analyzer HP	← CITEM_DESC Data Template



1

Judul: Value Judul Parameter

Tipe Kolom/Baris ▼ Value Kolom/Baris ▼ Tipe Kolom/Baris ▼ Value Kolom/Baris ▼

+ Tambah Kolom/Baris

2

Judul: Value Judul Parameter

Tipe Kolom/Baris ▼ Value Kolom/Baris ▼ Tipe Kolom/Baris ▼ Value Kolom/Baris ▼

+ Tambah Kolom/Baris

+ Tambah Table

NEXT

← Klik (lanjut ke tahap 3)

Scroll 1

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

Template:	0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO MEDIYASA	Drop down Master Data Template atau create NEW
Create Date:	21 September 2021	Date Template
Description:	Spectrum Analyzer HP	CITEM_DESC Data Template



Certificate Number:	CCL-21-12313-SignalGenerator	Generate CCL-yy-serial-kalibrator
Approved by:	NIK APPROVAL	Dropdown autosuggest NIK
Date of Issue:	01-Feb-2021	Tarik dari tahap 1
Submitted by:	PT. SATKOMINDO MEDIYASA Jl. RS. Fatmawati Raya No.1, RT.2/RW.8, Kota Jakarta Selatan, 12430	Tarik dari tahap 1
Attention:	Ahmad	Tarik dari tahap 1
Description:	Spectrum Analyzer	Tarik dari tahap 1
Manufacturer/Model:	HP/ 8563EC	Tarik dari tahap 1
Serial Number:	4103A01064	Tarik dari tahap 1
Environment:	23 °C ± 2 °C 55 % ± 10 % RH	Tarik dari tahap 1
Calibration Location:	Inhouse	Tarik dari tahap 1

Scroll 1

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Attention:

Ahmad

Tarik dari tahap 1

Description:

Spectrum Analyzer

Tarik dari tahap 1

Manufacturer/Model:

HP/ 8563EC

Tarik dari tahap 1

Serial Number:

4103A01064

Tarik dari tahap 1

Environment:

23 °C ± 2 °C 55 % ± 10 % RH

Tarik dari tahap 1

Calibration Location:

Inhouse

Tarik dari tahap 1

Date Calibrated:

21 September 2021

Tarik dari tahap 1

Date Reeceived:

5 Agustus 2021

Tarik dari tahap 1

PT. Telekomunikasi Indonesia, Tbk. - Telkom Certifies that this instrument has been calibrated under the environmental condition stated above using telkom standard (s) which is (are) traceable to the international system of Units (SI) through SNSU BSN and Keysight Technologies.

Default Edit Text

Method of Calibration:

The calibration was carried out based on the established Standard Telkom Calibration Procedure, TCL-WI-F007 and by comparison against the following standard(s) and instrument(s) which is (are) calibrated on schedule to maintain traceability and required accuracy :

Default Edit Text

Scroll 2

Method of Calibration:

The calibration was carried out based on the established Standard Telkom Calibration Procedure, TCL-WI-F007 and by comparison against the following standard(s) and instrument(s) which is (are) calibrated on schedule to maintain traceability and required accuracy :

+ Tambah Kalibrator

Nomor	Description	S/N	Cal Date	Due Date
1	Signal Generator - FB44AA	3722A00415	18-Nov-2020	17-Nov-2021
2	Frequency Counter – FB79B	3722A00415	07-Mar-2021	HP

Master Data Uncertainty Maker
BufferDB,kolom Description - Initial

Generate dari
kolom serial
number

Generate dari
kolom Cal date

Generate dari
kolom Cal Due

Next

Klik
Scroll 3

Tarik Tahap 1

Klik ke step 4

V 1.0

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

+ Tambah Order

Template:	0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO MEDIYASA	← Drop down Master Data Template atau create NEW
Create Date:	21 September 2021	← Date Template
Description:	Spectrum Analyzer HP	← CITEM_DESC Data Template



1

Judul: Value Judul Parameter

Tipe Kolom/Baris ▼ Value Kolom/Baris ▼ Tipe Kolom/Baris ▼ Value Kolom/Baris ▼ + Tambah Kolom/Baris

2

Judul: Value Judul Parameter

Tipe Kolom/Baris ▼ Value Kolom/Baris ▼ Tipe Kolom/Baris ▼ Value Kolom/Baris ▼ + Tambah Kolom/Baris

+ Tambah Table

NEXT

← Klik (lanjut ke tahap 5)

Scroll 1

Tarik Tahap 2

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

+ Tambah Order

Template: 0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO
MEDIYASA ← Drop down Master Data Template atau create NEW

Create Date: 21 September 2021 ← Date Template

Description: Spectrum Analyzer HP ← CITEM_DESC Data Template



1 FREQUENCY Acuracy Test

No.	Calibrator Function	Center Frequency	UUT Indicated Frequency	Correction	Uncertainty
1	1.5 GHz	1.5 GHz	1 MHz	1.5000 GHz	0.57 KHz
2	1.5 GHz	1.5 GHz	10 MHz	1.500 GHz	5.66 KHz

+

Tambah Baris

Input

Input

Input

Input

Formula

Klik

Submit

Scroll 1

Atemis

Kalibrasi

Pre Oder

Order

Transaksi Order

Management
Kalibrasi

Input Template Draft Sertifikat

+ Tambah Order

Template: 0001_21_DK_SPEC_AN_HP8563E_SATKOMINDO
MEDIYASA ← Drop down Master Data Template atau create NEW

Create Date: 21 September 2021 ← Date Template

Description: Spectrum Analyzer HP ← CITEM_DESC Data Template



2

FREQUENCY Counter Test

No.	Calibrator Function	Center Frequency	UUT Indicated Frequency	Correction	Uncertainty
1	1.5 GHz	1.5 GHz	1 MHz	1.5000 GHz	0.57 KHz
2	1.5 GHz	1.5 GHz	10 MHz	1.500 GHz	5.66 KHz

+

Tambah Baris

Input

Input

Input

Input

Formula

Klik

Submit

Scroll 1

```
{
  item_Serial:ccl-21-002
  coverage:{
    environnement : "asdsadasda",
    calibrate_date:"asdasda", dst
  }
  calibrator: {
    kalibrator:{asdad:asdasd, asdasd:asdasd}
  }
  Data_parameter_template: "\T|judul 1|j1\C|kolom 1|k1|text\C|kolom 2|k2|text\T|judul 2|j2\R|BARIS 1|text|r1"
}
```

↑

Tipe

↑

Value String

↑

Variable increment

Table Data Parameter Template

id.	Nomor Serial	Nomor Order	Tipe Format	Value	variable
1	CCL-21-002	AJKT-OC-21-10001	\T	judul 1	j1
2	CCL-21-002	AJKT-OC-21-10001	\C	kolom1	k1

Table Data Parameter Value Cell

id.	Nomor Serial	Nomor Order	Table	kolom	baris	Value
1	CCL-21-002	AJKT-OC-21-10001	j1	k1	r1	50
2	CCL-21-002	AJKT-OC-21-10001	j1	k2	r1	60