```
library("svd")
  library("forecast")
  library("Rssa")
  library("lattice")
  library("parallel")
  library("doParallel")
  library("doRNG")
    trend_function1 <- function(n){</pre>
      # Input:
      # Output:
     return (-0.2 * exp(0.03 * n))
  harmonic_component1_function <- function(n){</pre>
    # Input:
    # Output:
    return (2.65 * cos(2 * pi * n / 3))
  set.seed(11-10-2021)
 time_series_stamps = 0:100
  actual_trend <- trend_function1(time_series_stamps)</pre>
 refined_time_series <- actual_trend + harmonic_component1_function(time_series_stamps)</pre>
 print(Sys.time())
## [1] "2022-06-06 20:13:15 MSK"
  cores <- detectCores()</pre>
  cl <- makeCluster(cores[1] - 1)</pre>
  registerDoParallel(cl)
 M <- 100
  signal_comp_num <- 3
  st <- system.time(rejectEV <- foreach(</pre>
    .export = c('ssa', 'rnorm', 'reconstruct', 'iossa', 'mean', 'sort', 'grouping.auto', 'eossa'),
    .combine = rbind
  ) %dorng% {
    time_series <- refined_time_series + rnorm(101, mean = 0, sd = 0.2)
    res <- refined_time_series - actual_trend</pre>
    s <- ssa(time_series, L = 48)
    #iossa with 5 separate groups
    ioss5 <- iossa(s, nested.groups = list(1, 2, 3), tol = 1e-3, maxiter = 500)
    g_iossa5 <- grouping.auto(ioss5, base = "series",</pre>
                    freq.bins = list(Tendency = 1/240, Trend = 1/24),
                    threshold = 0.7)
```

```
rec5 <- reconstruct(ioss5, groups = g_iossa5)</pre>
trend_time_series_iossa5 <- rec5$Trend</pre>
residuals_time_series5 <- attr(rec5, "residuals") - attr(reconstruct(ioss5, groups = ioss5$iossa.gr
#iossa with 2 groups
ioss2 <- iossa(s, nested.groups = list(3, 1:2), tol = 1e-3, maxiter = 500)
g_iossa2 <- grouping.auto(ioss2, base = "series",</pre>
                freq.bins = list(Tendency = 1/240, Trend = 1/24),
                threshold = 0.8)
rec2 <- reconstruct(ioss2, groups = g_iossa2)</pre>
trend_time_series_iossa2 <- rec2$Trend</pre>
residuals_time_series2 <- attr(rec2, "residuals") - attr(reconstruct(ioss2, groups = ioss2$iossa.gr
#iossa with auto grouping
auto_grouping <- grouping.auto(s, base = "series",</pre>
                 freq.bins = list(Tendency = 1/240, Trend = 1/24),
                 threshold = 0.7)
trend_comp_all <- auto_grouping$Trend</pre>
trend_comp_signal <- trend_comp_all[trend_comp_all %in% 1:signal_comp_num]</pre>
signal_indices <- 1:signal_comp_num</pre>
res comp <- signal indices[!signal indices %in% trend comp signal]
ioss2_auto <- iossa(s, nested.groups = list(trend_comp_signal, res_comp), tol = 1e-3, maxiter = 500
rec2_auto <- reconstruct(ioss2_auto, groups = ioss2_auto$iossa.groups)</pre>
trend_time_series_iossa2_auto <- rec2_auto$F1</pre>
residuals_time_series2_auto <- rec2_auto$F2</pre>
#eossa with auto grouping
eoss \leftarrow eossa(s, nested.groups = list(1:3), k = 2)
rec_eossa <- reconstruct(eoss, groups = eoss$iossa.groups)</pre>
trend_time_series_eossa <- rec_eossa$F1</pre>
residuals_time_series_eossa <- rec_eossa$F2</pre>
#basic ssa with auto grouping
g_basic <- grouping.auto(s, base = "series",</pre>
              freq.bins = list(Tendency = 1/240, Trend = 1/24),
              threshold = 0.7)
trend_comp_all <- g_basic$Trend</pre>
trend_comp_signal <- trend_comp_all[trend_comp_all %in% 1:signal_comp_num]</pre>
signal_indices <- 1:signal_comp_num</pre>
res_comp <- signal_indices[!signal_indices %in% trend_comp_signal]</pre>
rec_basic <- reconstruct(s, groups = list(trend_comp_signal, res_comp))</pre>
```

```
trend_time_series_basic <- rec_basic$F1</pre>
    residuals_time_series_basic <- rec_basic$F2</pre>
    data.frame(mse_no_grouping_trend = mean((trend_time_series_iossa5 - actual_trend) ^ 2),
               mse_no_grouping_residuals = mean((residuals_time_series5 - res) ^ 2),
               iter_no_grouping = ioss5$iossa.result$iter,
               mse_2_groups_manual_trend = mean((trend_time_series_iossa2 - actual_trend) ^ 2),
               mse_2_groups_manual_residuals = mean((residuals_time_series2 - res) ^ 2),
               iter_2_groups_manual = ioss2$iossa.result$iter,
               mse_auto_grouping_trend = mean((trend_time_series_iossa2_auto - actual_trend) ^ 2),
               mse_auto_grouping_residuals = mean((residuals_time_series2_auto - res) ^ 2),
               iter_auto_grouping = ioss2_auto$iossa.result$iter,
               mse_eossa_trend = mean((trend_time_series_eossa - actual_trend) ^ 2),
               mse_eossa_residuals = mean((residuals_time_series_eossa - res) ^ 2),
               iter_eossa = 1,
               mse_basic_trend = mean((trend_time_series_basic - actual_trend) ^ 2),
               mse_basic_residuals = mean((residuals_time_series_basic - res) ^ 2),
               iter_basic = 1)
  })
  stopCluster(cl)
  trend_mse <- c(paste0("mean: ", round(mean(rejectEV[[1]]), 4), ", med: ", round(median(rejectEV[[1]])</pre>
                 paste0("mean: ", round(mean(rejectEV[[4]]), 4), ", med: ", round(median(rejectEV[[4]])
                 paste0("mean: ", round(mean(rejectEV[[7]]), 4), ", med: ", round(median(rejectEV[[7]])
                 paste0("mean: ", round(mean(rejectEV[[10]]), 4), ", med: ", round(median(rejectEV[[10]])
                 paste0("mean: ", round(mean(rejectEV[[13]]), 4), ", med: ", round(median(rejectEV[[13]])
  residuals_mse <- c(paste0("mean: ", round(mean(rejectEV[[2]]), 4), ", med: ", round(median(rejectEV[[
                      paste0("mean: ", round(mean(rejectEV[[5]]), 4), ", med: ", round(median(rejectEV[[
                      paste0("mean: ", round(mean(rejectEV[[8]]), 4), ", med: ", round(median(rejectEV[[
paste0("mean: ", round(mean(rejectEV[[11]]), 4), ", med: ", round(median(rejectEV[
                      paste0("mean: ", round(mean(rejectEV[[14]]), 4), ", med: ", round(median(rejectEV[
  iterations_num <- c(paste0("mean: ", round(mean(rejectEV[[3]])), ", med: ", round(median(rejectEV[[3]]))</pre>
                      paste0("mean: ", round(mean(rejectEV[[6]])), ", med: ", round(median(rejectEV[[6]])
                      paste0("mean: ", round(mean(rejectEV[[9]])), ", med: ", round(median(rejectEV[[9]]))
                     paste0("mean: ", round(mean(rejectEV[[12]])), ", med: ", round(median(rejectEV[[12]]))
                      paste0("mean: ", round(mean(rejectEV[[15]])), ", med: ", round(median(rejectEV[[15]]))
  result <- data.frame(trend_mse = trend_mse, residuals_mse = residuals_mse, iterations_num = iteration
  row.names(result) <- c("no grouping", "manual grouping", "auto grouping", "eossa", "basic_ssa")
  library(knitr)
 print(result)
##
                                     trend_mse
                                                            residuals_mse
```

```
## no grouping mean: 0.0016, med: 0.0013 mean: 0.0029, med: 0.0026
## manual grouping mean: 0.0014, med: 0.0011 mean: 0.0027, med: 0.0024
## auto grouping mean: 9e-04, med: 6e-04 mean: 0.0022, med: 0.002
## eossa mean: 9e-04, med: 6e-04 mean: 0.0022, med: 0.002
## basic_ssa mean: 0.1756, med: 0.0917 mean: 0.1822, med: 0.0852
## iterations_num
```

```
## no grouping mean: 7, med: 3
## manual grouping mean: 3, med: 3
## auto grouping mean: 3, med: 3
## eossa mean: 1, med: 1
## basic_ssa mean: 1, med: 1
```

kable(result)

	trend_mse	residuals_mse	iterations_num
no grouping manual grouping auto grouping eossa	mean: 0.0016, med: 0.0013 mean: 0.0014, med: 0.0011 mean: 9e-04, med: 6e-04 mean: 9e-04, med: 6e-04	mean: 0.0029, med: 0.0026 mean: 0.0027, med: 0.0024 mean: 0.0022, med: 0.002 mean: 0.0022, med: 0.002	mean: 7, med: 3 mean: 3, med: 3 mean: 3, med: 3 mean: 1, med: 1
basic_ssa	mean: 0.1756 , med: 0.0917	mean: 0.1822 , med: 0.0852	mean: 1 , med: 1