jobid: 352195	uid: 11366	nprocs: 1600	runtime: 929.4674 seconds

I/O performance *estimate* (at the POSIX layer): transferred 4272.7 MiB at 355.78 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.1 MiB at 0.17 MiB/s







Most Common Access Sizes
(POSIX or MPI-IO)

	access size	count
POSIX	51	62400
	80	62361
	66	48014
	43	48000

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	3252	1.2MiB	128MiB
read-only files	10	38MiB	128MiB
write-only files	3203	9.5KiB	530KiB
read/write files	39	87MiB	120MiB
created files	3242	1.1MiB	120MiB







Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0.001007706875	0.328407557010651
Independent writes	0.015839105	2.33358950197697
Independent metadata	0.032271431875	N/A
Shared reads	0.000505203125	0.00843671321868896
Shared writes	0.013826275625	5.75757026672363e-05
Shared metadata	0.9281721075	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	0.09212	0.00002	0.00000	0.00000
/thfs3	3733.74320	0.99998	538.95083	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...melist.input	1600	930	0.044429	8.7KiB	1328	1.432073	8.7KiB	0.46	1.54e+03
...<STDERR>	1600	1255	0.000511	31B	1200	0.460935	31B	0.0132	0.824
...<STDOUT>	1600	340	0.002276	30B	808	0.075570	30B	0.00748	0.824