1- User

attributes

| Attribute name | Notes |
|-------------------|--|
| _ld * | Number, read only, auto-increment |
| name* | String, min 3 max 30 |
| email* | String, unique mail |
| password* | String, min 3 max 20 |
| Role* | Enum ["Admin", "User"] |
| Avatar | String, Optional |
| Age | Number, Optional |
| Phone Number | Number, Mobile Phone, Length 11(Just EG Numbers), Optional |
| Address | String, Optional |
| Active | Boolean, Enum [False, True] |
| Verification Code | String |
| gender | String, Enum ["male", "female"] |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

Business Operation: User (delete/ Get One)

2- Category

attributes

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| name* | String, min 3 max 30 |
| image | String, URL |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

Business Operation: User (Get)

3- Sub Category

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| name* | String, min 3 max 20 |
| category* | Object ID Ref: "Categories" |
| timestamps* | Date, auto-increment |

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

Business Operation: User (Get)

4- Review

attributes

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| reviewText | String, min 3 |
| Rating* | Number, Min 1, Max 5 |
| user* | Object ID Ref: "User" |
| Product* | Object ID Ref: "Product" |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (Get All by single product/ Get Reviews on Single

User)

Business Operation: User (create/ update/ delete/ Get All)

5- Brand

attributes

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| name* | String, Min 3, Max 100 |
| image | String, URL |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

Business Operation: User (Get)

6- Cart

| Attribute name | Notes |
|-------------------------|---|
| _ld * | Number, read only, auto-increment |
| Cart Items* | List Of Product (Object ID Ref:"Product"),[{productId, quantity:1, color:""}] |
| Total Price | Number |
| totalPriceAfterDiscount | Number |
| Coupons | List Of Coupons (Object ID Ref:" Coupon"), |
| | [{name:couponName,couponId}] |
| User | Object ID Ref:"User" |
| timestamps* | Date, auto-increment |

Business Operation: For Admin (Get All/ Get One)

Business Operation: User (create/ update/delete/ Get One / Coupons)

7- Coupon

attributes

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| name* | String |
| Expirdate* | Date |
| Discount* | Number, Min 0 |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

8- Product

attributes

| Attribute name | Notes |
|----------------------|------------------------------------|
| _ld * | Number, read only, auto-increment |
| title* | String, min 3 |
| description* | String, min 20 |
| quantity* | Number, min 1, max 500, default: 1 |
| Image Cover* | String, URL |
| Images | List Of String, URL |
| sold | Number, default: 0 |
| Price* | Number, Min1, Max 20000 |
| Price After Discount | Number, Max 20000, default: 0 |
| color | List Of String |
| Category* | Object ID Ref: "Categories" |
| Sub Category | Object ID Ref: "Sub Categories" |
| brand | Object ID Ref: "Brand" |
| Ratings Average | Number, default: 0 |
| Ratings Quantity | Number, default: 0 |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

Business Operation: User (Get)

9- Request Product

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| titleNeed* | String |
| details* | String, Min 5 |

| qauntity* | Number, Min 1 |
|-------------|----------------------|
| Category | String |
| User | Object ID Ref:"User" |
| timestamps* | Date, auto-increment |

Business Operation: For Admin (Get All/ Get One)

Business Operation: User (create/ update/ delete/ Get One)

10- Suppliers

attributes

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| Name* | String |
| website* | String, URL |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get All/ Get One)

Business Operation: User (Get)

11- Tax

attributes

| Attribute name | Notes |
|----------------|-----------------------------------|
| _ld * | Number, read only, auto-increment |
| texPrice | Number |
| shippingPrice | Number |
| timestamps* | Date, auto-increment |

Business Operations

Business Operation: For Admin (create/ update/ delete/ Get)

12- Order

| Attribute name | Notes |
|--------------------|---|
| _ld * | Number, read only, auto-increment |
| User* | Object ID Ref:"User" |
| cartItems* | List Of Product (Object ID Ref:"Product"), (_Id, quantity: 1, color, price) |
| texPrice | Number, default: 0 |
| shippingPrice | Number, default:0 |
| totalOrderPrice* | Number |
| paymentMethodType* | String, Enum:["cash", "card"] |
| isPaid | Boolean, default: false |
| paidAt | Date |
| isDeliverd | Boolean, default: false |
| deliverdAt | Date |

| shippingAddress* | {alias: String, details: String, phone: String, city: String, postalCode: String, } |
|------------------|---|
| timestamps* | Date, auto-increment |

Business Operation: For Admin (Get All/ Get One/ update Paid Cash)

Business Operation: User (create/ Get)

Business Operation: Stripe (update Paid Card)