

RECONPRO

Launch Readiness Audit

FORENSIC LAUNCH READINESS FORGE

Read-Only Repository Audit | 12 Phases | Complete Gap Analysis

Metric	Value
Actual Pages	1 (Landing Page only)
API Routes	47
Components Total	111 (81% orphaned)
Dashboard Widgets Built	45 (0% routed/rendered)
Simulated Endpoints	8 (PRNG/fake data)
Authentication Model	API-key only (no page auth)
Database	SQLite (not production-ready)
Overall Launch Score	2.3 / 10

August 14, 2026 | Repository: /home/z/my-project/ | Branch: main

Classification: INTERNAL | Audit Type: Read-Only Forensic

Phase 0 - Repository Immersion Summary

The ReconPro repository at /home/z/my-project/ was fully mapped during this audit. The project is built on Next.js 16.1.1 (App Router) with React 19, TypeScript, Tailwind CSS 4, Framer Motion, and shadcn/ui. It uses Prisma 6.11.1 with SQLite as the database provider. The entire frontend is a single-page application served from the root route /, rendering a monolithic marketing landing page through HomeSection which dynamically imports 18 sub-components. There are zero route groups, zero nested layouts, and zero multi-page routing. The application claims to be version 10.0.0 with 18.7K GitHub stars, 2.4M+ PyPI downloads, and 142 contributors, but these metrics appear fabricated as the GitHub and PyPI URLs referenced in the codebase are fictional.

The repository contains 111 components total, of which only 21 are actually rendered in any page. The remaining 90 components (81%) are orphaned code, primarily dashboard widget panels that represent approximately 25,000+ lines of built-but-unreachable UI. These dashboard components include full panels for CEO dashboards, team management, compliance tracking, AI advisors, quantum threat analysis, and dozens more, all without any route or page to render them. The API layer consists of 47 route handlers covering real reconnaissance capabilities (DNS enumeration, SSL analysis, port scanning) alongside 8 simulated endpoints that return PRNG-generated fake data. Authentication is API-key-based only, enforced at the route handler level via a withProtection() wrapper, with no page-level authentication or session management.

Repository Structure Overview

Directory / File	Count / Type	Status
src/app/ (pages + API)	1 page.tsx, 1 layout, 47 API routes	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.77 2549,.666667,.458 824,1), bold=1, fon tName='DejaVuBo ld', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', t extColor=Color(1, 1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Directory / File	Count / Type	Status
src/components/reconpro/	63 application components	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '81% ORPHANED' 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.52 9412,.564706,.549 02,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text='81% ORPHANED ', text Color=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
src/components/ui/	46 shadcn/ui primitives	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '50% UNUSED' 'frags': [ParaFrag(__tag__ ='font', backColor =Color(.529412,.56 4706,.54902,1), bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='50% UNUSED ', textCol or=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
src/components/backgrounds/	1 WebGL shader component	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'EXISTS' 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Directory / File	Count / Type	Status
src/components/seo/	1 JSON-LD structured data	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
src/lib/ (utilities)	21 library files + 6 recon modules	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': COMPLETE 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE ' , textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
src/data/	1 content.ts (nav, features, stats)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Directory / File	Count / Type	Status
src/___tests___/	24 Vitest test files	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
prisma/schema.prisma	17 models, SQLite provider	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': WARNING 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.52 9412,.564706,.549 02,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' WARNING ', textColor=Color(1, 1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
public/ (assets)	3 files (logo.svg, favicon.svg, robots.txt)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': INCOMPLETE 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.44 3137,.576471,.7098 04,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' INCOMPLETE ', te xtColor=Color(1,1, 1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Directory / File	Count / Type	Status
Middleware	Security headers only, no auth redirects	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.77 2549,.666667,.458 824,1), bold=1, fon tName='DejaVuBo ld', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', t extColor=Color(1, 1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Configuration	next.config.ts, tsconfig.json, vitest, eslint	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Phase 1 - Complete Page Inventory

ReconPro has exactly ONE actual page route in the entire Next.js application. The root route `src/app/page.tsx` renders the `HomeSection` component, which is a client-side monolith that dynamically imports all landing page sections. There are no route groups such as (marketing), (dashboard), or (auth). There are no nested layouts beyond the root layout. The only other special route files are `not-found.tsx` (404), `error.tsx` (global error boundary), `loading.tsx` (global loading state), and `sitemap.ts` (dynamic sitemap generator). All 47 API routes exist under `src/app/api/` but none are navigable as pages. The sitemap generator produces only a single URL entry for the homepage.

URL	Purpose	Component	Layout	Nav Entry	Auth	Status
/	Landing Page (Full SPA)	home-section.tsx	Root Layout	Navbar	No	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'COMPLETE' 'frags': [Paragraph(__tag__='font', backgroundColor=Color(.435294,.74902,.537255,1) , bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='COMPLETE' , textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

URL	Purpose	Component	Layout	Nav Entry	Auth	Status
* (404)	Custom Not Found	not-found.tsx	Root Layout	N/A	No	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': ' EXISTS ' 'frags': [Paragraph(__tag__='font', backgroundColor=Color(.435294,.74902,.537255,1), bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
* (error)	Global Error Boundary	error.tsx	Root Layout	N/A	No	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': ' EXISTS ' 'frags': [Paragraph(__tag__='font', backgroundColor=Color(.435294,.74902,.537255,1), bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

URL	Purpose	Component	Layout	Nav Entry	Auth	Status
* (loading)	Global Loading State	loading.tsx	Root Layout	N/A	No	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': ' EXISTS ' 'frags': [Paragraph(__tag__='font', backgroundColor=Color(.435294,.74902,.537255,1), bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Evidence for this inventory: File system traversal of src/app/ confirmed zero page.tsx files beyond the root. No dashboard/, settings/, login/, register/, pricing/, or any other page directories exist. The sidebar.tsx component defines 30+ dashboard navigation items, but no page renders this sidebar. The bottom-dock.tsx defines 18 dock navigation items, but no page renders this dock. Both are completely orphaned components with zero imports in the active source tree.

Phase 2 - Public Website Audit

This phase audits the existence of 35 standard public website pages that a production SaaS product would be expected to have. Each page was traced back to the repository file system. The landing page exists as a comprehensive single-page scroll experience with sections for Hero, Features, Architecture, Modules, CLI, Documentation (cards only), Benchmarks, Enterprise, and Community. However, the product lacks virtually every other standard public page. There is no dedicated pricing page (pricing is embedded in the Enterprise section as a widget component), no blog, no documentation site (only documentation cards linking to a fictional docs.reconpro.dev), no standalone terms or privacy pages, and no authentication flow pages whatsoever.

Page	URL / Location	Evidence	Status
Landing Page	/	home-section.tsx sections	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'COMPLETE ' 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE ', textColor=Color(1,1 ,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Features	#features (anchor)	FeaturesSection.tsx	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'COMPLETE ' 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE ', textColor=Color(1,1 ,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Pricing	#pricing (anchor in Enterprise)	Embedded in EnterpriseSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'PARTIAL' 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Documentation	#docs (anchor)	DocsSection.tsx (cards only)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': ' PLACEHOLDER' 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PLACEHOLDER ', t extColor=Color(1,1, 1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
API Documentation	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'NOT FOUND' 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Community	#community (anchor)	CommunitySection.tsx	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL ' 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
About	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Contact	NOT FOUND	Link points to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Blog	NOT FOUND	Link points to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Changelog	NOT FOUND	Link points to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Roadmap	NOT FOUND	Link points to #pricing	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Careers	NOT FOUND	Link points to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Partners	NOT FOUND	Link points to #enterprise	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Customers	NOT FOUND	Testimonials in EnterpriseSection only	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Testimonials	#enterprise (anchor)	EnterpriseSection.tsx carousel	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Security	NOT FOUND	Footer link is # (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Trust Center	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Privacy Policy	NOT FOUND	Footer link is # (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Terms of Service	NOT FOUND	Footer link is # (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Cookie Policy	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Acceptable Use Policy	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Status Page	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Support	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Help Center	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
FAQ	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Release Notes	NOT FOUND	Link points to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Download	NOT FOUND	PyPI link in navbar only	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Demo	NOT FOUND	No demo flow	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Book Demo	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Request Access	NOT FOUND	No dedicated page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Login	NOT FOUND	No auth pages at all	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Register	NOT FOUND	No auth pages at all	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Forgot Password	NOT FOUND	No auth pages at all	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Email Verification	NOT FOUND	No auth pages at all	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Onboarding	NOT FOUND	No auth pages at all	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page	URL / Location	Evidence	Status
Product Tour	NOT FOUND	No product tour flow	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Summary: Of 35 standard public pages, only 4 exist as actual content sections within the landing page (Landing Page, Features, Pricing partial, Community partial). Three more exist in severely limited form (Documentation as placeholder cards, Testimonials as carousel, Download as external PyPI link). The remaining 28 pages (80%) are completely absent from the repository. The product has zero authentication pages, zero legal pages, zero support infrastructure, and zero documentation beyond marketing cards.

Phase 3 - Dashboard Inventory

This is one of the most critical findings of the entire audit. ReconPro has built an extensive collection of 45 dashboard widget components totaling over 25,000 lines of code. These include full implementations for CEO dashboards, team management, compliance panels, AI advisors, quantum threat analysis, pricing plans, and dozens more. However, **NOT A SINGLE ONE** of these dashboard components is rendered in any page. There is no /dashboard route. There is no route group for authenticated pages. The sidebar navigation component (sidebar.tsx) defines navigation to 30+ dashboard views, and the bottom dock (bottom-dock.tsx) defines navigation to 18 views, but neither component is imported or rendered anywhere in the application.

The dashboard widgets exist as fully built components with UI interactions, state management, and API integration code, but they are entirely unreachable by any user. They represent a massive investment in UI development that is completely disconnected from the application's routing architecture. The bento-dashboard.tsx component renders overview cards and references a CLIPreview component. The ceo-dashboard.tsx at 1,357 lines is the largest component, containing executive risk metrics, compliance scores, and animated counters. Yet none of these can be accessed through any URL.

Dashboard Page	Routing Status	Component / Evidence	Status
Dashboard Overview	NOT ROUTED	bento-dashboard.tsx, ceo-dashboard.tsx	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Organizations	NOT FOUND	No component exists	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Teams	NOT ROUTED	team-management.tsx (761 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Members	NOT ROUTED	team-management.tsx (members tab)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Assets / Targets	NOT ROUTED	attack-surface.tsx (478 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Scans	NOT ROUTED	scan-input.tsx + scan-overlay.tsx	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Scan History	NOT ROUTED	scan-results.tsx (217 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Live Scan	NOT ROUTED	live-terminal.tsx (239 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Findings	NOT ROUTED	radar-map.tsx (848 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Reports	NOT ROUTED	proof-gallery.tsx (1316 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Threats	NOT ROUTED	wall-of-shame.tsx + critical-alerts.tsx	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Bot Hunter	NOT ROUTED	bot-cage.tsx (656 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Model Red Team	NOT ROUTED	model-breaker.tsx (1161 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Hall of Fame	NOT ROUTED	hall-of-fame.tsx (645 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Genesis Stamp	NOT ROUTED	genesis-stamp.tsx (995 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
NHI (Non-Human Identity)	NOT ROUTED	nhi-kill-switch.tsx (890 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Monitoring	NOT ROUTED	monitoring-panel.tsx (725 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Compliance	NOT ROUTED	compliance-panel.tsx (754 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Integrations	NOT ROUTED	integration-hub.tsx (475 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
AI Advisor	NOT ROUTED	ai-advisor.tsx (535 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
AI Leaderboard	NOT ROUTED	ai-leaderboard.tsx (680 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Sandbox	NOT ROUTED	confused-deputy.tsx (730 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Sovereign Control	NOT ROUTED	sovereign-control.tsx (888 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Fear Index	NOT ROUTED	fear-index.tsx (757 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Doom Clock	NOT ROUTED	doom-clock.tsx (1063 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
PQC Vault	NOT ROUTED	pqc-vault.tsx (900 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
CNI Sentinel	NOT ROUTED	cni-sentinel.tsx (861 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
War Room	NOT ROUTED	war-room.tsx (895 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Implosion	NOT ROUTED	implosion-panel.tsx (1245 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Broadcast Center	NOT ROUTED	broadcast-center.tsx (899 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Pricing Plans	NOT ROUTED	pricing-plans.tsx (787 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
White Label	NOT ROUTED	white-label.tsx (1485 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Oblivion Scanner	NOT ROUTED	oblivion.tsx (999 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Pegasus Inspector	NOT ROUTED	pegasus-inspector.tsx (878 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Cognitive Dread	NOT ROUTED	cognitive-dread.tsx (895 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Exposed Assets Map	NOT ROUTED	exposed-asset-map.tsx (986 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Unified CLI	NOT ROUTED	unified-cli.tsx (512 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Matrix Terminal	NOT ROUTED	matrix-terminal.tsx (619 lines)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
API Keys	NOT ROUTED	Part of integration-hub.tsx	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Settings	NOT FOUND	No settings component exists	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Billing	NOT FOUND	No billing component exists	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND ' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Notifications	NOT FOUND	No notifications component	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Audit Logs	NOT FOUND	API exists (/api/audit) but no UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Profile	NOT FOUND	No profile component exists	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dashboard Page	Routing Status	Component / Evidence	Status
Security Settings	NOT FOUND	No security settings page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Summary: Zero of 44 dashboard pages are reachable by any user. 39 have fully built components (UNREACHABLE), 2 have partial backend support only (PARTIAL), and 3 have no component or backend at all (NOT FOUND). The dashboard represents the single largest gap between capability and accessibility in the entire product.

Phase 4 - Navigation Audit

The navigation system was completely traced from source code. ReconPro has exactly three navigation components in active use: the Navbar (Navbar.tsx), the Command Palette (CommandPalette.tsx), and the Footer (Footer.tsx). All navigation is anchor-based smooth scrolling within the single landing page. There are no URL-based routes for any section. The Navbar renders 10 top-level navigation items, all as anchor links (#features, #architecture, etc.). The Command Palette provides the same 10 items plus 3 actions (copy install command, open GitHub). The Footer has 4 columns of links with severe issues.

Navbar Navigation (Active)

Label	Target	Evidence	Status
Home	#	Same page scroll to top	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Features	#features	FeaturesSection (id=features)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Label	Target	Evidence	Status
Architecture	#architecture	ArchitectureSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Modules	#modules	ModulesSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Label	Target	Evidence	Status
CLI	#cli	CLISection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Documentation	#docs	DocsSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Label	Target	Evidence	Status
Performance	#benchmarks	BenchmarksSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Enterprise	#enterprise	EnterpriseSection (badge: NEW)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Label	Target	Evidence	Status
Pricing	#pricing	Embedded in EnterpriseSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Community	#community	CommunitySection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__ta g__='font', back Color=Color(.43 5294,.74902,.53 7255,1), bold=1, fontName='Dej aVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', textCo lor=Color(1,1,1, 1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Footer Links - Broken and Dead

The Footer is the most problematic navigation element. It contains 23 links across 4 columns, of which 5 are completely dead (href='#' no-op), 5 are misleading (point to unrelated sections), and 2 social links (Twitter, Discord) are dead anchors. Only 11 links are functional and accurately labeled.

Column	Label	Target	Status
Footer - Product	Features	#features	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Product	Architecture	#architecture	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Product	Scanner Modules	#modules	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Product	CLI Commands	#cli	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Product	Performance	#benchmarks	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Product	Pricing	#pricing	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Resources	Documentation	#docs	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Resources	Tutorials	#community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': MISLEADING 'frags': [ParaFrag(_tag_='font', back Color=Color(.52941 2,.564706,.54902,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' MISLEADING ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Resources	API Reference	#docs	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DUPLICATE 'frags': [ParaFrag(_tag_='font', back Color=Color(.52941 2,.564706,.54902,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DUPLICATE ', textColor=Color(1,1 ,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Resources	Examples	#docs	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DUPLICATE 'frags': [ParaFrag(_tag__='font', back Color=Color(.52941 2,.564706,.54902,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DUPLICATE', textColor=Color(1,1 ,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Resources	Changelog	#community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': MISLEADING 'frags': [ParaFrag(_tag__='font', back Color=Color(.52941 2,.564706,.54902,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' MISLEADING ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Resources	Roadmap	#pricing	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': MISLEADING 'frags': [ParaFrag(_tag__='font', back Color=Color(.52941 2,.564706,.54902,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' MISLEADING ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Company	Enterprise	#enterprise	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag__='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Company	Blog	#community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Company	Careers	#community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Company	Contact	#community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Company	Press	#community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Company	Partners	#enterprise	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Legal	Privacy Policy	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Legal	Terms of Service	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Legal	Security	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Legal	Responsible Disclosure	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Legal	License (MIT)	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Social	GitHub	github.com/reconpro/reconpro	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': Fictional URL ' 'frags': [ParaF rag(__tag__='font', backColor=Color(.5 29412,.564706,.5490 2,1), bold=1, fontNa me='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' Fictional URL ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Column	Label	Target	Status
Footer - Social	Twitter	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Footer - Social	Discord	# (no-op)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': DEAD ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' DEAD ', textC olor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Orphaned Navigation Components

Two major navigation components exist but are never imported or rendered: EnterpriseSidebar (493 lines, 30+ nav items across 10 sections) and BottomDock (208 lines, 18 dock items). These use a state-driven onViewChange(id) pattern rather than URL routing, indicating they were designed for a dashboard application that was never wired into the routing architecture. Both components import and reference the orphaned dashboard widgets, creating a closed but disconnected navigation ecosystem.

Phase 5 - User Journey Audit

This phase traces the complete user journey from first visit to full product usage. Since ReconPro has no authentication system at the page level, no multi-page routing, and no user account management UI, the vast majority of standard user journeys are impossible to complete. A visitor can view the landing page, understand the product from the marketing sections, and interact with the API directly using an API key (if they have one), but they cannot create an account, log in, or access any dashboard functionality through the web interface.

Journey Step	URL / Endpoint	Evidence	Status
Visit homepage	/	page.tsx renders HomeSection	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'COMPLETE' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.435294,.74 902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE', textCol or=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Understand product	#features + #architecture	Features + Architecture sections	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'COMPLETE' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.435294,.74 902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE', textCol or=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Journey Step	URL / Endpoint	Evidence	Status
View features	#features	6 feature cards with descriptions	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': COMPLETE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.435294,.74 902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE', textCol or=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
View pricing	#pricing in EnterpriseSection	3 pricing tiers in carousel	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Create account	NOT FOUND	No registration page or flow	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Journey Step	URL / Endpoint	Evidence	Status
Verify email	NOT FOUND	No email verification system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'NOT IMPLEMENTED' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Login	NOT FOUND	No login page or auth flow	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'NOT IMPLEMENTED' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Create organization	API only: POST /api/teams	No UI for org creation	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'NOT IMPLEMENTED' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Journey Step	URL / Endpoint	Evidence	Status
Invite team	API only: POST /api/members	No UI for invites	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Add target	API only: POST /api/scan	No target management UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Run first scan	API: POST /api/scan	Real scanning engine works via API	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColo r=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Journey Step	URL / Endpoint	Evidence	Status
View findings	API: GET /api/scans	No findings dashboard UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Generate report	API: GET /api/executive	No report UI, API returns data	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Upgrade account	NOT FOUND	No subscription/billing system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Journey Step	URL / Endpoint	Evidence	Status
Manage billing	NOT FOUND	No billing pages	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Contact support	NOT FOUND	No support page or contact form	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Join community	NOT FOUND	Links to fictional GitHub	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1 , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Journey Step	URL / Endpoint	Evidence	Status
Read documentation	#docs (cards only)	Cards link to fictional docs site	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Use API	/api/* routes (47 endpoints)	API-key auth, full CRUD available	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Complete onboarding	NOT FOUND	No onboarding flow exists	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT IMPLEMENTED 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT IMPLEMENTED ', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Summary: Of 20 standard user journey steps, only 3 are fully COMPLETE (visit homepage, understand product, view features). 4 are PARTIAL (pricing is embedded, scan works via API only,

reports via API only, documentation as cards). The remaining 13 steps (65%) are NOT IMPLEMENTED at all. A new user cannot create an account, cannot log in, cannot access the dashboard, cannot manage billing, and cannot complete onboarding. The product is effectively a marketing website with an API backend, not a usable web application.

Phase 6 - Community Readiness

Community infrastructure is almost entirely absent. The CommunitySection component on the landing page displays fabricated statistics (18.7K stars, 142 contributors, 2.4M downloads) and links to a fictional GitHub repository. There is no forum, no Discord server, no feedback mechanism, no feature request system, no bug report tracking, no documentation site, no tutorials beyond marketing cards, no knowledge base, no quick start guide, no API examples, no developer portal, no SDK downloads, no community showcase, and no leaderboard accessible through the UI (the Hall of Fame API endpoint exists but no page renders it).

Infrastructure	URL / Location	Evidence	Status
Community Page	#community (anchor)	CommunitySection.tsx with stats	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Forum	NOT FOUND	No forum system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	URL / Location	Evidence	Status
Discord Links	NOT FOUND	Footer Discord link is # (dead)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Feedback System	NOT FOUND	No feedback mechanism	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Feature Requests	NOT FOUND	No feature request system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	URL / Location	Evidence	Status
Bug Reports	NOT FOUND	No bug tracking UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Release Notes	NOT FOUND	Footer link goes to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Announcements	NOT FOUND	Broadcast API exists, no UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	URL / Location	Evidence	Status
Roadmap	NOT FOUND	Footer link goes to #pricing	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Documentation Site	NOT FOUND	Link to fictional docs.reconpro.dev	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Tutorials	NOT FOUND	Footer link goes to #community	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	URL / Location	Evidence	Status
Knowledge Base	NOT FOUND	No KB system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Examples	NOT FOUND	Footer link goes to #docs	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Quick Start Guide	NOT FOUND	DocsSection shows cards only	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	URL / Location	Evidence	Status
API Examples	NOT FOUND	No API documentation page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Developer Portal	NOT FOUND	No developer portal	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
SDK Downloads	NOT FOUND	PyPI link in navbar only	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	URL / Location	Evidence	Status
Community Showcase	NOT FOUND	No showcase mechanism	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Leaderboards	NOT ROUTED	hall-of-fame.tsx exists (unreachable)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE ', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Hall of Fame	NOT ROUTED	hall-of-fame.tsx exists (unreachable)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': UNREACHABLE 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE ', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Phase 7 - Business Readiness

The business infrastructure required for a commercial launch is entirely absent. While a pricing-plans.tsx component exists with Free/Pro/Enterprise tiers, it is not rendered in any page. There is no checkout system, no payment integration, no subscription management, no invoice generation, no billing UI, no upgrade/downgrade flows, no free tier enforcement, no enterprise sales page, no booking system for demos, no referral or affiliate program, and no marketplace. The only business-related functionality that exists is the Implosion financial impact simulator API, which models breach costs but does not handle actual billing or payments.

Business Feature	URL / Location	Evidence	Status
Pricing Page	NOT ROUTED	pricing-plans.tsx (787 lines, orphaned)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'UNREACHABLE' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' UNREACHABLE', te xtColor=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Subscription Flow	NOT FOUND	No subscription management	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'NOT FOUND' 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Business Feature	URL / Location	Evidence	Status
Billing UI	NOT FOUND	No billing pages or components	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Invoices	NOT FOUND	No invoice system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Checkout	NOT FOUND	No payment integration	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Business Feature	URL / Location	Evidence	Status
Upgrade Flow	NOT FOUND	No upgrade mechanism	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Downgrade Flow	NOT FOUND	No downgrade mechanism	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Free Tier	API only	No tier enforcement or UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Business Feature	URL / Location	Evidence	Status
Enterprise Page	#enterprise (anchor)	EnterpriseSection with carousel	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.772549,.66 6667,.458824,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', textColor =Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Sales Contact	NOT FOUND	No contact form or sales page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Book Demo	NOT FOUND	No booking system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Business Feature	URL / Location	Evidence	Status
Customer Onboarding	NOT FOUND	No onboarding flow	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Referral Program	NOT FOUND	No referral system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Affiliate Program	NOT FOUND	No affiliate system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Business Feature	URL / Location	Evidence	Status
License Management	NOT FOUND	No license system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Marketplace	NOT FOUND	No marketplace	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(__t ag__='font', backCol or=Color(.784314,.50 5882,.478431,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ', textColor= Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Phase 8 - Launch Essentials

Launch essentials cover error handling, SEO, assets, and basic infrastructure that every production website needs. ReconPro has some essentials in place (custom 404 page, global error boundary, loading state, sitemap, robots.txt, SEO metadata, JSON-LD structured data, security headers via middleware, responsive design via Tailwind, dark mode as default, skip-to-content link) but is missing many others including OG image, PWA manifest, cookie consent, internationalization, accessibility compliance, and critical error pages.

Essential	File / Evidence	Details	Status
404 Page	not-found.tsx	Custom not-found with home link	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
500 Page	error.tsx	Global error boundary (generic)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.77254 9,.666667,.458824,1 , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Maintenance Page	NOT FOUND	No maintenance page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
Offline Page	NOT FOUND	No offline support	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Empty States	NOT FOUND	No empty state components	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Loading States	loading.tsx	Global spinner with text	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1 , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ' , te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
Skeletons	NOT FOUND	No skeleton components used	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Error Boundaries	error.tsx	Global React error boundary	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1) , bold=1, fontName= DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ' , text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Success Pages	NOT FOUND	No success/completion pages	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
Email Templates	NOT FOUND	No email template system	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
SEO Metadata	layout.tsx	Full OG, Twitter, robots, canonical	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ' , text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
OpenGraph Image	NOT FOUND	og-image.png referenced but missing	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': BROKEN 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' BROKEN ' , te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
Sitemap	sitemap.ts	Dynamic, lists only homepage URL	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
robots.txt	public/robots.txt	44 lines, blocks /api/ and AI crawlers	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
favicon	public/favicon.svg	SVG favicon exists	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_ _tag__='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
PWA Manifest	NOT FOUND	No manifest.json or service worker	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Icons / App Icons	PARTIAL	favicon.svg + logo.svg (as apple icon)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL ' 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1 , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ' , te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Analytics	NOT FOUND	No analytics integration	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
Cookie Banner	NOT FOUND	No consent management	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Accessibility	PARTIAL	Skip-to-content link, ARIA on some	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL ' 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1 , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ' , te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Responsive Layout	EXISTS	Tailwind responsive classes throughout	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1) , bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ' , text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Essential	File / Evidence	Details	Status
Dark Mode	EXISTS	Forced dark via className='dark'	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Internationalization	NOT FOUND	No i18n, hardcoded English only	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Phase 9 - Production Readiness

Production readiness examines the infrastructure required for safe, reliable deployment. ReconPro has solid security middleware with comprehensive headers (CSP, HSTS, X-Frame-Options, COOP, CORP, COEP), SSRF protection on scan endpoints, API-key authentication with SHA-256 hashing, rate limiting across all API routes, and a health check endpoint. However, critical production gaps exist: the database is SQLite (unsuitable for production multi-tenant workloads), there is no structured logging or monitoring, no error tracking (Sentry, etc.), no CSRF protection, no CORS configuration, rate limiting is in-memory only (no Redis, lost on restart), no backup strategy, no migration strategy, no observability platform, and no caching layer.

Infrastructure	File / Evidence	Details	Status
Deployment Config	next.config.ts	Minimal config, removeConsole in prod	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Environment Validation	.env (exists)	No .env.example for developers	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL ' 'frags': [ParaFrag(_tag__='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
Logging	NOT FOUND	No structured logging (winston, pino)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Monitoring	NOT FOUND	No APM/monitoring agent	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Health Endpoint	/api/health	DB probe + version + uptime	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
Status Endpoint	/api/health	Same as health (no separate status)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Caching	NOT FOUND	No Redis/CDN caching layer	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Performance	PARTIAL	Image optimization (avif/webp) only	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
Bundle Optimization	PARTIAL	Dynamic imports for landing page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Image Optimization	EXISTS	next/image with avif/webp + cacheTTL	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Security Headers	EXISTS	CSP, HSTS, X-Frame, COOP, CORP, COEP	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(_tag_='font', back Color=Color(.43529 4,.74902,.537255,1), bold=1, fontName=' DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', text Color=Color(1,1,1,1) , us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
Authentication	PARTIAL	API-key only, no session/SSO/OAuth	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Authorization	PARTIAL	Per-route requireAuth flag	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Rate Limiting	PARTIAL	In-memory only, 6 tiers (3-60/min)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
Audit Logs	API only	/api/audit endpoint exists, no UI	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Backup Strategy	NOT FOUND	No backup system for SQLite	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND ' , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Migration Strategy	PARTIAL	prisma db push (no versioned migrations)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(_tag_='font', back Color=Color(.77254 9,.666667,.458824,1) , bold=1, fontNam e='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
Database Readiness	WARNING	SQLite - not suitable for production	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': BROKEN 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' BROKEN ', te xtColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Observability	NOT FOUND	No tracing, metrics, or dashboards	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
CSRF Protection	NOT FOUND	No CSRF tokens on mutations	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Infrastructure	File / Evidence	Details	Status
CORS Config	NOT FOUND	No CORS headers configured	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NOT FOUND 'frags': [ParaFrag(_tag_='font', back Color=Color(.78431 4,.505882,.478431,1) , bold=1, fontName ='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' NOT FOUND , textColor=Color(1 ,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Phase 10 - Complete Gap Analysis

This phase presents four master tables summarizing all findings from the previous phases. Table A catalogs every existing page. Table B lists all missing pages with importance and priority. Table C documents broken pages and their severity. Table D identifies unused or orphaned pages with recommendations.

TABLE A: All Existing Pages

Page / Route	Category	Evidence	Status
/	Public	Landing Page (Full SPA)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': COMPLETE 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE ' , textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
* (404)	Public	Custom Not Found Page	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page / Route	Category	Evidence	Status
* (error)	Public	Global Error Boundary	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
* (loading)	Public	Global Loading State	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': EXISTS 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' EXISTS ', tex tColor=Color(1,1,1 ,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
/sitemap.xml	Public	Dynamic Sitemap (1 URL)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.77 2549,.666667,.458 824,1), bold=1, fon tName='DejaVuBo ld', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ', t extColor=Color(1, 1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Page / Route	Category	Evidence	Status
/api/health	Public	Health Check Endpoint	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': COMPLETE 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.43 5294,.74902,.5372 55,1), bold=1, font Name='DejaVuBol d', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' COMPLETE ' , textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
/api/*	Mixed	47 API Routes (public + auth)	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': PARTIAL 'frags': [ParaFrag(__tag__='font', ba ckColor=Color(.77 2549,.666667,.458 824,1), bold=1, fon tName='DejaVuBo ld', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' PARTIAL ' , t extColor=Color(1, 1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

TABLE B: Missing Pages (Critical)

Missing Page	Importance	Reason	Priority
Login / Register	CRITICAL	No user auth flow	P0 - Blocker
Dashboard	CRITICAL	No /dashboard route for 45 widgets	P0 - Blocker
Settings / Profile	CRITICAL	No user settings page	P0 - Blocker
Privacy Policy	CRITICAL	Legal requirement for launch	P0 - Blocker
Terms of Service	CRITICAL	Legal requirement for launch	P0 - Blocker
Pricing Page	HIGH	Component exists, needs route	P1 - High
Documentation Site	HIGH	Only cards, no real docs	P1 - High
API Documentation	HIGH	47 endpoints undocumented	P1 - High
Blog	MEDIUM	Standard marketing channel	P2 - Medium
Contact / Support	MEDIUM	Customer communication	P2 - Medium

Missing Page	Importance	Reason	Priority
Status Page	MEDIUM	Operational transparency	P2 - Medium
Billing / Subscription	HIGH	Revenue infrastructure	P1 - High
Cookie Consent	HIGH	GDPR legal requirement	P1 - High
Security Page	MEDIUM	Trust signals	P2 - Medium
Changelog / Release Notes	LOW	Community engagement	P3 - Low
About / Careers	LOW	Company information	P3 - Low
500 Error Page	MEDIUM	Error experience	P2 - Medium
OG Image	MEDIUM	Social sharing broken	P2 - Medium

TABLE C: Broken Pages / Links

Item	Location	Severity	Evidence
OG Image	/og-image.png	CRITICAL	Referenced in layout.tsx but file missing from public/
5 Legal Footer Links	href='#' no-op	HIGH	Privacy, Terms, Security, Disclosure, License all dead
4 Company Footer Links	href='#community'	HIGH	Blog, Careers, Contact, Press link to wrong section
2 Footer Resource Links	href='#community'	MEDIUM	Tutorials, Changelog misleading targets
Twitter Social Link	href='#'	MEDIUM	Dead anchor in footer
Discord Social Link	href='#'	MEDIUM	Dead anchor in footer
GitHub URL	github.com/reconpro/reconpro	HIGH	Fictional - 18.7K stars claimed but repo does not exist
PyPI URL	pypi.org/project/reconpro/	HIGH	Fictional - 2.4M downloads claimed but package does not exist
Docs URL	docs.reconpro.dev	HIGH	Fictional - no docs site exists
Community Section Links	href='#'	MEDIUM	Contributing, Development, Community all dead anchors

TABLE D: Unused / Orphaned Pages & Components

Item	Reason	Recommendation
45 Dashboard Widgets	No route/page renders them	WIRE INTO DASHBOARD ROUTE
EnterpriseSidebar	493 lines, never imported	WIRE INTO DASHBOARD LAYOUT
BottomDock	208 lines, never imported	WIRE INTO DASHBOARD LAYOUT
BentoDashboard	320 lines, never imported	WIRE AS DASHBOARD OVERVIEW
CEODashboard	1357 lines, never imported	WIRE AS /dashboard/executive
PricingPlans	787 lines, never imported	CREATE /pricing ROUTE
premium-ui.tsx	258 lines, zero imports	REMOVE DEAD CODE
demo-mode.tsx	712 lines, zero imports	REMOVE DEAD CODE
dopamine-engine.tsx	1098 lines, zero imports	REMOVE DEAD CODE
23 UI Components	accordion, calendar, chart, etc.	REMOVE OR USE (50% of ui/)

Phase 11 - Launch Scorecard

Each dimension is scored from 0 to 10 based solely on repository evidence. A score of 0 means completely absent. A score of 10 means fully production-ready. The overall launch readiness score is the weighted average of all dimensions, reflecting the fact that some gaps (like authentication, legal pages, and database readiness) are more severe than others for a public launch.

Dimension	Evidence Summary	Score
Public Website	1 page only, no multi-page routing	Paragraph('c aseSensitive': 1 'encoding': 'utf8' 'text': 3/10 ' 'frags': [ParaFrag(__t ag__='font', b ackColor=Co lor(.772549,. 666667,.4588 24,1), bold=1, fontName='D ejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text=' 3/10 ', textCol or=Color(1,1, 1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dimension	Evidence Summary	Score
Dashboard	45 widgets built but ZERO routed	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '1/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='1/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Developer Experience	API-key auth, no SDK, no docs site	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '2/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='2/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dimension	Evidence Summary	Score
Community Readiness	Fictional stats, no real community infra	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 1/10 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='1/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Enterprise Readiness	Pricing component orphaned, no billing	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 1/10 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='1/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dimension	Evidence Summary	Score
Documentation	Marketing cards only, fictional docs URL	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '1/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='1/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
User Experience	Landing page polished, zero app UX	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '2/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='2/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dimension	Evidence Summary	Score
Accessibility	Skip-to-content link, partial ARIA	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '3/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.772549,.666667,.458824,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='3/10', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Security	Good headers + SSRF guard + rate limits	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '6/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.443137,.576471,.709804,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='6/10', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dimension	Evidence Summary	Score
Performance	Dynamic imports, image opt, SQLite concern	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 4/10 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.772549,.666667,.458824,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='4/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph
Business Readiness	No checkout, billing, or subscriptions	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 1/10 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontFamily='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='1/10 ', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Dimension	Evidence Summary	Score
Launch Readiness	WEIGHTED AVERAGE	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '2/10' 'frags': [ParaFrag(__tag__='font', backgroundColor=Color(.784314,.505882,.478431,1), bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='2/10', textColor=Color(1,1,1,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Score Interpretation

The overall score of 2.3/10 reflects a product that has invested heavily in marketing presence and API backend capabilities but has virtually no user-facing application infrastructure. The landing page is polished and professional, the API layer has 47 functional routes with real reconnaissance capabilities, and the security middleware is robust. However, the product cannot be launched publicly because users cannot create accounts, cannot access the dashboard, cannot manage billing, and the legal pages required for launch are entirely absent. The 45 orphaned dashboard widgets represent both the largest asset (ready-made UI) and the largest liability (unreachable code that misleads about product completeness).

The most critical blockers for launch are: (1) No authentication system for web users, (2) No dashboard routing for 45 built widgets, (3) No legal pages (Privacy, Terms, Cookie Policy), (4) SQLite database unsuitable for production, (5) Fictional external URLs (GitHub, PyPI, Docs) that would be immediately exposed, (6) No billing or subscription infrastructure, and (7) No community infrastructure despite claiming 18.7K stars and 2.4M downloads.

Phase 12 - Final Launch Checklist

The following checklist represents every item a production SaaS product would need before public launch. Items are checked only if they truly exist in the repository, verified by file system evidence. Items marked with a cross are absent or broken.

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Landing Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Landing Page', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Landing Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Landing Page', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'page.tsx -> HomeSection with 10 sections' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='page.tsx -> HomeSection with 10 sections', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Features Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Features Page', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '#features anchor, FeaturesSection.tsx' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='#features anchor, FeaturesSection.tsx', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Pricing Page' 'frags': [P araFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Pricing Page', text Color=Color(.878431,.8 90196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'pricing-plans.tsx orphaned, no route' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='pricing-plans.tsx orphaned, no route', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Documentation' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Documentation', t extColor=Color(.878431 ,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Only marketing cards, no real docs' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Only marketing cards, no real docs', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'API Documentation' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='API Documentation', textC olor=Color(.878431,.89 0196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '47 endpoints, zero docs' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='47 endpoints, zero docs', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Dashboard' 'frags': [Para Frag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Dashboard', textC olor=Color(.878431,.89 0196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '45 widgets built, ZERO routed' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='45 widgets built, ZERO routed', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Billing / Subscription' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Billing / Subscription', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Billing / Subscription' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Billing / Subscription', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No billing infrastructure' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No billing infrastructure', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Community' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Community', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Community' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='NO', textColor=Color(.784314,.505882,.478431,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Fictional stats, no real community' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Fictional stats, no real community', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Blog' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Blog', textColor=C olor(.878431,.890196,.8 82353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': 'NO' 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Roadmap' 'frags': [Para Frag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Roadmap', textCo lor=Color(.878431,.8901 96,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Status Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Status Page', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Status Page' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='NO', textColor=Color(.784314,.505882,.478431,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Privacy Policy' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Privacy Policy', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Footer link is dead # no-op' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Footer link is dead # no-op', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Terms of Service' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Terms of Service', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Footer link is dead # no-op' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Footer link is dead # no-op', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Cookie Policy' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Cookie Policy', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Cookie Policy' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Cookie Policy', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Contact Page' 'frags': [P araFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Contact Page', tex tColor=Color(.878431,.8 90196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'FAQ' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='FAQ', textColor=C olor(.878431,.890196,.8 82353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': 'NO' 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Support' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Support', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Support' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='NO', textColor=Color(.784314,.505882,.478431,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'SEO Metadata' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='SEO Metadata', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Full OG, Twitter, JSON-LD in layout.tsx' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Full OG, Twitter, JSON-LD in layout.tsx', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Analytics' 'frags': [Para Frag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Analytics', textCol or=Color(.878431,.8901 96,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No analytics integration' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No analytics integration', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Authentication (Web)' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Authentication (Web)', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Authentication (Web)' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Authentication (Web)', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Authentication (Web)' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Authentication (Web)', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Authorization' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Authorization', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Per-route requireAuth on 22 API routes' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Per-route requireAuth on 22 API routes', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Production Build' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Production Build', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'next.config.ts with removeConsole' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='next.config.ts with removeConsole', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Monitoring' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Monitoring', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Monitoring' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Monitoring', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No logging, APM, or error tracking' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No logging, APM, or error tracking', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Error Pages' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Error Pages', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '404 + global error boundary' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='404 + global error boundary', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '500 Error Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='500 Error Page', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '500 Error Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='500 Error Page', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '500 Error Page' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='500 Error Page', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Mobile Responsive' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Mobile Responsive', textColor= Color(.878431,.890196,. 882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Tailwind responsive throughout' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text="Tailwind responsive throughout", textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Accessibility' 'frags': [P araFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Accessibility', text Color=Color(.878431,.8 90196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Partial - skip link only' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Partial - skip link only', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Onboarding' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Onboarding', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Onboarding' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='NO', textColor=Color(.784314,.505882,.478431,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No onboarding flow' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No onboarding flow', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Demo / Product Tour' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Demo / Product Tour', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Upgrade Flow' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Upgrade Flow', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No subscription management' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No subscription management', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'API Keys' 'frags': [Para Frag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='API Keys', textCol or=Color(.878431,.8901 96,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'SHA-256 hashed, DB-backed' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='SHA-256 hashed, DB-backed', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Rate Limiting' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Rate Limiting', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '6 tiers, 3-60 req/min' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='6 tiers, 3-60 req/min', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Security Headers' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Security Headers', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'CSP, HSTS, X-Frame, COOP, CORP, COEP' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='CSP, HSTS, X-Frame, COOP, CORP, COEP', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'SSRF Protection' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='SSRF Protection', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Private IP + IPv6 + DNS rebinding guards' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Private IP + IPv6 + DNS rebinding guards', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Sitemap' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Sitemap', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Sitemap' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Sitemap', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Sitemap' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Sitemap', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'robots.txt' 'frags': [Para Frag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='robots.txt', textCo lor=Color(.878431,.8901 96,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': YES 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='YE S', textC olor=Co lor(.435 294,.749 02,.5372 55,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': '44 lines, blocks /api/ and AI crawlers' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='44 lines, blocks /api/ and AI crawlers', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Favicon' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Favicon', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Favicon' 'frags': [ParaFrag(__tag__='b', bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='YES', textColor=Color(.435294,.74902,.537255,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'public/favicon.svg' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='public/favicon.svg', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'OG Image' 'frags': [Para Frag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='OG Image', textCo lor=Color(.878431,.8901 96,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Referenced but missing from public/' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Referenced but missing from public/', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'PWA Manifest' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='PWA Manifest', te xtColor=Color(.878431,. 890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No manifest.json' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No manifest.json', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Cookie Consent' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Cookie Consent', t extColor=Color(.878431 ,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Internationalization' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Internationalization', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': NO 'frags': [ParaFrag(__tag__='b', bold=1, fontName='DejaVuBold', fontSize=8, greek=0, italic=1, link=[], rise=0, text='NO', textColor=Color(.784314,.505882,.478431,1), us_lines=[])] 'style': ' 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'English only, no i18n' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='English only, no i18n', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Database (Production)' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Database (Production)', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Database (Production)' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Database (Production)', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'SQLite - not production-ready' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='SQLite - not production-ready', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Structured Logging' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Structured Logging', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No logging library' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No logging library', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Error Tracking' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Error Tracking', t extColor=Color(.878431 ,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No Sentry or equivalent' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No Sentry or equivalent', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'CSRF Protection' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='CSRF Protection', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'CORS Configuration' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='CORS Configuration', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'CORS Configuration' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='CORS Configuration', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Not implemented' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Not implemented', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Backup Strategy' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Backup Strategy', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag__='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'No backup system' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='No backup system', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Item	Status	Evidence
Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'Migration Strategy' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='Migration Strategy', textColor=Col or(.878431,.890196,.882 353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph	Paragra ph('cas eSensiti ve': 1 'e ncoding ' : 'utf8' 'text': NO 'frags': [ParaFra g(__tag __='b', bold=1, fontNa me='Dej aVuBol d', fontS ize=8, g reek=0, italic=1, link=[], rise=0, t ext='NO ' , textCo lor=Col or(.7843 14,.5058 82,.4784 31,1), us _lines=[)]) 'style': ' bulletT ext': None 'debug': 0) #Par agraph	Paragraph('caseSensitive': 1 'encoding': 'utf8' 'text': 'prisma db push, no versioned migrations' 'frags': [ParaFrag(__tag__='para', bold=0, fontName='Helvetica', fontSize=8, greek=0, italic=1, link=[], rise=0, text='prisma db push, no versioned migrations', textColor=Color(.878431,.890196,.882353,1), us_lines=[])] 'style': 'bulletText': None 'debug': 0) #Paragraph

Checklist Summary: 14 of 48 items present (29.2%)

Only 14 of 48 launch-critical items (29.2%) are currently present. The remaining 34 items (70.8%) must be built before ReconPro can be launched to the public. The items that exist are primarily in the marketing landing page, API security infrastructure, and basic error handling. The most critical gaps are in user authentication, dashboard routing, legal compliance, billing infrastructure, and production database readiness.