

# On Creative Definitions in Leśniewski's Ontology

Fabio Zanasi

Joint work with F.V. Rickey

École Normale Supérieure de Lyon, France

# Definitions in Mereology

The objects  $a$  and  $b$  are identical

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a)$$

The object  $a$  is external to the object  $b$

$$\forall ab(a \varepsilon \text{Ex}(b) \equiv a \varepsilon a \wedge \neg \exists c(c \varepsilon \text{ingr}(b) \wedge c \varepsilon \text{ingr}(a)))$$

The object  $a$  is the class of objects  $b$

$$\forall ab(a \varepsilon \text{Kl}(b) \equiv a \varepsilon a \wedge \forall c(a \varepsilon \text{Ex}(c) \equiv \forall r(r \varepsilon b \rightarrow r \varepsilon \text{Ex}(c))))$$

# Definitions in Mereology

The objects  $a$  and  $b$  are identical

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a)$$

The object  $a$  is external to the object  $b$

$$\forall ab(a \varepsilon \text{Ex}(b) \equiv a \varepsilon a \wedge \neg \exists c(c \varepsilon \text{ingr}(b) \wedge c \varepsilon \text{ingr}(a)))$$

The object  $a$  is the class of objects  $b$

$$\forall ab(a \varepsilon \text{Kl}(b) \equiv a \varepsilon a \wedge \forall c(a \varepsilon \text{Ex}(c) \equiv \forall r(r \varepsilon b \rightarrow r \varepsilon \text{Ex}(c))))$$

# Definitions in Mereology

The objects  $a$  and  $b$  are identical

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a)$$

The object  $a$  is external to the object  $b$

$$\forall ab(a \varepsilon \text{Ex}(b) \equiv a \varepsilon a \wedge \neg \exists c(c \varepsilon \text{ingr}(b) \wedge c \varepsilon \text{ingr}(a)))$$

The object  $a$  is the class of objects  $b$

$$\forall ab(a \varepsilon \text{KI}(b) \equiv a \varepsilon a \wedge \forall c(a \varepsilon \text{Ex}(c) \equiv \forall r(r \varepsilon b \rightarrow r \varepsilon \text{Ex}(c))))$$

# Definitions in Mereology

The objects  $a$  and  $b$  are identical

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a)$$

The object  $a$  is external to the object  $b$

$$\forall ab(a \varepsilon \text{Ex}(b) \equiv a \varepsilon a \wedge \neg \exists c(c \varepsilon \text{ingr}(b) \wedge c \varepsilon \text{ingr}(a)))$$

The object  $a$  is the class of objects  $b$

$$\forall ab(a \varepsilon \text{Kl}(b) \equiv a \varepsilon a \wedge \forall c(a \varepsilon \text{Ex}(c) \equiv \forall r(r \varepsilon b \rightarrow r \varepsilon \text{Ex}(c))))$$

What is the status of these definitions?

## A comparison with *Principia Mathematica*

*[T]he definitions are no part of our subject, but are, strictly speaking, mere typographical conveniences. Practically, of course, if we introduced no definitions, our formulae would very soon become so lengthy as to be unmanageable; but theoretically, all definitions are superfluous.*

(Russell & Whitehead, *PM*, I, 1910)

“Outside” *PM*:

$$\alpha \supset \beta \quad =_{\text{def}} \quad \neg \alpha \vee \beta$$

## A comparison with *Principia Mathematica*

*[T]he definitions are no part of our subject, but are, strictly speaking, mere typographical conveniences. Practically, of course, if we introduced no definitions, our formulae would very soon become so lengthy as to be unmanageable; but theoretically, all definitions are superfluous.*

(Russell & Whitehead, *PM*, I, 1910)

“Outside” *PM*:

$$\alpha \supset \beta \text{ =}_{\text{def}} \neg \alpha \vee \beta$$

A derivation in *PM*:

Axioms,  $\sigma_1, \sigma_2, \dots, \sigma_n, \dots$

Vocabulary:

Primitive Symbols ( $\vee, \neg, \dots$ )

( no  $\supset$  )

# Definitions in Mereology

A development of Mereology:

Axioms

Vocabulary at stage 0 :

Primitives	$\begin{cases} \varepsilon : S/NN \\ \text{ingr}(-) : N/N \\ \dots \end{cases}$
------------	---



# Definitions in Mereology

A development of Mereology:

Axioms,  $\tau_1, \tau_2, \dots, \tau_n$

Vocabulary at stage  $n$  :

Primitives	$\left\{ \begin{array}{l} \varepsilon : S/NN \\ \text{ingr}(-) : N/N \\ \dots \end{array} \right.$
------------	--

# Definitions in Mereology

A development of Mereology:

Axioms,  $\tau_1, \tau_2, \dots, \tau_n$ ,  $\text{Def}_{\approx}$

Vocabulary at stage  $n + 1$ :

$$\text{Primitives} \begin{cases} \varepsilon : S/NN \\ \text{ingr}(-) : N/N \\ \dots \\ - \approx - : S/NN \end{cases}$$

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a)$$

( $\text{Def}_{\approx}$ )

# Definitions in Mereology

A development of Mereology:

Axioms,  $\tau_1, \tau_2, \dots, \tau_n, \text{Def}_\approx, \tau_{n+2}, \tau_{n+3}, \dots, \tau_m$

Vocabulary at stage  $n + 1$ :

$$\text{Primitives} \begin{cases} \varepsilon : S/NN \\ \text{ingr}(-) : N/N \\ \dots \\ - \approx - : S/NN \end{cases}$$

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a)$$

(Def<sub>≈</sub>)

# Definitions in Mereology

A development of Mereology:

Axioms,  $\tau_1, \tau_2, \dots, \tau_n, \text{Def}_\approx, \tau_{n+2}, \tau_{n+3}, \dots, \tau_m, \text{Def}_{Ex}$

Vocabulary at stage  $m+1$ :

$$\begin{array}{l} \text{Primitives } \left\{ \begin{array}{l} \varepsilon : S/NN \\ \text{ingr}(-) : N/N \\ \dots \end{array} \right. \\ - \approx - : S/NN \\ \text{Ex}(-) : S/N \end{array}$$

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a) \quad (\text{Def}_\approx)$$

$$\forall ab(a \varepsilon \text{Ex}(b) \equiv a \varepsilon a \wedge \neg \exists c(c \varepsilon \text{ingr}(b) \wedge c \varepsilon \text{ingr}(a))) \quad (\text{Def}_{Ex})$$

# Definitions in Mereology

A development of Mereology:

Axioms,  $\tau_1, \tau_2, \dots, \tau_n, \text{Def}_{\approx}, \tau_{n+2}, \tau_{n+3}, \dots, \tau_m, \text{Def}_{Ex}, \tau_{m+2}, \tau_{m+3}, \dots$

Vocabulary at stage  $m+1$ :

$$\begin{array}{l} \text{Primitives } \left\{ \begin{array}{l} \varepsilon : S/NN \\ \text{ingr}(-) : N/N \\ \dots \end{array} \right. \\ - \approx - : S/NN \\ \text{Ex}(-) : S/N \end{array}$$

$$\forall ab(a \approx b \equiv a \varepsilon b \wedge b \varepsilon a) \quad (\text{Def}_{\approx})$$

$$\forall ab(a \varepsilon \text{Ex}(b) \equiv a \varepsilon a \wedge \neg \exists c(c \varepsilon \text{ingr}(b) \wedge c \varepsilon \text{ingr}(a))) \quad (\text{Def}_{Ex})$$

# The logical systems of Leśniewski

Mereology

Ontology

$\epsilon: S/NN$

Protothetics

$\equiv: S/SS$

# Definitions in *Ontology*

# Ontology

## Axiomatization of *Ontology*


- The axiom  $A_p$  of *Protothetic*
- The axiom  $A_o$ , fixing the intuitive meaning of  $\varepsilon : S/NN$



# Ontology

## Axiomatization of *Ontology*


- The axiom  $A_p$  of *Protothetic*
- The axiom  $A_o$ , fixing the intuitive meaning of  $\varepsilon : S/NN$



# Ontology

## Axiomatization of *Ontology*

- The axiom  $A_p$  of *Protothetic*
- The axiom  $A_o$ , fixing the intuitive meaning of  $\varepsilon : S/NN$



## Inference rules

- Usual rules of axiomatic systems (substitution, detachment, ...)
- (Laws of extensionality)
- Rules for introducing definitions

# Introduction Rules for Definitions

Definition of a constant  $\psi : S/c_1 \dots c_n$

$$\forall b_1 \dots b_n (\underbrace{\psi(b_1, \dots, b_n)}_{\text{Definiendum}} \equiv \underbrace{\varphi(b_1, \dots, b_n)}_{\text{Definiens}})$$

Definition of a constant  $\gamma : N/c_1 \dots c_n$

$$\forall a b_1 \dots b_n (\underbrace{a \varepsilon \gamma(b_1, \dots, b_n)}_{\text{Definiendum}} \equiv \underbrace{a \varepsilon a \wedge \varphi(a, b_1, \dots, b_n)}_{\text{Definiens}})$$

# Examples

Everything named by  $a$  is also named by  $b$

$$\forall a(a \sqsubseteq b \equiv \forall c(c \varepsilon a \rightarrow c \varepsilon b))$$

The individual named by  $a$  has also names  $b$  and  $c$

$$\forall a(a \varepsilon b \cap c \equiv a \varepsilon a \wedge a \varepsilon b \wedge a \varepsilon c)$$

The name  $a$  has no extension

$$\forall a(a \varepsilon \bigwedge \equiv a \varepsilon a \wedge \neg(a \varepsilon a)) \quad (D_{\bigwedge})$$

# Creative Definitions

Each definition enriches the **vocabulary** of (the development of) the system in which it is introduced.

$$A_p, A_o, \tau_1, \dots, \tau_n, \underbrace{\text{Def}_{\lambda, \tau_{n+2}, \dots, \tau_k}}_{\lambda \text{ is in the vocabulary}}$$

# Creative Definitions

Each definition enriches the **vocabulary** of (the development of) the system in which it is introduced.

$$A_p, A_o, \tau_1, \dots, \tau_n, \underbrace{\text{Def}_\lambda, \tau_{n+2}, \dots, \tau_k}_{\lambda \text{ is in the vocabulary}}$$

Some definitions also increase the **deductive power** of the system.

$$\begin{array}{ll} \{A_p, A_o, \tau_1, \dots, \tau_n, \text{Def}_\lambda\} \vdash_{ont} \tau_k & \text{but} \\ \{A_p, A_o, \tau_1, \dots, \tau_n\} & \not\vdash_{ont} \tau_k \end{array}$$

# Creative Definitions

Each definition enriches the **vocabulary** of (the development of) the system in which it is introduced.

$$A_p, A_o, \tau_1, \dots, \tau_n, \underbrace{\text{Def}_\lambda, \tau_{n+2}, \dots, \tau_k}_{\lambda \text{ is in the vocabulary}}$$

Some definitions also increase the **deductive power** of the system.

$$\begin{array}{ll} \{A_p, A_o, \tau_1, \dots, \tau_n, \text{Def}_\lambda\} \vdash_{ont} \tau_k & \text{but} \\ \{A_p, A_o, \tau_1, \dots, \tau_n\} & \not\vdash_{ont} \tau_k \end{array}$$

$\text{Def}_\lambda$  is **creative** for  $\tau_k$  in the development

$$A_p, A_o, \tau_1, \dots, \tau_n.$$

# $D_{\wedge}$ is creative

$$\frac{\forall a (a \varepsilon \wedge \equiv a \varepsilon a \wedge \neg (a \varepsilon a))}{}$$



$D_{\wedge}$  is creative

$$\frac{\forall a (a \varepsilon \wedge \equiv a \varepsilon a \wedge \neg (a \varepsilon a))}{\exists d \forall a (a \varepsilon d \equiv a \varepsilon a \wedge \neg (a \varepsilon a))} \text{Int.}\exists \quad (P_{\wedge})$$

**Claim**  $D_{\wedge}$  is creative for  $P_{\wedge}$  in the developement  $A_p, A_o$ .


$D_{\wedge}$  is creative

$$\frac{\forall a(a \varepsilon \wedge \equiv a \varepsilon a \wedge \neg(a \varepsilon a))}{\exists d \forall a(a \varepsilon d \equiv a \varepsilon a \wedge \neg(a \varepsilon a))} \text{Int.}\exists \quad (P_{\wedge})$$

**Claim**  $D_{\wedge}$  is creative for  $P_{\wedge}$  in the developement  $A_p, A_o$ .

**Proof**

Interpret *Ontology* in *Protothetic* :




$D_{\wedge}$  is creative

$$\frac{\forall a(a \varepsilon \wedge \equiv a \varepsilon a \wedge \neg(a \varepsilon a))}{\exists d \forall a(a \varepsilon d \equiv a \varepsilon a \wedge \neg(a \varepsilon a))} \text{Int.}\exists \quad (P_{\wedge})$$

**Claim**  $D_{\wedge}$  is creative for  $P_{\wedge}$  in the developement  $A_p, A_o$ .

**Proof**

Interpret *Ontology* in *Protothetic* :



$$P_{\wedge} \xrightarrow{\star} \exists d \forall a(a \equiv d \equiv (a \equiv a \wedge \neg(a \equiv a))) \quad (P_{\wedge}^{\star})$$


$D_{\wedge}$  is creative

$$\frac{\forall a(a \varepsilon \wedge \equiv a \varepsilon a \wedge \neg(a \varepsilon a))}{\exists d \forall a(a \varepsilon d \equiv a \varepsilon a \wedge \neg(a \varepsilon a))} \text{Int.}\exists \quad (P_{\wedge})$$

**Claim**  $D_{\wedge}$  is creative for  $P_{\wedge}$  in the developement  $A_p, A_o$ .

**Proof**

Interpret *Ontology* in *Protothetic* :



$$P_{\wedge} \xrightarrow{\star} \exists d \forall a(a \equiv d \equiv (a \equiv a \wedge \neg(a \equiv a))) \quad (P_{\wedge}^{\star})$$

$$\vdash_{ont} A_p, A_o \text{ and } \vdash_{ont} P_{\wedge} \quad \text{but} \quad \vdash_{prot} A_p^{\star}, A_o^{\star} \text{ and } \vdash_{prot} \neg P_{\wedge}^{\star}$$

# Exploring Creativity in *Ontology*

# The boundaries of *Ontology*

Question - Leśniewski(?), Sobociński, Rickey (1975)

How many creative definitions can be introduced in *Ontology* ?

# The boundaries of *Ontology*

Question - Leśniewski(?), Sobociński, Rickey (1975)

How many creative definitions can be introduced in *Ontology* ?

## Theorem 1

There are arbitrarily many developments of *Ontology* that contain a creative definition, and all of those definitions are different.

# Proof of Theorem 1

An arbitrarily long sequence of definitions:

$$(\forall a)(a \varepsilon 2^+ \equiv (a \varepsilon a \wedge (\exists bc)(a \varepsilon b \wedge a \varepsilon c \wedge \neg(\forall z)(z \varepsilon b \equiv z \varepsilon c)))) \quad (D_2)$$

$$\begin{aligned} (\forall a)(a \varepsilon 3^+ \equiv (a \varepsilon a \wedge (\exists bcd)(a \varepsilon b \wedge a \varepsilon c \wedge a \varepsilon d \\ \wedge \neg(\forall z)(z \varepsilon b \equiv z \varepsilon c))) \\ \wedge \neg(\forall z)(z \varepsilon b \equiv z \varepsilon d))) \\ \wedge \neg(\forall z)(z \varepsilon c \equiv z \varepsilon d)))) \end{aligned} \quad (D_3)$$

$$(\forall a)(a \varepsilon 4^+ \equiv (a \varepsilon a \wedge (\exists bcde) \dots) \quad (D_4)$$

$a$  is  $n^+$  iff the individual  $a$  has at least  $n$  distinct names.



# Proof of Theorem 1

For each natural number  $n$ :

$$\vdash_{prot} \neg P_n^*$$

Each of the following developments of *Ontology* contains a creative definition:

$$A_p, A_o, D_2, P_2$$

$$A_p, A_o, D_3, P_3$$

$$A_p, A_o, D_4, P_4$$

$$\vdots$$

# The boundaries of *Ontology*

Question - Leśniewski(?), Sobociński, Rickey (1975)

How many creative definitions can be introduced in *Ontology* ?

## Theorem 1

There are arbitrarily many developments of *Ontology* that contain a creative definition, and all of those definitions are different.

# The boundaries of *Ontology*

Question - Leśniewski(?), Sobociński, Rickey (1975)

How many creative definitions can be introduced in *Ontology* ?

## Theorem 1

There are arbitrarily many developments of *Ontology* that contain a creative definition, and all of those definitions are different.

## Theorem 2

There is a development of *Ontology* that contains arbitrarily many creative definitions.

$$A_p, A_o, D_3, P_3, D_4, P_4, \dots$$

# The boundaries of *Ontology*

Question - Leśniewski(?), Sobociński, Rickey (1975)

How many creative definitions can be introduced in *Ontology* ?

## Theorem 1

There are arbitrarily many developments of *Ontology* that contain a creative definition, and all of those definitions are different.

## Theorem 2

There is a development of *Ontology* that contains arbitrarily many creative definitions.

$$A_p, A_o, D_3, P_3, D_4, P_4, \dots$$

## Problem

How to prove:  $D_{n+1}$  is creative for  $P_{n+1}$  in the development  $A_p, A_o, \dots, D_n, P_n$ ?

$$\vdash_{prot} \neg P_n^*$$


$$\vdash_{prot} \neg P_{n+1}^*$$


# Natural Models

## An interpretation for (elementary) *Ontology*

$$\mathbb{M} = \langle \mathcal{N}, \mathcal{D}, \varepsilon^*, \sim \rangle$$


$$v : (\lambda : N) \mapsto (n \in \mathcal{N})$$



$D_4$  is creative $\mathbb{M}_3$ 

$$(\mathbb{M}_3, v) \models A_o \wedge D_3 \wedge P_3 \quad v(3^+) = x_0$$

$$(\mathbb{M}_3, v) \not\models P_4$$



$D_4$  is creative $\mathbb{M}_3$ 

$$(\mathbb{M}_3, v) \models A_o \wedge D_3 \wedge P_3 \quad v(3^+) = x_0$$


$$(\mathbb{M}_3, v) \not\models P_4$$

$D_4$  is creative for  $P_4$  in  
 $A_p, A_o, D_3, P_3$ .

# A sequence of models

 $M_3$  $M_4$ 

...

 $M_{n+1}$ 

For each  $n > 2$ ,  $D_{n+1}$  is creative for  $P_{n+1}$  in  $A_p, A_o, D_3, P_3, \dots, D_n, P_n$ .



# The boundaries of *Ontology*

Question - Leśniewski(?), Sobociński, Rickey (1975)

How many creative definitions can be introduced in *Ontology* ?

## Theorem 1

There are arbitrarily many developments of *Ontology* that contain a creative definition, and all of those definitions are different.

## Theorem 2

There is a development of *Ontology* that contains arbitrarily many creative definitions.

$$A_p, A_o, D_3, P_3, D_4, P_4, \dots$$

# Afterthoughts

# Afterthoughts

## Creativity in Elementary *Ontology*

- If names “form a boolean algebra” then no definition of Elementary *Ontology* is creative (Iwanus 1972).

# Afterthoughts

## Creativity in Elementary *Ontology*

- If names “form a boolean algebra” then no definition of Elementary *Ontology* is creative (Iwanus 1972).

## Creativity in higher-order *Ontology*

- The addition of a Comprehension Principle neutralizes creativity in *Ontology* (Stachniak 1981, cf. Urbaniak 2008):

$$\exists \psi \forall b_1 \dots b_n (\psi(b_1 \dots b_n) \equiv \varphi(b_1 \dots b_n))$$

$$\exists \gamma \forall a \, b_1 \dots b_n (a \varepsilon \gamma(a \, b_1 \dots b_n) \equiv a \varepsilon a \wedge \varphi(a \, b_1 \dots b_n)).$$

- Introducing a definition in Leśniewski's systems is an abstraction procedure (cf. Joray 2007).

# Questions

Investigate further at what conditions a definition is creative.

# Questions

Investigate further at what conditions a definition is creative.

Creative definitions in higher-order Ontology.

# Questions

Investigate further at what conditions a definition is creative.

Creative definitions in higher-order Ontology.

Creative definitions in Mereology.

# Questions

Investigate further at what conditions a definition is creative.

Creative definitions in higher-order Ontology.

Creative definitions in Mereology.

More?



# References

## On Creative Definitions:

J. Myhill - *Arithmetic with Creative Definitions by Induction* (1953).

E.A. Nemesszeghy & E.Z. Nemesszeghy - *Is  $(p \supset q) = (\neg p \vee q)$  Df a proper definition in the system of Principia Mathematica?* (1971).

F.V. Rickey - *Creative Definitions in Propositional Calculi* (1975).

F.V. Rickey - *On Creative Definitions in First Order Functional Calculi* (1978).

P. Joray - *What is Wrong with Creative Definitions?* (2005).

P. Joray & D. Mièville (eds.) - *Définition. Rôles et fonctions en logique et en mathématiques* (2007).

## On Creative Definitions in Ontology:

J.S. Slupecki - *Leśniewski Calculus of Names* (1955).

B. Iwanus - *On Leśniewski's Elementary Ontology* (1973).

Z. Stachniak - *Introduction to Model Theory for Leśniewski's Ontology* (1981).

F.V. Rickey - *Interpretations of Leśniewski's Ontology* (1985).

R. Urbaniak - *Leśniewski Systems of Logic and Mereology; History and Re-evaluation* - PhD Thesis, University of Calgary (2008).

R. Urbaniak & K.S. Hämäri - *Busting a Myth about Leśniewski and Definitions* (2011).

## For Theorem 1 and Theorem 2:

F. Zanasi - *La Definizione nell'Ontologia di S.Leśniewski; uno Studio sulle Definizioni Creative* - Undergraduate Thesis, University of Siena (2010).