ALOUANI Fadi

BTS SIO 1
SLAM
16/10/26

[Projet] Colloc' gestion de colocation avec Flutter et Supabase

Sommaire


Introduction.....1
Création du projet flutter 2
Création de la bdd sur supabase et connection au projet 2
Conclusion.....4

Introduction

Dans ce projet, je vais développer une application mobile appelée Colloc' avec Flutter et Supabase. Elle permettra aux colocataires de gérer les dépenses, les tâches ménagères, les courses et les messages. Mon objectif est de créer une application simple, pratique et sécurisée.

Création du projet flutter

J'ai créé mon projet avec flutter create .. Le point permet de créer le projet dans mon dossier.
À la suite de cela, les fichiers main.dart, pubspec.yaml, etc., sont créés automatiquement.





Création de la bdd sur supabase et connection au projet

J'ai créé la base de données, puis les tables grâce à des requêtes SQL.
J'ai ensuite connecté mon projet Flutter à ma base de données en copiant-collant l'URL et la Publishable Key dans mon fichier main.dart.

ALOUANI Fadi






localhost:52471
Creer un compte
Pseudo
karim
Email
karim911@gmail.com
Mot de passe
••••••••••
Compte cree. Consulte ton email pour confirmer l'inscription.
S'inscrire
Deja un compte ? Se connecter

ALOUANI Fadi

Code



```dart
import 'package:flutter/material.dart';
import 'package:supabase_flutter/supabase_flutter.dart';

import 'core/supabase_client.dart';
import 'features/auth/presentation/auth_gate.dart';


Run | Debug | Profile
Future<void> main() async {
  WidgetsFlutterBinding.ensureInitialized();

  await Supabase.initialize(
    url: supabaseUrl,
    publishableKey: supabasePublishableKey,
  );

  runApp(const MyApp());
}

class MyApp extends StatelessWidget {
  const MyApp({super.key});

  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      title: 'Coloc',
      theme: ThemeData(
        colorScheme: ColorScheme.fromSeed(seedColor: Colors.teal),
        useMaterial3: true,
      ), // ThemeData
      darkTheme: ThemeData(
        colorScheme: ColorScheme.fromSeed(
          seedColor: Colors.teal,
          brightness: Brightness.dark,
        ), // ColorScheme.fromSeed
        useMaterial3: true,
      ), // ThemeData
      home: const AuthGate(),
    ); // MaterialApp
  }
}
```



```yaml
name: tp_coloc
description: "A new Flutter project."
# The following line prevents the package from being accidentally published to
# pub.dev using `flutter pub publish`. This is preferred for private packages.
publish_to: 'none' # Remove this line if you wish to publish to pub.dev

# The following defines the version and build number for your application.
# A version number is three numbers separated by dots, like 1.2.43
# followed by an optional build number separated by a +.
# Both the version and the builder number may be overridden in flutter
# build by specifying --build-name and --build-number, respectively.
# In Android, build-name is used as versionName while build-number used as versionCode.
# Read more about Android versioning at https://developer.android.com/studio/publish/versioning
# In iOS, build-name is used as CFBundleShortVersionString while build-number is used as CFBundleVersion.
# Read more about iOS versioning at
# https://developer.apple.com/library/archive/documentation/General/Reference/InfoPlistKeyReference/Articles/CoreFoundationKeys.html
# In Windows, build-name is used as the major, minor, and patch parts
# of the product and file versions while build-number is used as the build suffix.
version: 1.0.0+1

environment:
  sdk: ^3.13.2

# Dependencies specify other packages that your package needs in order to work.
# To automatically upgrade your package dependencies to the latest versions
# consider running `flutter pub upgrade --major-versions`. Alternatively,
# dependencies can be manually updated by changing the version numbers below to
# the latest version available on pub.dev. To see which dependencies have newer
# versions available, run `flutter pub outdated`.
dependencies:
  flutter:
    sdk: flutter

  # The following adds the Cupertino Icons font to your application.
  # Use with the CupertinoIcons class for iOS style icons.
  cupertino_icons: ^1.0.8
  supabase_flutter: ^2.18.3

dev_dependencies:
  flutter_test:
```

Conclusion

Pour conclure, ce projet me permettra de mettre en pratique mes connaissances en Flutter et Supabase. Je pourrai apprendre à gérer une base de données, sécuriser les accès et créer une application collaborative fonctionnelle