

Service Support Building (SSB), Administration Area, Lot 14, Phase 1-A, FPIP, Sto. Tomas, Batangas, Philippines
Tel No.: (043) 405 6388-89 / (043) 405 6407-08

MEMORANDUM NO. HRADM

TO

: 19 PK34662

NAME

Magada, Anne Sherryl Cuzon

FROM

: PKIMT Management

SUBJECT


: Notice for Suspension

No. of Offense

1st Offense

DATE

June 30, 2020



This refers to the alleged offense(s) you have committed at

6/27/2020

to name:

Magada, Anne Sherryl Cuzon

Violation Offense No.

V

OFFENSES AGAINST COMPANY INTEREST

Section No.

10

Omission or commission of an act in connection with or against the policies & procedures, SOPs, set work guidelines & to the particular duties and responsibilities inherent to the employee's work

Description:

Too much setting of wire on Heatshrink process

You are hereby given 5 days upon receipt of this letter to explain in writing why you should not be given a disciplinary action for such offense. Failure to comply would mean you voluntarily waive your right to due process and the company has no recourse but to implement the penalty provided for based in our company rules and regulations.

This is for your guidance and strict compliance.

NOTED BY

PKIMT Management

19 PK3466

FURUKAWA - Production Operator

(Please attach your written explanation upon returning of this letter)



Service Support Building (SSB), Administration Area, Lot 14, Phase 1-A, FPIP, Sto. Tomas, Batangas, Philippines
Tel No.: (043) 405 6388-89 / (043) 405 6407-08

MEMORANDUM NO. HRADM

TO

: 19 PK34662

NAME

Magada, Anne Sherryl Cuzon

FROM

: PKIMT Management

SUBJECT

: Notice to explain

No. of Offense

: 1st Offense

DATE

29-Jun-20

This refers to the alleged offense(s) you have committed at

27-Jun-20

to name: Magada, Anne Sherryl Cuzon

Violation Offense | V

OFFENSES AGAINST COMPANY INTEREST

Section No.

Omission or commission of an act in connection with or against the policies & procedures, SOPs, set work guidelines & to the

particular duties and responsibilities inherent to the employee's work

Description

Too much setting of wire on Heatshrink process

You are hereby given 5 days upon receipt of this letter to explain in writing why you should not be given a disciplinary action for such offense. Failure to comply would mean you voluntarily waive your right to due process and the company has no recourse but to implement the penalty provided for based in our company rules and regulations.

This is for your guidance and strict compliance.

NOTED BY

PKIMT Management

Conforme:

FURUKAWA - Production Operator

(Please attach your written explanation upon returning of this letter)

As you know SUZUKI line claim happen RAYCHEM tube circuits problem. I understand why happen.

Maybe anytime they are doing double and triple.

So many time insert to machine, tube is melting more than standard, it will be soft.

USTOMER: Suzuki		
ute & Time	June 27,2020/1:27	Illustration
hift & Group	DS/A	
ar Maker/ Model	Suzuái Y2R	
ne No	Initial	TIMPURALUE TO SEE
arri-è-	Magadia, Anne Sheryl	
No	19~PI@4662	
atch No.	271	
(2303)	Heatshrink -	
AS or Agency specify	PKIMT	
erson Informed	MGutierez	Charles of the Control of the Contro
udited by	RAManjarez	
eason/Risk:		
Audit Details		
lot Ecloving SOP oo much setting of wires on heatsbrink process K-1set NO2eets		A WARKING

It same as NISSAN market problem.

Does FALP want more complicated POKAYOKE? Like high voltage inspection?

Pls understand FALP can not keep standard so other Vietnam plant also add no meaning complicated inspection.

Keep rule, keep attitude. - Sir Kishimoto - FAS

PKINIT - Magada, Anne Sherry L Cuzon 19-pK34662

3rd hme audit by inlert

#Follow up on 1et 2-2nd inlert audit
punalty.

Comment - 2 earnings



OFFENSE:		DATE:	06/20	7/2020

WRITTEN EXPLANATION:

Ako po si Magada, time therest, au na andit sa process na Heatthrink nooner juna 27, 2020, dalni po diralada leo po iti ad hindi sumunod sa standard on process. Dalawa po inilagay leo dalni po gusto feo agad matagus sa process.

Countermeasure:

dayusin les na po and trabaho les, susuroid na sa jr. staff of staff oursundin po any sop.

Signature over Printed Name / Line