

FURUKAWA AUTOMOTIVE SYSTEMS LIMA PHILIPPINES, INC.

RE-TRAINING FOR ASSOCIATE (INSPECTION)

	(Last Name)	(First Name)	(M.	1.)	
Full Name:	Amaria	Maydene	V	Date:	10/23/19
I.D #:	X=F119267	- Lyaciii)		Batch #:	
Position:	Account			Line # / Gro	
		SCORE:	616 = 11	U 7 EVALUATI	1100
			co 14		NOTE: PASSING RATE IS 100%
Essay questic	nns				
I. W nat is you	r idea about abnormality?				
	(tal)	e trut is	different fr	on what a	endition.
			11 1.		
n 144-14- d	1 70				
2. Write down	some examples of the possi	ble defects that you mig	tht encounter in you	ır process.	
	town clamb				
	miging clump				
	Musing songe	on clamb			
	short long di	0/2003/0			
	1.011	- TOP2011			
3 What are yo	ou going to do when you end	ounter abnormality in w	our propose? Dioses	uneita alaunu kharakana	
5. Willat are yo			our process? Please	write down the steps.	
	1 stop the	operation			
	2 Push 1 Pull the	anden light	& call the	attention 4	Ir staff
	3 Plick kha 1	outhor an	ARCC Cholin	1	**
	4 till we the fin	al darinkly is	western and	and the	mat he must d
	4 till my the fin	at arrymbly in	whenter un	ord , and the	put the mark x
3	4 Fill my the fin	al arrymbly is defect tag	and de	ord , and the stails of de	feet the mark x
	4 till my the for 5 till me the	al arrymbly in defect tag pass tage remo	and dr	ord, and the stails of de	pat the mark x feit his brukade of the defect
	4 till my the for 5 till my the 6 to there a 2 Affactor the	al derymbly is defect tag pass tage reals tag	and dr	ord , and the stails of de thick is to be feel partin	pat the mark x feit he brukside of the defect
	4 Fill my the m 5 till my the 6 le there of 2 Aftache the	al derymbly is defect tag pass tage reals tag	and dr	ord , and the stails of de thick is to be feel partin	put the mark x feet feet the brukade of the defect
	4 till my the for 5 till my the 6 li Here a 2 Affache she	al derymbly is defect tag pass tage reals tag	and dr	ord , and the stails of de thick is to be feel partin	put the mark x feet his builtable of the defect
	4 fill my the for 5 fill me the 6 le there a 2 Aftache the 8 Indocent	al drymbly light defect tag pass laye remained tag tegonsible	agation revealed and drawed it then the di	ord , and the stails of de stails of de stails to be feel partin	put the mark x feet he builded of the defect
	4 Fill my the m 5 till my the 6 le there of 2 Aftache the	al drymbly light defect tag pass laye remained tag tegonsible	agation revealed and drawed it then the di	ord , and the stails of de stails of de stails to be feel partin	put the mark x feet the boulable of the defect
	4 fill my the for 5 fill my the for the form of the form of the form of the possible effects if defective	defect tag defect tag pass laye rent red tag treponsible e wire harness is fitted in	and drawled in the de control of the de control of the de control of the control	ord , and the trails of de thick it to feel partin	pat the mark x fect the bankside of the defect
	4 fill my the for 5 fill my the for the form of the form of the form of the possible effects if defective	defect tag defect tag pass laye rent red tag treponsible e wire harness is fitted in	and drawed in the de control of the de control of the de control of the control o	ord , and the trails of de thick it to feel partin	put the mark x feet his brukade of the defect
	4 fill my the for 5 fill my the for the form of the form of the form of the possible effects if defective	defect tag defect tag pass laye rent red tag treponsible e wire harness is fitted in	and drawed in the de control of the de control of the de control of the control o	ord , and the trails of de thick it to feel partin	put the mark x feet the bunkable of the defect
	4 fill my the for 5 fill my the for the form of the form of the form of the possible effects if defective	al drymbly light defect tag pass laye remained tag tegonsible	and drawed in the de control of the de control of the de control of the control o	ord , and the trails of de thick it to feel partin	put the mark x feet the bunkside of the defect
	4 fill my the for 5 fill my the for the form of the form of the form of the possible effects if defective	defect tag defect tag pass laye rent red tag treponsible e wire harness is fitted in	and drawed in the de control of the de control of the de control of the control o	ord , and the trails of de thick it to feel partin	put the mark x feet he builded of the defect
	4 fill my the for 5 fill my the for the form of the form of the form of the possible effects if defective	defect tag defect tag pass laye rent red tag treponsible e wire harness is fitted in	and drawed in the de control of the de control of the de control of the control o	ord , and the trails of de thick it to feel partin	pat the mark x fect the bankside of the defect
4. What are tho	4 fill my the for 5 fill my the form of 5 fill my the form o	al acymbly lindefect tag pass laye rent tag tag tag tag tag tag tag tag tag ta	and drawed in the de control of the de control of the de control of the control o	ord , and the trails of de thick it to feel partin	put the mark x fect fect the builder of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	put the mark x fect the brukside of the defect the brukside of the defect the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly lindefect tag as laye fine tag to responsible wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the wire harness is fitted in the wire harness in the	and drawn the de the the the the the the the the the th	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 fill my the for 5 fill my the formal fill my the form	al acymbly in defect tan pass taye rent tang in the pass tay in the pass to th	and drawed it that the the die person the car? The function feature positive	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 Till my the for 5 Till my the format of	al acymbly in defect tan pass taye rent tang in the pass tay in the pass to th	and drawed it that the the die person the car? The function feature positive	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit the mark x feit the brukside of the defect
4. What are the	4 fill my the fine to the fill my the fill	defect tag defect tag pass tage rente red tag red tag red tag red tag o treponsible e wire harness is fitted in COLUSE OLCH Olation? The defect tag of th	and drawed it that to the die ar? The the car? The curve of the curve of the car? The curve of the curve of the car?	ord and the strike of de strike it to feel partism. Nell-	feit feit is too busy
4. What are the	4 fill my the fine to the fill my the fill	defect tag defect tag pass tage rente red tag red tag red tag red tag o treponsible e wire harness is fitted in COLUSE OLCH Olation? The defect tag of th	and drawed it that to the die ar? The the car? The curve of the curve of the car? The curve of the curve of the car?	ord and the strike of de strike it to feel partism. Nell-	feit feit is too busy
4. What are the	4 fill my the for 5 fill my the formal fill my the form	defect tag defect tag pass tage rente red tag red tag red tag red tag o treponsible e wire harness is fitted in COLUSE OLCH Olation? The defect tag of th	and drawed it that to the die ar? The the car? The curve of the curve of the car? The curve of the curve of the car?	ord and the citails of de citails of de citails of de citails of de citails of the citails of th	feit feit is too busy
4. What are the	4 fill my the fine to the fill my the fill	defect tag defect tag pass tage rente red tag red tag red tag red tag o treponsible e wire harness is fitted in COLUSE OLCH Olation? The defect tag of th	and drawed it that to the die ar? The the car? The curve of the curve of the car? The curve of the curve of the car?	ord and the strike of de strike it to feel partism. Nell-	feit feit is too busy
. What are the	4 fill my the fine to the fill my the fill	defect tag defect tag pass tage rente red tag red tag red tag red tag o treponsible e wire harness is fitted in COLUSE OLCH Olation? The defect tag of th	and drawed it that to the die ar? The the car? The curve of the curve of the car? The curve of the curve of the car?	ord and the strike of de strike it to feel partism. Nell-	feit feit is too busy



Re		

0

SURVEY FORM

What are the main reasons why Associate or Expert & Jr. Staff (SL/LL) are tempted to oppose the Standard Operational Procedure in their area causing defective products in the line?

Ano ang mga pangunahing dahilan kung bakit ang mga <u>Associate or Expert & Jr. Staff (SL/LL)</u> ay natutuksong hindi gawin ang Standard Operating Procedure sa kanilang linya na nagiging sanhi ng mga sirang mga produkto sa linya?

Please choose five category why Associate or Expert & Jr. Staff are tempted to oppose the "SOP". Write the number from 1~5. (top 1 means the main reason)

Mangyaring pumili ng limang kategorya para sa mga pangunahing dahilan kung bakit ang mga <u>Associate or Expert</u>
<u>& Jr. Staff (SL/LL)</u> ay hindi gawin ang "SOP". Isulat ang numero mula sa 1~5.(Top 1 ay nangangahulugan na ang
pangunahing dahilan)

	Due to delay operation Dahil sa pagkaantala ng operasyon.
	Unwillingness to do their job. Hindi interesado sa kanilang trabaho
4	Always think that quantity must comes first. Laginginiisip na ang BILANG ang dapat na mauna.
	Because they want to. Dahil gusto nila.
	Because they find the company/management not worthy to be followed of. Dahil sa tingin nila ay hindi kasunod-sunod ang mga patakaran ng kumpanya at ang mga nangangasiwa nito.
5	They find the SOP hard to follow. Nahihirapan silang sundin ang mga SOP.
	Unaware of the penalties that will likely to be given after every violations Hindi nila alam ang mga posibleng parusa sa bawat pagsuway na kanilang ginagawa
	Management tolerates their acts. Hinahayaan/Kinokonsente ng mga namamahala ang kanilang mga maling gawain.
	Different instruction of the superior. Paiba-iba ang tagubilin ng superior
	Unaware of the "SOP" Hindi aware sa "SOP"
2	To be able to target the production efficiency. Para makamit ang production efficiency
(3)	As seen from other co-workers. Nakikita sa kapwa empleyado.
	Others (Pls. specify)
	SIGNATURE OVER PRINTED NAME

PLEDGE OF OBEDIENCE

Ako si, Maydenn	Agoso	, nagtatrabaho bilang _	Auroviate	ay nangangako na
(Sabihin a	ang pangalan)		(Sabihin ang	Posisyon)
ako ay susunod sa	mga panuntunar	at regulasyon ng FALP, s	sa pagtupad ng a	king tungkulin at responsibilidad
bilang isang respon	sable, mahusay at	epektibong miyembro ng	aking linya, grupo	, departamento at ng buong FAS
Company. Ako ay n	angangako na gaga	ampanan ko ang aking tra	baho gayundin an	ng mga gawain na ibinigay sa akin
ng akin superyor n	ng may mataas na	konsiderasyon sa mga si	tandard operating	g procedures at hindi kailanman
ikukumpurmiso ang	g pangangailangan	ng kustomer, kalidad ng p	rodukto at kaligta	san ng bawat empleyado.
				Mount of M Am Allos
				Lagda sa ibabaw ng pangalan
				Petsa