

Overview

This article provides information on how to implement DV monitoring tags across site-served display and video placements. Certain services and functionality, such as viewability, require implementation considerations.

DV Site-Served Monitoring Tag Types

Display

Example	Display Site-Served Tags
	<pre><script src="https://cdn.doubleverify.com/dvbm.js#ctx=132345&cmp=56789&sid=01012&plc=23487623 &advid=38329458&mon=1&blk=0&gdpr=\${GDPR}&gdpr_consent=\${GDPR_CONSENT_126}&advwf =2"></script><noscript></noscript></pre>

- The full tag, both the <script> and <noscript> portions, should be implemented whenever possible.
 - The <noscript> portion will only fire when the tag loads in a browser/environment where JavaScript has been disabled.
 - When JavaScript is enabled in the browser/environment the <noscript> portion will be ignored; no double counting will occur
 - The <noscript> portion is intended to broaden DV's coverage while simplifying implementation by consolidating our separate JavaScript and Image site served monitoring URLs into one tag.
 - Only the <script> tag will allow for viewability measurement.
- If your system does not accept HTML tags, you can extract one of the full URLs for implementation.
 - The JavaScript URL is preferred to allow for viewability measurement but must be implemented in a way that allows for JavaScript execution.

Example:

```
https://cdn.doubleverify.com/dvbm.js#ctx=132345&cmp=56789&sid=01012&plc=23487623&advid=38329458&mon=1&blk=0&gdpr=${GDPR}&gdpr_consent=${GDPR_CONSENT_126}&advwf=2
```

- The Image URL should only be used if the JavaScript URL cannot be used.

Example:

```
https://tps.doubleverify.com/visit.jpg?tagtype=display&ctx=132345&cmp=56789&sid=01012&plc=23487623&advid=38329458&gdpr=${GDPR}&gdpr_consent=${GDPR_CONSENT_126}&advwf=2
```

Video

- 1x1/Image
 - Should be used across all site-served video placements.
 - Viewability measurement is not possible with this version of the tag.

Implementation of DV Site-Served Monitoring Tags

- Implement only the correct version of the DV site-served monitoring tag that corresponds with the site-served creative type for each placement.
 - Display and Video reporting are separate within DV Analytics. Choosing the incorrect tag version can impact data collection and reporting.
- The Display site served tag should always be implemented in close proximity to the creative asset and should fire only after the asset begins to render.
- DV site-served monitoring tags should be implemented in addition to any 3rd party impression and click trackers.
 - DV site-served monitoring tags are responsible for collecting DV monitoring data within Pinnacle, while 3rd party impression and click trackers are responsible for collecting impressions and clicks within the 3rd party ad server.
- For programmatic site-served placements, you may also need to implement the DV Programmatic Analytics Monitoring Tag directly within the DSP in order to collect PA insights.
- **For clients utilizing DV Campaign Automator for CM360, DV site served monitoring tags will be included in the CM360 tag sheet under the column “Third-party vendor tracking tag”.**
 - Detailed implementation instructions can be found [here](#).

Viewability Requirements for Site-Served Placements

Desktop and Mobile Web

- Display

Implementation Guide - DV Site-Served Monitoring Tags

- The Dv site served tag should be inserted into the html in close proximity to and executed with the creative asset.
- Only the <script> (containing the Javascript portion) tag will allow for viewability measurement.
- For custom creative or instances of subpar measurement, please send a test page to the DV team to review.
- Video
 - Viewability measurement is available through integrated video ad servers and through the DV Video OmniTag.
 - Video OmniTag can be leveraged on site-served video placements if a VAST URL can be provided for processing. Please reach out to the DV team for next steps.

Mobile In-App

- Display
 - MRAID 2.0
 - Viewability measurement is possible for fixed position and interstitial creative when the JavaScript version of the DV site-served monitoring tag is implemented.
 - Sourced inventory must be MRAID compatible.
 - MRAID script reference (<script src="mraid.js"></script>) must be placed at the beginning of the creative code if not already included.
 - We encourage creatives to be served on-page through JavaScript instead of iFrame. Serving through IFrame can cause cross-domain scenarios and may prevent DV from reading MRAID viewability signals.
 - OM SDK
 - Viewability measurement is possible when the JavaScript version of the DV site-served monitoring tag is implemented.
 - Sourced inventory must be OM SDK compatible.
 - For more information about enabling OM SDK functionality across your inventory, please reach out to: omid-integration@doubleverify.com.
- Video & Native
 - Viewability Measurement with OM SDK requires custom implementation.

Self-Report Continuous Play

- The MRC requires that the impact of continuous play be disclosed to the extent known; to fulfill this requirement, DV has made available a parameter that can be appended to the DV tag so that a seller can indicate whether continuous play is used, and clients may request continuous play calls be reported where available by reaching out to the DV Client Services team.
- Once enabled, any ad call that fires a DV tag with the continuous play parameter enabled will be reported in Pinnacle UI's disclosures reports section with the "Continuous Play Calls" metric.
- Please reach out to your client services representative to find out how to implement this parameter if you supply inventory set up for continuous play.

Amazon S2S Tags

- When Amazon or Twitch is a selected media partner on your Blueprint, the Amazon S2S version of the DV tag will automatically be generated for each placement.
- The Amazon S2S tag is required by Amazon to access certain capabilities through Amazon DSP and must only be implemented in Amazon DSP.
- Amazon S2S tags will include "amazon-adsystem.com" in the URL.

JSON OMID Tags

In this implementation, the partner can take the **verificationParameters** string from each DV tag and add the **vendorKey** and **javascriptResourceUrl** below to complete the setup. All details are required to track correctly.

- "vendorKey": "doubleverify.com-omid",
- "javascriptResourceUrl": "https://cdn.doubleverify.com/dvtp_src.js",
- "verificationParameters":
"ctx=XXXXXX&cmp=XXXXXX&sid=XXXXXX&plc=XXXXXX&adsrv=0&btreg=&btadsrv=&crt=&tagtype=video&dvttagver=6.1"

The IDs for the Verification Parameters are unique per placement and should be extracted from the DV tag sheet.

Example:

Implementation Guide - DV Site-Served Monitoring Tags

VIDEO TAGS (Use on Video Placements Only)
DV 1x1 Tag
<pre></pre>