

htmlDesktop

This is a tool for digital props, used for movies and television, to easily emulate different operating systems on different operating systems. This circumvents the need for the real system to be properly prepared and stripped of everything that is not wanted.

Available right now are "clones" of Windows 10, mac OS Big Sur and some Linux-like distro.

These clones are not very accurate; and the goal in the end is to differentiate them enough that no copyright problems occur when displayed on commercial productions.

This repo is just the boilerplate for everything special that needs to be done to tell a story.

Customizing needs to be done onto the workstations, the browser, etc, to be ready for production.

How this works

Workstations

Workstations are, as the name implies, different computer setups for different scenes and/or characters. They include styling (like the OS used, the desktop image, system Colors etc) and positions of open or minimized windows or programs.

See [here](#) for everything about setting up new workstations.

States

Local saving and loading is possible by using the browsers localStorage. Based off the workstations, you can further adjust and set up different variations of any workstation. You load up a workstation, adjust to the scenes needs, save it.

When filming, the actress or actor can fool around. After the take, you reload the last state to start anew.

These scenes are by design local to the machine that you're using, so changes saved like this are not shared across different computers. They can be exported, shared and imported though.

Develop

VSCode with addon "live server" is very slow. Use caddy (same as the container app), even videos work correctly.

if necessary, run once:

```
brew install caddy
```

For your development:

```
caddy file-server --browse --listen :2015
```

The page is now available here: <http://localhost:2015/>

NOTE: No hot reloading unfortunately 😞

Did not work:

`serve` (hot reload, part of npm. Used global without installing for project, some local file paths are not found. images for example, but videos or scripts worked somehow, sometimes? maybe a cache thing?)

`npm run dev` (could not get it to work when installed npm)

XAMPP.app (cannot run it where you have your files)

`python3 -m http.server --cgi 8080` (does not serve big files correctly (eg., video files could not be seeked))

`php -S localhost:8080` (does not serve big files correctly (eg., video files could not be seeked))

Display locally & offline

To display this locally and without an internet connection, there is a [container app](#) in development for Windows, Mac and Linux (including raspberry pi's).

To use this app, you need to clone this repo and use your own version of it to have your own workstations loaded into the app.

Make the brute force Hard reload open windows & metadata work

In order to make the brute force attack on the local cache work (click in the action menu on "Hard reload open windows & metadata"), we need to hard reload all source files.

cd into `tools/` and execute `bash collectPaths.sh`. This saves all the current .css, .js, .txt, .json, .fakeBash, .splash paths in a document called `collectedPaths.txt`, which is used to hard reload all meta data files from within javascript.

Z-index guide table

zIndex	element	Note
0	desktop	
1	systemBar	
2	desktop shortcuts	
3...	windows	Apps etc., dynamically created
Special system windows		

zIndex	element	Note
998	osNotifications	
999	splash	
Special screens		
5000	loggingOut	
5000	shuttingDown	
5001	lockScreenSystemColorOverlay	
5002	lockScreenColorOverlay	
5003	boot/startup	
Fullscreen elements p1		
9997	screensaver	
9998	GPU fail	
9999	death	
PPE		Post processing effects - these do affect everything above here!
100000	ppe-vignette	
100001	ppe-bloom	
100002	ppe-pixels	
100003	ppe-scanlines	
100004	ppe-scanlines-old	
100005	ppe-jja-lensflares	
100006	ppe-filmgrain	
11111	brightnessOverlay	Does also affect the PPE themselves
above		
150000	black	
Effects on top of all		Also affects the black screen when enabled
175000	ppe ppe-dirty-screen	

zIndex	element	Note
175001	ppe ppe-crt-reflection	
Fullscreen elements p2		
190000	green	Is not affected by ANY PPEs
Meta		
200000	actionMenu	
200001	dialogBoxes	

Problems with GIT update on prop machines

If **git** errors out:

```
remote: Enumerating objects: 574, done.
remote: Counting objects: 100% (574/574), done.
remote: Compressing objects: 100% (339/339), done.
error: RPC failed; curl 92 HTTP/2 stream 7 was not closed cleanly:
CANCEL (err 8)
error: 5573 bytes of body are still expected
fetch-pack: unexpected disconnect while reading sideband packet
fatal: early EOF
fatal: fetch-pack: invalid index-pack output
```

This might be because internet connection is lacking in speed, or it could not finish beforehand.
It is solved by adding more memory - sometimes:

```
git config --global http.postBuffer 12M
```

reset it after use (maybe?)

```
git config --global http.postBuffer 1M
```