

MadDM 3.0 EW

Federico Ambrogi^a

^a University of Vienna, Faculty of Physics, Boltzmanngasse 5, A-1090 Wien, Austria

E-mail: federico.ambrogi88@gmail.com

Contents

1	Introduction	1
2	PPPC Electroweak Corrections	1
3	EW with MadGraph5_aMC@NLO	1
3.1	Processes	1
3.2	Cross Sections Comparison	3
3.3	Spectra for $\chi_D \chi_D \rightarrow WW$	4
3.3.1	$m_{\chi_D} = 1$ TeV	4
3.3.2	"Old" $m_{\chi_D} = 100$ TeV	5
3.4	Spectra for $\chi_D \chi_D \rightarrow Y0 \rightarrow FFFF$	6

Abstract

This document summarises the status of the studies of the discrepancies found in the energy spectra provided in the PPPC4DMID tables (labelled **PPPC4DMIDew** in MadDM v.3.0) and the spectra produced with MadDM 3.0.

1 Introduction

All the information, including the model used and the input cards (`run.dat` ,

2 PPPC Electroweak Corrections

In this section the energy spectra for the Cosmic Rays $CRs = e^+, \nu_e, \gamma$ extracted from the PPPC4DMID and PPPC4DMID_{ew} Tables are compared, to get an idea of the effect of the EW correction (according the PPPC4DMIDcollaboration).

3 EW with MadGraph5_aMC@NLO

3.1 Processes

The processes used for the production of the samples with emission of extra electroweak bosons (Higgs, W and Z bosons) are the following:

```
import model DMsimp_s_spin0_EW
define X = W- W+ Z h
generate xd xd~ > w- w+
add process xd xd~ > w- w+ X
add process xd xd~ > w- w+ X X
add process xd xd~ > w- w+ X X X
```




Figure 1. Energy spectra (γ, e^+, ν_e) for $m_\chi = 500$ GeV (left) and 50 TeV (right) extracted from the PPPC4DMID and PPPC4DMID_ew tables, for selected annihilation channels.

Note that the short notation e.g. "XXW" includes the lower order processes (in this case only the tree level $xdxd > WW$) and up to one extra "X" boson, and likewise for the higher order processes.

Syntax for excluding diagrams with photons:

```
import model DMsimp_s_spin0_EW
define X = W- W+ Z h
generate xd xd~ > w- w+ /a
add process xd xd~ > w- w+ X /a
add process xd xd~ > w- w+ X X /a
add process xd xd~ > w- w+ X X X /a
```

Relevant parameters in the `run.dat` :

```
*** run_card
1001.0      = ebeam1
10001.0     = ebeam1  for $m_{\chi_D}=10 TeV
100001.0    = ebeam1  for $m_{\chi_D}=100 TeV
for  $m_{\chi_D}=1, 10, 100$  TeV respectively, and the param.dat :
*** param_card
52 1.00000e+03 # MXd
54 2.00000e+03 # MY0 (= 2 x MXd )
```

3.2 Cross Sections Comparison

In Tab. 1 the cross sections obtained with different runs are shown.

m_{χ_D}	$\chi_D \chi_D \rightarrow WW$	$\chi_D \chi_D \rightarrow WWX$	$\chi_D \chi_D \rightarrow WWXX$	$\chi_D \chi_D \rightarrow WWXXX$
1.0 TeV (Old)	474	130*	600	600
1.0 TeV (Old, no γ)	474	676	704	-
1.0 TeV (New)	173	215	219	-
1.0 TeV (Chiara)	147.3	148.2	148.2	-
10.0 TeV (Old)	15.1×10^3	30.501×10^3	37.018×10^3	-
10.0 TeV (Old,no γ)	15.1×10^3	2.7×10^7	1.5×10^{10}	-
10.0 TeV (New)	15.1×10^3	30.542×10^3	-	-
100.0 TeV (Old)	4.7×10^5	-	-	-

Table 1. Cross sections for various processes extracted from the LHE files. The "New" cross sections were computed with $N_{Events}=10,000$, while the "Old" ones with $N_{Events}=100,000$. Need to verify the value 130*.

3.3 Spectra for $\chi_D \chi_D \rightarrow WW$

3.3.1 $m_{\chi_D} = 1$ TeV




Figure 2. Energy Spectra for $m_{\chi_D} = 1$ TeV

3.3.2 "Old" $m_{\chi_D} = 100$ TeV




Figure 3. Energy Spectra for $m_{\chi_D} = 100$ TeV (Old data)

3.4 Spectra for $\chi_D \chi_D \rightarrow Y_0 \rightarrow FFFF$

Here the spectra for the process $\chi_D \chi_D \rightarrow Y_0 \rightarrow FFFF$ are shown for $m_{\chi_D} = 1$ TeV, compared to the `PPPC4DMID` and `PPPC4DMID_ew` spectra. To produce the sample, the EW model was modified adding masses to the light quarks and muons, otherwise there is a problem in `MadGraph5_aMC@NLO` when evaluating the cross sections. I used the value of the muon mass (0.105 GeV) for the light quarks, and 4.5 GeV for the bottom.

The model can be found at https://github.com/fambrogi/MadDM/tree/master/EW_Study/EW_Model_FermionMass, while the complete banner can be found in https://github.com/fambrogi/MadDM/blob/master/EW_Study/Banners/xdxd_Y0_FFFF_1TeV_banner.dat.

`MadGraph5_aMC@NLO` Process:

```
import model DMsimp_s_spin0_EW_MM
define F = ve vm vt e- mu- ve~ vm~ vt~ e+ mu+ t t~ u c d s b u~ c~ d~ \
s~ b~ ta- ta+
generate xd xd~ > y0 > F F F F
output xxd_Y0_FFFF
```

Pythia8 cards commands:

```
TimeShower:weakShower = on (or off)
WeakShower:singleEmission = off
```




Figure 4. Energy Spectra for $m_{\chi_D} = 1$ TeV (Old data) for the process $\chi_D \chi_D \rightarrow Y0 \rightarrow FFFF$. The label "EW" and "NoEW" in the MadDM samples mean respectively samples produced with or without the EW corrections in Pythia8.

Acknowledgments

Thanks