

STORY AGENT · PILLAR

Security & Governance

How this pillar works and why it matters.

Team assembled by Riker: Jean-Luc Picard, Worf, Son of Mogh.

[↑ Story Agent overview \(HTML\)](#) · [↑ overview \(PDF\)](#).

Secure, Governed Autonomy at Scale

Jean-Luc Picard: Unlike opaque SaaS solutions, our architecture isolates secrets, auto-remediates risks, and provides granular cost visibility. The system is designed for auditability—every action is attributable, every escalation justified.

- WorfGate credential brokering ensures secrets never persist in logs or memory, with auto-remediation for anomalous behavior (green/yellow/red thresholds).
- Quark routing dynamically selects the cheapest adequate model per task, with Anthropic reserved for tier-4 critical paths only.
- Control-lane governance enforces cost attribution (\$0.002–0.003/deliberation), async-status timeouts, and RAG recall→act→store compounding without vendor lock-in.

Why it matters: Enterprise-grade security and cost discipline baked into every autonomous deliberation.

WorfGate: Security Built Into Autonomy

Worf, Son of Mogh: WorfGate is not a policy document; it is an enforcement layer that runs on every deliberation. The green/yellow/red classification means the system degrades gracefully under uncertainty rather than proceeding with unvetted actions. The honest disclosure on the shadow-test criterion is itself a governance signal: this platform will not overstate its safety posture to close a sale.

- Credential broker with zero-log guarantee: WorfGate intercepts all secrets before they reach model context or tool calls — nothing sensitive is ever written to logs, traces, or RAG storage
- Three-tier automated governor (green/yellow/red): every agent action is classified and auto-remediated before execution; escalation is programmatic, not dependent on human vigilance at runtime
- Self-hosted on AWS Fargate + MCP open standard: no third-party custody of your codebase or credentials; the 150-tool surface area runs inside your perimeter, and the open standard means the trust boundary is auditable
- Controlled autonomy gate: full autonomous operation requires a shadow-test criterion that has not yet been passed — the system enforces this honestly rather than shipping capability that outpaces its safety validation

Why it matters: You get an autonomous coding assistant where the security controls are structural — baked into routing, credential handling, and the autonomy gate — not bolted on after deployment.

END OF PILLAR

Security & Governance — recap

Recap, then return to the book cover to pick the next pillar.

- **Jean-Luc Picard:** Secure, Governed Autonomy at Scale
- **Worf, Son of Mogh:** WorfGate: Security Built Into Autonomy

[↑ Back to Story Agent overview \(HTML\)](#) · [↑ overview \(PDF\)](#)