Search Enhancer for FamilySearch


Unofficial · pre-filled record searches

Ancestry · MyHeritage · Findmypast · FreeBMD · GRO Index
ScotlandsPeople · RootsIreland · IrishGenealogy · newspapers

A Chrome extension that adds pre-filled record searches to a FamilySearch person page · reference sheet for version 1.0.4, November 2026

What it is

- On a FamilySearch person page the native **Search Records** panel lists a handful of sites. The extension adds **ten rows** to that panel — four of them in place of the native *FamilySearch*, *Ancestry*, *MyHeritage* and *Findmypast* rows, whose own searches live on as the first entry of each menu — every entry opening a search already **filled in** with the person's details.
- Every search is built from the page you are looking at: name, sex, birth / christening / death / burial year and place, spouses and marriage dates, parents, and dated residences under *Other Information*.
- The lists are **content-aware**: a search appears only when its collection actually covers the person's years and places. A woman is searched under her maiden name before her marriage and each married name after it.
- It runs entirely in your own browser. It reads only the page you have open and makes no request of its own: the only things that ever leave the browser are the search you click, the place name sent to OpenStreetMap's geocoder when you click a map link, and Google's embedded map on the map page. Nothing is collected, and nothing in your tree is ever changed.
- Beyond the Search Records panel it also adds **map pins** after every place on the person page and the Sources tab, place-comparison links on the **Source Linker**, a numeric **Quality Score** tooltip, and (for church members) four links in the **Temple** menu — see the last pages. A **settings page** switches any of it off.



The Search Records panel on a person page, without the extension and with it. The FamilySearch menu is open; the greyed, ticked entries are searches whose record is already attached.

The ten rows at a glance

Row	Shown for	What it opens
FamilySearch ▸	everyone (in place of the native FamilySearch row)	FamilySearch's own search for the person, then every collection search that fits: censuses, birth / marriage / death indexes, passenger lists, military records, full-text search, all collections
Ancestry ▸	everyone (in place of the native Ancestry row)	Ancestry's own search for the person, then its global search per country the person's events touch, the censuses, civil and parish records, and Public Member Trees
MyHeritage ▸	everyone (in place of the native MyHeritage row)	MyHeritage's own search for the person, then its all-records search per country, the US, Canadian, E&W and Scottish censuses, and its Family Trees
Findmypast ▸	everyone (in place of the native Findmypast row)	Findmypast's own search for the person, then all records per country, the censuses (the 1921 E&W images, the 1939 Register, US and Canadian), civil deaths and parish records
FreeBMD ▸	England & Wales events from 1837	Free searches of the E&W civil birth / marriage / death indexes, form filled and submitted for you
GRO Index ▸	E&W births or deaths the GRO online index covers	The General Register Office's own indexes (mother's maiden name back to 1837, age at death), free account needed
ScotlandsPeople ▸	Scottish events	Statutory registers, Old Parish Registers and the 1841–1921 censuses, form filled and submitted for you
RootsIreland ▸	Irish events	County-centre and all-Ireland quick searches of the Irish genealogy centres' transcripts
IrishGenealogy ▸	Irish events	Ireland's free official civil indexes (with register images) and church registers
Newspapers ▸	everyone	Newspapers.com, OldNews, GenealogyBank, Chronicling America, Findmypast newspapers, Trove, Papers Past — by region

Getting started

- **Install:** from the Chrome Web Store once its listing is live (**Add to Chrome**). Until then, download the zip from the project's help page — **familyhistorytoolsmith.github.io/search-enhancer-for-familysearch** — unzip it to a folder you will keep, open **chrome://extensions**, switch on **Developer mode**, click **Load unpacked** and pick that folder; the help page has the step-by-step version. Never run both copies at once.
- Sign in to FamilySearch and open any person page. The new rows appear in the **Search Records** panel once the person's details have rendered.
- On FamilySearch's new **Labs** person page (the one with the "Opt-Out of Experiment" button), *Search Records* is a button in the header: click it and the extra rows appear inside its dropdown about a third of a second later.
- **Settings:** click the extension's toolbar icon (Chrome parks a new icon behind the puzzle-piece menu until you pin it). Every feature can be switched off there — switch a site's menu off and FamilySearch's own row for that site comes back — and the Ancestry / Findmypast links can be pointed at your own regional site.
- **Updating:** the store copy updates itself. If rows ever look odd after an update, refresh the FamilySearch page. A source copy is updated by replacing the folder, clicking the reload arrow on its card at chrome://extensions, then refreshing the page.

Using the rows

- A row ending in ▸ is a menu: click it to expand a list of searches, grouped under headers such as CENSUS, BIRTH, MARRIAGE. Click an entry to open that search in a new tab.
- **Hover** any row or entry for a tooltip that says exactly which collection, name and years a click will use.
- **Shift+click** an entry to search with the **first given name only** ("Doris" rather than "Doris Annie", the way many indexes record people).

- **Already attached:** searches whose collection is already attached to the person are dimmed and ticked ✓ (never hidden — they stay clickable). On the classic page this switches on once you have opened the person's **Sources** tab; on the Labs page it is automatic.
- Rows for FreeBMD, GRO, ScotlandsPeople, RootsIreland and IrishGenealogy appear **only** for people with events in that country, so different people show different rows.
- GRO and FreeBMD searches each reuse **one tab**, so a long session does not pile up tabs.

FamilySearch ▸ in detail

The menu is rebuilt from the person every time it opens. Its groups, in order:

- **CENSUS** — one entry per census year and country inside the life span, named for the census itself and followed by the person's name under the surname of that year (*1901 E&W Census — Doris Annie Hiscocks*, *1900 US Federal Census — …*, *1905 New York State Census*) — the wording every other menu uses for a census. A country is offered for a year only when the life events on either side of that year put the person there: born and married in England, died in Canada, means English censuses until the marriage and both countries after it. Covers England & Wales, Scotland, Ireland, Canada and the United States, with state censuses for New York, Massachusetts and the Prairie Provinces. The lost 1890 US census is never offered.
- **BIRTH** — the civil index for the birth year (*E&W GRO Birth Index*, Ireland civil, state registers for Ontario, British Columbia, Massachusetts) and/or the country's births & christenings collection. A pre-1837 English birth gets the parish entry only. Christening year and place stand in when the birth is unknown.
- **MARRIAGE** — one entry per marriage. A dated marriage is searched at that year ±2 in the index that covers it, with the spouse's surname added where the index records spouses (GRO from 1912), and a parish / church marriage collection alongside where one exists. A spouse without a date gets an inferred window (age 18–30). A person with no spouse on the page still gets one search of that window, in case the marriage is what the tree is missing.
- **MIGRATION** — when two consecutive dated events are in different countries, the years between them are searched in the passenger lists of both ends: *UK outgoing passenger lists*, *New York passenger lists*, *Ellis Island arrivals*, *Canada passenger lists*, *US border crossings from Canada*.
- **MILITARY** — for men of the right age who were in the country at the time: *US WWI draft cards 1917–1918*, *US WWII draft cards 1942*, *UK WWI service records*, and state WWII cards for Pennsylvania and New York City.
- **DEATH** — the civil index for the death year (*E&W GRO Death Index*, *US Social Security Death Index*, Ireland civil, Scotland and England recent death records), the US *NUMIDENT* files for a 1936–2007 death, the *E&W probate calendar* for 1858–1957, the parish burial collection with the burial place, and *Find A Grave*. A married woman gets one entry per married surname. A person marked **Living** gets no death searches at all. A person with **no death date** is searched over the years they could have died — from the last year the page shows them alive (a dated residence, a marriage, an attached census or 1939 Register) to age 100 — in every index that window reaches; FreeBMD, GRO, ScotlandsPeople and Findmypast do the same.
- **FULL TEXT SEARCH (AI-indexed records)** — FamilySearch's fast-growing full-text collections (probate, deeds, court and police records…). The exact phrase *"Given Surname"* is searched within the life span (plus two years for probate); a woman also gets each married name; one entry per spouse adds the spouse's first name to find records naming the couple; and *Simple search* runs the same name-plus-ID query as FamilySearch's own Full Text entry.
- **EVERYTHING** — *Indexed Historical Records*, FamilySearch's own search for the person exactly as its standard row ran it, then the unfiltered *All collections* search by maiden name, birth year ±2 and birthplace.

Small things that make the searches better


- Each FamilySearch collection search carries the person's tree ID, so the results page shows the **"Person From FamilySearch Tree"** banner with their name, lifespan and ID.
- **Parents' names** are sent to every collection that indexes parents (parish christenings, NUMIDENT, All collections) — a father's name is the strongest discriminator for a common name. Civil indexes never get them, because FamilySearch ranks rather than filters and an un-indexed field would only bury the right record.
- **No place is sent to a civil-registration index** for the same reason: those indexes file by registration district, not by town. Censuses, christenings and All collections do get the birthplace.
- **Spellings from your own sources:** once the Sources tab has been read, a surname your attached records are actually indexed under (Edward *Cummings* whose records say *Cummins*) gets its own full-text and All-collections entries.
- **Other Information counts:** dated residences, immigration, emigration, naturalization and military service join the timeline, so a 1912 Calgary immigration drops the 1921 England census and narrows the passenger-list window.

- An empty result is not proof of absence: several collections (the Australian aggregates, the US births 1867–1931) index selected localities only.

The other search menus

Ancestry ▸

- **All Collections** — Ancestry's own search for the person, exactly as the native Ancestry row (which this menu takes the place of) ran it. Then one entry per country the person's events touch (birth, christening, marriages, residences, death, burial), birth country first: Ancestry's global search restricted to that country, with name, birth / death years and gender filled in; a married woman gets maiden plus each married surname in every block.
- **Census** — one entry per census year the person's places bracket, in Ancestry's own collection for it (US federal 1790–1950, England and Wales 1841–1921 as separate sets, the 1939 Register, Scotland, Canada and the Prairie Provinces, the 1901 Irish census, the New York state censuses).
- **Civil records** — the civil indexes of the person's countries (E&W births, marriages, deaths and probate; Ireland; the US Social Security Death Index; Australia and Victoria; Ontario, British Columbia, Nova Scotia). **Parish records** — the England and Scotland church-register sets: baptisms with the parents, marriages with the spouse, burials per married surname.
- **Public Member Trees** — other members' trees, by name and birth / death years. Viewing records needs an Ancestry subscription; the settings page can point every link at your regional Ancestry site.



The Findmypast and Ancestry menus for two different people. Each lists only the searches that fit that person's years and places.

MyHeritage ▸

- **All Collections** — MyHeritage's own search for the person, as the native MyHeritage row ran it. Then the **all-records** search scoped to each country the person's events touch (name, birth and death years, gender; maiden and married-name entries for a married woman) — the country is sent as a place, so MyHeritage keeps the search within it instead of searching the whole world.
- **Census** — the US federal censuses 1850–1950, Canada 1851–1931, England & Wales 1841–1911 with the 1939 Register, and Scotland 1841–1901, one entry per year the person's places bracket, within MyHeritage's collection for that census.
- **Family Trees** — other members' trees (the Smart Matches well, strong on European trees).

Findmypast ▸

- **All Collections** — Findmypast's own search for the person, as the native Findmypast row ran it. Then **all records** per country the person's events touch (name with first-name variants, birth and death years ±2, the country in Findmypast's Where box). GRO indexes, newspapers and Scottish records stay with their own menus.
- **Census** — the **1921 England & Wales census** (Findmypast has the images; FamilySearch only an index), the **1939 Register**, E&W 1841–1911, Irish 1901 / 1911, the US federal censuses 1850–1940 and Canada 1851–1931, one per year the person's places bracket.
- **Civil deaths & burials** — the E&W death index, which carries the age at death: year of death ±2 (or the inferred window when the tree has no death year) with the birth year ±2 as the discriminator. **Parish records** — baptisms with the parents' names sent, marriages with the spouse, burials per married surname.
- Every entry opens findmypast.com unless the settings page points it at .co.uk, .ie or .com.au.

FreeBMD ▸ — England & Wales civil indexes, free, no login

- **Births** (year ±2; the mother's maiden name is added for births after September 1911, when the index records it), **Marriages** (one per spouse, the spouse's surname always sent — FreeBMD pairs spouses in every year), **Deaths** (one per married surname, with FreeBMD's *Death age/DoB* box filled with the birth year ±1, so only the deaths of someone born about then come back; a person with no death year gets one search from the last year they are known alive to age 100).
- FreeBMD has no search links, so the extension opens FreeBMD's own form, fills it in and presses **Find** for you. Second forenames are sent as initials ("Doris A"), which matches both full-name and initial-only index entries.

GRO Index ▸ — the General Register Office's own indexes, free account

- Covers births 1837–1934 and 1984–2024, deaths 1837–1957 and 1984–2024; the gap years were never digitised and marriages are not online (use FreeBMD). The row appears only when a birth or death falls in the covered years.
- **Births** send the **mother's maiden name** whenever the tree knows her — GRO indexes it back to 1837, FreeBMD only from 1911. **Deaths** send the **age at death** ±2 (indexed from 1866), one entry per married surname; with no death year in the tree, a ladder of 5-year blocks from the last year known alive to age 100, each with the matching age.
- Each entry opens GRO's form pre-filled and presses Search. If GRO shows its login page instead, sign in — the search then finishes itself.



One click on *GRO births — 1902 ±2* fills GRO's form and presses Search; the mother's maiden name narrows the index to one record.

ScotlandsPeople ▸ — free login for index results; images cost credits

- **Statutory registers** 1855+ (births and deaths send the mother's maiden surname, deaths the age ±10, marriages the spouse), **Old Parish Registers** 1553–1854 (both tiers when a window straddles 1855), and the **censuses 1841–1921** — including 1911 and 1921, which FamilySearch does not have.
- Each entry opens the right ScotlandsPeople search page; the extension fills the form and submits it (sign in first, or sign in when asked and the search completes). Name matching is left at SP's exact default — switch the surname to phonetic on SP's form when a search comes up empty.

RootsIreland ▸ — free counts, subscription to open records

- One pair of entries per Irish life event: the **county centre**'s search (when the place names a county) and the **all-Ireland** search, filled with first name, surname and the event year (the site searches ±5).
- Covers the county genealogy centres' transcripts: baptisms, marriages, burials, census, gravestones, Griffith's Valuation.

IrishGenealogy ▸ — Ireland's free official records site

- **Civil register indexes with free images of the actual registers** (births 1864+, marriages 1845+, deaths 1864+, within the rolling 100 / 75 / 50-year release rules); the mother's maiden surname is sent on births.
- **Church registers** of selected dioceses (Dublin, Kerry, Cork & Ross and others) — partial coverage, so absence proves nothing.

Newspapers ▸ — grouped by region, only for countries the person touched

- **Worldwide:** Newspapers.com, OldNews (MyHeritage). **United States:** GenealogyBank, the free Chronicling America (to 1963). **UK & Ireland:** Findmypast's British & Irish newspapers. **Australia:** the free Trove. **New Zealand:** the free Papers Past.
- Each search uses the first name and surname as an exact phrase with the life span (birth to death + 2) as the date window (Findmypast is sent the birth and death years instead); a married woman gets one entry per name, the married ones starting at that marriage's year.

At a FamilySearch Center

- On a FamilySearch Center's network FamilySearch itself lists two more rows in Search Records: *Ancestry Institution* and *MyHeritage Library Edition*, the editions a center's patrons can use without an account of their own. Where those rows are shown, each becomes a menu as well; away from a center neither exists, so neither menu appears.
- **Ancestry Institution** ▸ — the same list as the Ancestry menu (All Collections, the country searches, Census, Civil records, Parish records, Public Member Trees) with every search on ancestryinstitution.com.
- **MyHeritage Library Edition** ▸ — All Collections, the all-records search per country and the censuses on myheritagelibraryedition.com. No Family Trees entry: the Library Edition holds records only.
- The ordinary Ancestry and MyHeritage menus stay beside them for patrons with accounts of their own. Findmypast needs no twin — its ordinary link opens without a personal login on a center's network.

Beyond the Search Records panel


Map pins on the person page and the Sources tab

- A **map** link follows every place on the person page — the birth, christening, death and burial places, each marriage place, the residences and other facts under *Other Information* — and every place field of an expanded record on the Sources tab. Click it and Google Maps opens pinned on that place.
- The place is located first with OpenStreetMap's free geocoder (only on the click; a namesake is settled by the other places on the page). A country, state or county opens **framed** — the map fitted to the region with its boundary drawn — rather than pinned at its centre. A 1940 census's "Same Place" points at the record's own event place.

Source Linker: compare two places on a map

- When you attach a record, the linker shows the record's facts on the left and the tree's on the right. A **compare** link follows every place that has a partner of the same kind of fact on the other side — a census against the residence of the same year, a birth against a birth — never a census against a death.
- Click it and a page opens with **Google's embedded directions map**: a lettered pin on each place (A = the record's, B = the tree's), the driving route, and a header naming both places with the straight-line distance in miles and km. Shift+click goes straight to the route on the Google Maps website.

- Before opening the map the extension **locates both places** with OpenStreetMap's free geocoder, so a duplicated name (there are two Kingswoods in Gloucestershire) resolves to the pair nearest each other. The link then shows the distance itself (📍 **1.1 mi**); hover it for the details, including a note when a name matched several places.
- A place without a partner gets a 📍 **map** link that drops a single pin. Two names that turn out to be one place read 📍 **same place**; a place inside a region the other side names (*Pennsylvania* against *Coalmont, Huntingdon, Pennsylvania*) reads 📍 **in Pennsylvania**. Every click reuses one map tab.




The record says Dalston, the tree says Islington. One click on *compare* puts both on a map: 1.1 miles apart.

Temple menu links (signed-in church members only)

- Four links are added after *Ordinances Ready* in the top-level **Temple** menu on every FamilySearch page, each opening its FamilySearch page in the same tab like the native items:
  - **Temple Opportunities** — search your family tree for ancestors with temple ordinances ready to reserve and take to the temple; priority is given to close relatives first.
  - **Family Ordinance Opportunities** — display the Blue Fan Chart and quickly find available ordinances for descendants of your ancestors.
  - **Remaining Temple Ordinances** — find additional temple ordinances for people you have already helped, from your Completed temple ordinances list.
  - **Families with Remaining Ordinances** — a FamilySearch Labs experiment: families with someone on your Completed list whose other members still need ordinances. While the experiment is off for your account, the click first offers to turn it on through FamilySearch's own Labs page; Shift+click opens the Labs page.
- Accounts without a Temple menu are unaffected.

Quality Score: the number behind the badge

- FamilySearch shows a person's Data Quality Score as a word (Low / Medium / High). **Hover the badge** and a tooltip shows the number on a 0–100 scale with one decimal, the thresholds (Low <40 · Medium 40–84.9 · High ≥85), the birth segment FamilySearch scored the person under (*Scored as: United Kingdom 1800 – 1920*), and a **"To reach High:"** list.
- Each outstanding item becomes an action, biggest gain first, with the score that fix alone would give — *Add a burial → 85.1*, *Add the month to the 1985 death → 79.5* — so you can see which one is worth doing.
- The number is read from the response the page itself fetches to draw the badge; the extension makes no request of its own. A High person with nothing left reads "Nothing outstanding."



Left: the tooltip on a Medium badge and the steps that would lift the score to High. Right: the settings page, a switch for every feature.

Good to know

- **Accounts and costs.** Free with no login: FreeBMD, IrishGenealogy, Chronicling America, Trove, Papers Past, FamilySearch itself. Free account: GRO, ScotlandsPeople (index results; images cost credits). Subscription to view records: Ancestry, MyHeritage, Findmypast, Newspapers.com, GenealogyBank, RootsIreland (its counts are free).
- **Both FamilySearch person pages** are supported — the classic page and the new Labs page — and the rows follow FamilySearch's own styling, so they look native.
- **The searches are suggestions.** Attaching a record is still your decision on the results page; the extension never writes to your tree.
- **Living people** get no death or burial searches. Data stays in your browser; the only things kept are your settings, the attached-source titles per person (so the ✓ marks work), a session-only cache of located places, and optionally a Google map key you choose to enter.
- **Something odd?** Refresh the page first. If a search opens the wrong site or unfilled form, note the person and the entry you clicked — the tooltip text says exactly what was sent, which is what is needed to fix it.