



WHAT IS SPERT® STORY MAP?

SPERT® Story Map is a browser-based agile release planning tool that replaces spreadsheet-driven story mapping workflows. It organizes work in a three-level hierarchy (**Theme** → **Backbone** → **Rib Item**) and connects your product backlog to releases, sprints, and progress tracking — all in one place. Use it to plan, size, assign, and track delivery of your product backlog across releases.

Theme	The highest-level grouping — a major capability area or product theme. Each theme can optionally be assigned one of 8 colors (blue, teal, violet, rose, amber, emerald, indigo, orange) for visual differentiation on the story map. Each theme header has a + button to add a backbone directly to that theme.
Backbone item	A feature or user activity under a theme. Backbone items span releases and contain rib items. Names wrap up to two lines on the Map for readability.
Rib item	The finest-grained work unit. Has a t-shirt size (XS → XXXL), a category (Core / Non-core), release allocations, sprint-by-sprint progress tracking, an optional description, and an optional free-text notes field (up to 2,000 characters).
Release	A named delivery milestone with an optional target date. Rib items are assigned to releases with a percentage allocation (single release = 100%, or split across multiple releases).
Sprint	A time-boxed iteration with a name and end date. Used to record incremental progress on each rib item's release allocation.

■ **Tip:** Create your Themes, Backbones, and Rib Items in the Structure tab first — then assign them to releases in the Releases tab and track sprint progress in the Progress tab. You can also build the full hierarchy directly on the Map tab, or use **Connect AI** to let a compatible AI assistant build the map, create releases, size rib items, move work between releases, and write descriptions and notes for you in bulk.

STEP-BY-STEP WORKFLOW

#	Tab / Page	What to do
1	Projects	Create a product. Click New Product , give it a name and optional description. Products are listed as tiles on the home screen; each tile shows item count, points, unsized count, percent complete, and when it was last updated. Drag to reorder. Hovering a tile reveals its action icons: Share (cloud mode, owners only), Export as JSON , Duplicate , Rename , and Delete . Use Export All Projects (header button) to download all products as a single JSON backup.
2	Structure	Build your hierarchy. Add Themes, then Backbone items under each theme (use the + button on each theme header or the global + Backbone button), then Rib items. Assign a t-shirt size and Core/Non-core category. Drag to reorder any level.
3	Settings	Configure Releases (delivery milestones with optional target dates) and Sprints (iterations with end dates and cadence). Set the Size Mapping (points per t-shirt size) and project name/description.
4	Releases	Assign rib items to releases via the Kanban board. Drag cards across columns. Use Split Allocation to divide a rib item's effort across multiple releases with percentage splits. Change Core/Non-core directly in the allocation modal.

#	Tab / Page	What to do
5	Progress	After each sprint, record percent-complete for each rib item per release. Select the sprint, enter progress values, and optionally add assessment notes. View burn-up charts and delta tracking.
6	Insights	Review analytics: total and per-release points, core/non-core breakdown, sizing distribution, burn-up chart over time, and the Needs Attention panel (unsized, unassigned, or incompletely allocated ribs).

Note: Undo (Ctrl+Z) is available for all edits within the session, but does not persist across page refreshes. Export a JSON backup before making major structural changes.

VIEWS & KEY FEATURES

Structure tab	Grid editor for the Theme → Backbone → Rib hierarchy. Inline editing, drag-to-reorder, t-shirt size picker, Core/Non-core toggle per rib item. Collapse themes to hide their backbones and ribs. Stats (points, % complete) per theme and backbone.
Map tab	The story map canvas: backbone columns across, release lanes down. Release labels are mirrored on the left and right edges — double-click either to rename, single-click to open the release detail panel, and use the small toggle beside a label to collapse that lane (collapsed lanes show name and card count). A Collapse releases / Expand all button at the top-right controls every lane at once, and an Unassigned lane sits at the bottom for ribs not yet allocated. Hover any cell — including empty cells inside release lanes — to reveal a contextual + Rib button. Drag rib cards in two dimensions (across release lanes and backbone columns at once); backbone and theme headers drag horizontally; the drag handle beside a release label reorders lanes vertically.
Map: rib cards	Click a card to open its slide-out detail panel; click-and-hold anywhere on the card to drag it — there is no separate grip handle. Each card is a single vertical stack: the rib name owns the card's full width and wraps up to two lines, with a compact footer row beneath it showing t-shirt size, points, allocation percentage, and the Core/Non-Core label. Double-click the name to rename it in place. Hovering a card (or reaching it by keyboard) reveals a three-dot actions menu at the far right of that footer row, offering Color , Clone rib item , and Delete . Cloning duplicates size, category, description, notes, card color, and allocations but starts with fresh progress; smart naming runs 'Task' → 'Task (1)' → 'Task (2)'. The color picker offers 7 card flag colors (red, orange, yellow, green, blue, purple, gray) or clear, and a collapsible color legend floats in the bottom-right of both the Map and Sizing tabs once any card is colored — click a label to edit its meaning in place. The detail panel itself carries editable name, category, description, size, notes, and the full allocation breakdown.
Sizing tab	Click any card to open its edit dialog; click-and-hold to drag it into a t-shirt size column (XS–XXXL). Unsized cards live in the top zone, organized in an Excel-style grid with A/B/C column letters and 1/2/3 row numbers for easy reference. Sized columns expand to fill the available canvas width. Rib names show up to two lines. Each card exposes a three-dot options menu with Edit (name, description, category, size, notes — prefilled), Color , Split (creates a sibling rib in the same backbone with an (N) suffix), and Delete (confirmation dialog). For locked cards (progress > 0%): drag-to-resize is disabled and the size field in Edit is read-only, but the card is still clickable to edit name, description, category, and notes. Color, Split, and Delete remain available.

Sizing: filters	A collapsible filter panel sits below the zoom controls: theme chips (multi-select), release chips (multi-select — hides unallocated ribs when active), a Hide completed toggle, and Clear all filters . Filter state persists across tab navigation per project (session storage; clears on browser refresh or tab close), and the filter badge count reflects all active filters. A + Rib button in the overlay opens a create modal with cascading theme → backbone → name selectors; smart defaults pre-fill when the active filter narrows to one choice.
Releases tab	Kanban board — one column per release. Drag rib cards across columns to assign. Use Split Allocation to distribute effort across multiple releases by percentage (must total 100%). Toggle Core/Non-core in the allocation modal. Memos per allocation.
Rib item notes	Each rib item has a free-text notes field (up to 2,000 characters) accessible from the slide-out detail panel on the Map tab. Use it for requirements, acceptance criteria, reference links, or any per-item context. A character counter turns amber at 1,800 and red at 2,000. Notes save automatically on blur and appear in the XLSX export.
Progress tab	Sprint-by-sprint progress entry. Select a sprint, enter % complete per rib/release row. Group by release, backbone, or theme. View burn-up chart and delta from prior sprint. Add assessment notes (auto-timestamped) to any entry. Progress regression is allowed.
Insights tab	Analytics dashboard: total/core/non-core points, rib count, % complete, per-release breakdown (core vs. non-core stacked bars), sizing distribution, burn-up chart over time, and the Needs Attention panel (unsized, unassigned, or incompletely allocated ribs).
Settings tab	Manage releases (target dates, drag-to-reorder), sprints (end dates, cadence), size mapping (points per t-shirt label), project name/description. Data section: export/import JSON, Export as Excel (.xlsx), Export for SPERT Forecaster , Send to SPERT Forecaster , and Download Template. Sharing section (cloud mode only).
Connect AI	A Connect AI button in the project header pairs a compatible AI assistant with your open project so it can build and edit your story map in real time — see the Connect AI section below.

RELEASE ALLOCATION & PROGRESS TRACKING

Single allocation	Drag a rib card into a release column to assign 100% of its effort to that release.
Split allocation	Click the split icon on a rib card to open the allocation editor. Distribute the rib's effort across multiple releases by percentage (must total 100%). Each allocation can carry an optional memo. Toggle Core/Non-core directly in the allocation modal.
Rib item notes	Each rib item has a free-text notes field (up to 2,000 characters) for requirements, acceptance criteria, or reference content. Open a rib card on the Map to access Notes in the slide-out detail panel. Saves automatically on blur.
Progress entry	In the Progress tab, enter % complete for each rib item per release, per sprint. Entering 0 or clearing removes the entry (unless a comment exists).
Delta tracking	The Progress tab shows the change in % complete since the prior sprint — helping the team see velocity and identify stalled items at a glance.
Burn-up chart	Cumulative completed points vs. total scope over sprints. Reflects scope changes automatically as rib items are added, sized, or re-allocated.
Assessment notes	Each progress entry supports an optional comment with auto-timestamp. Full history shown newest-first in an expandable panel.

Note: Progress regression is allowed — you can reduce a rib item's % complete to keep data honest. Rib items with progress > 0% are size-locked in the Sizing tab (drag-to-resize and the Edit modal size field are disabled to preserve points integrity), but the card is still clickable to edit name, description, category, and notes. Resize before recording sprint progress, or clear the progress entry first.

DATA & STORAGE

Local storage	Default. Data is stored in your browser only — never sent to any server. Safe for corporate data. An amber warning banner reminds you to export at the end of every session. Dismiss for the session with the close control, or suppress it permanently via the Cloud Storage modal → Notifications. Clearing browser site data permanently deletes all products.
Cloud storage	Optional. Click the split-pill auth chip in the header to open the Cloud Storage modal — from any auth state (signed out, signed in, or signed in but on local mode). Sign in with Google or Microsoft; Microsoft sign-in requires a work or school account , so use Google for a personal account. If you sign in but prefer to stay on local storage, a Keep using local storage button closes the modal without switching modes. Once in cloud mode, data syncs via Firebase across all your devices and enables project sharing with team members (owner / editor / viewer roles). Sign Out is reached through the modal's identity card; the chip updates in place with no page reload.
Export / Import (JSON)	Settings tab → Data: download a single product as a JSON backup. Import on the home page supports multi-project files with per-project resolution (skip, replace, or import-as-copy) — preview all projects before anything changes. Export All Projects (home page header) downloads every product as a single bundled JSON file in one click.
Export as Excel (XLSX)	Settings tab → Data → Export as Excel: generates a two-sheet .xlsx workbook. Rib Items sheet: one row per rib with Theme, Backbone, Name, Category, Size, Points, % Complete, Release(s), and Notes — color-coded theme header rows. Release Summary sheet: one row per release with totals, % Complete, core/non-core breakdown, and target date. Both header rows frozen.
Export for SPERT Forecaster	Settings tab → Data: download the product as a SPERT® Release Forecaster import file, transforming releases into milestones with per-release backlog sizes and sprint velocity data. This is the route to use when moving a project to another machine, keeping a copy, or handing it to somebody else. Releases with no points estimated are left out on purpose: a zero over there marks a milestone as finished.
Send to SPERT Forecaster	Settings tab → Data: opens SPERT® Release Forecaster in a new tab and hands the project straight over — no download, no re-upload. It is a one-time handover between two tabs in the same browser: nothing stays connected, nothing runs in the background, and closing either tab ends it. The content is identical to the file export and runs the same compatibility check first. The button reports back what happened — imported, held for review because it conflicts with a project already there, refused with a reason, or no answer at all. Allow pop-ups if the new tab is blocked.
Undo / Redo	Ctrl+Z / Ctrl+Shift+Z. Up to 30 undo steps, in-memory only. Undo history resets on page refresh.
Dark mode	Click the sun/moon icon in the product header to toggle Light / Dark / System mode. System follows your OS preference. Choice is saved to localStorage.

■ **Tip:** Export a backup before sharing a product file with colleagues or before major structural changes. The Export Attribution fields (in the Cloud Storage modal) embed your name and identifier in exported files for team workflow traceability.

SIZE MAPPING & T-SHIRT SIZING

Rib items are sized using t-shirt labels that map to story points. The default mapping is configurable per product in Settings → Size Mapping. Points drive all calculations in the Insights and Progress tabs.

Size	Default Points	Notes
XS	5	Smallest unit — quick tasks, minor enhancements.
S	10	Small, well-understood feature with minimal unknowns.
M	20	Typical mid-size feature requiring design and test effort.
L	40	Large feature with meaningful complexity or dependencies.
XL	100	Very large feature; consider breaking into smaller rib items.
XXL	200	Epic-scale work — splitting is strongly recommended.
XXXL	300	Highest size tier. Use as a placeholder until fully decomposed.

Note: Rib items with progress > 0% are size-locked — drag-to-resize is disabled and the size field in the Edit modal is read-only, preserving historical points-vs-progress integrity. The card is still clickable to edit name, description, category, and notes. Resize before recording sprint progress, or clear the progress entry first.

CONNECT AI

Connect AI pairs a compatible AI assistant with the project you have open so it can build and edit your story map while you watch. It works over MCP (Model Context Protocol): the SPERT MCP server at mcp.spertsuite.com is what the assistant calls, and your AI client must already be configured to reach it. The server exposes **21 Story Map tools** — seven of them bulk tools — plus two shared tools used to pair the session. Full client-by-client setup lives in the separate *Connect AI Guide*.

Starting a session	Click Connect AI in the project header. Choose permissions in the consent modal, then copy the pairing code (Copy Code) or the ready-to-paste instructions (Copy Prompt) and send it to your assistant. The pairing code expires in 15 minutes; once paired, the session itself lasts up to 7 days. Click Disconnect when you are done. Do not switch projects mid-session — the connection is scoped to the project that was open when you clicked Connect.
Write Mode (required)	Lets the assistant create and edit themes, backbones, rib items, and releases; set sizes and release allocations; and write descriptions, categories, and notes.
Read Mode (optional)	Lets the assistant see your current structure, allocations, sizes, and notes before it changes anything. Turn it on before asking the AI to edit an existing map, allocate or unassign work, move ribs, size ribs, or update text in bulk — without it the assistant is working blind and may duplicate what is already there.
Bulk tools	Seven bulk tools collapse many individual calls into one, which matters on large maps and with assistants that pause between calls: bulk create releases, bulk allocate, bulk size, bulk unassign, bulk move, bulk update rib content, and bulk append notes. Most handle up to 500 rib items per call; note-appends cap at 100 per call and releases at 50.
Moving work	The assistant can move a rib to a different backbone and reassign its release in one step. The two changes apply independently, and the target backbone may sit under any theme. A locked (in-progress) rib can still change backbones, but its release assignment is protected. A rib already split across releases keeps that split — unassign it first to replace it.

Notes: append vs. replace	Two different operations write notes, and the difference matters. Append adds your text after a blank line and always preserves what is already there. Update overwrites the field wholesale. Ask for an append unless you actually want the existing note replaced or cleared. Appends are not repeatable — running the same one twice adds the text twice — and an append that would push a rib past 2,000 characters is skipped for that rib rather than truncated mid-sentence.
Session limits	One session can build up to 5 themes, 10 backbones per theme, and 10 rib items per backbone. These limits apply only to AI-assisted building; the app itself has no structural size limits.

Note: The assistant never deletes themes, backbones, rib items, or releases, and never edits progress data — only you can. Rib items with sprint progress cannot be resized by the AI (clear the progress first), though their description, category, and notes can still be updated. Undo (Ctrl+Z) works on AI-generated content, but undo history resets on page refresh — export a JSON backup once you are happy with the result.

TIPS, SHORTCUTS & ATTENTION ITEMS

Inline rename	Click any theme, backbone, rib item, or release label directly to rename it in-place. Press Enter to confirm or Escape to cancel. On the Map, double-click a rib card's name or a release label to rename it (a single click opens the detail panel).
Card actions menu	On both the Map and Sizing tabs, each rib card carries a three-dot actions menu that appears on hover or keyboard focus. Map cards offer Color, Clone rib item, and Delete; Sizing cards offer Edit, Color, Split, and Delete. Deleting always asks for confirmation.
Map pan & zoom	On the Map and Sizing tabs, click and drag any empty area to pan — left-click only (right-click is reserved for the browser context menu and does not trigger panning). Mouse wheel or pinch gesture to zoom. Text cannot be accidentally highlighted while panning. A 'Drag to pan · Scroll to zoom' hint appears in the bottom-left corner for new users and auto-dismisses after the first successful pan.
Drag to reorder	Structure tab: drag themes, backbones, and rib items at any level. Map and Sizing tabs: click-and-hold anywhere on a card to drag it (rib cards move 2D on the Map — across release lanes and backbone columns simultaneously; backbone and theme headers move horizontally). A drag handle beside each release label lets you reorder lanes vertically — a blue insertion line shows the drop position. Releases tab: drag columns to reorder releases.
+ Rib shortcuts	In the Structure tab, + Rib immediately opens the detail panel with the name field focused for fast entry. On the Map, hover any cell — including empty cells in release lanes — to reveal a contextual + Rib button. On the Sizing tab, click the + Rib button in the overlay to open a create modal with cascading theme → backbone → name selectors.
Undo / Redo	Ctrl+Z undoes the last edit; Ctrl+Shift+Z redoes. Up to 30 steps, in-session only. Undo history resets on page refresh. Works on AI-generated content.
Names that cannot be blank	Project, release, and sprint names are required — clearing one and clicking away restores the previous value, exactly as if you had pressed Escape. This keeps a project exportable, since an import needs all three. Theme, backbone, and rib item names may be left blank.
Needs Attention	The Insights tab flags three categories: unsized (no t-shirt size), unassigned (not in any release), and incomplete allocations (percentages sum to less than 100%). Resolve all three for accurate point totals and burn-up data.

Theme colors	Assign one of 8 colors (blue, teal, violet, rose, amber, emerald, indigo, orange) to each theme in the Structure tab — these color Map headers and XLSX theme rows. Separate from theme colors, rib cards can also be individually flagged with one of 7 card flag colors (red, orange, yellow, green, blue, purple, gray) for team triage on the Map and Sizing tabs.
Progress grouping	In the Progress tab, switch the group-by selector to view progress by Release, Backbone, or Theme. Release grouping shows each rib's allocation row separately — useful for tracking split-allocated items. Backbone and Theme grouping give a higher-level picture. Expand or collapse individual groups for focused review.
Team workflow	In Cloud mode, share a product with teammates via Settings → Sharing, or click the Share icon on any project tile on the Projects page (cloud mode, owners only). Owners can add editors (full edit access) and viewers (read-only). Use Export Attribution (Cloud Storage modal) to embed your name and identifier in exported JSON files.

■ **Tip:** Use the Insights **Needs Attention** panel as a pre-release health check: zero unsized, zero unassigned, and zero incompletely allocated rib items means your release plan is fully specified and all point calculations are accurate.