

WHAT IS SPERT® STORY MAP?

SPERT® Story Map is a browser-based agile release planning tool that replaces spreadsheet-driven story mapping workflows. It organizes work in a three-level hierarchy (**Theme** → **Backbone** → **Rib Item**) and connects your product backlog to releases, sprints, and progress tracking — all in one place. Use it to plan, size, assign, and track delivery of your product backlog across releases.

Theme	The highest-level grouping — a major capability area or product theme. Each theme can optionally be assigned one of 8 colors (blue, teal, violet, rose, amber, emerald, indigo, orange) for visual differentiation on the story map. Each theme header has a + button to add a backbone directly to that theme.
Backbone item	A feature or user activity under a theme. Backbone items span releases and contain rib items. Names wrap up to two lines on the Map for readability.
Rib item	The finest-grained work unit. Has a t-shirt size (XS → XXXL), a category (Core / Non-core), release allocations, sprint-by-sprint progress tracking, and an optional free-text notes field (up to 2,000 characters).
Release	A named delivery milestone with an optional target date. Rib items are assigned to releases with a percentage allocation (single release = 100%, or split across multiple releases).
Sprint	A time-boxed iteration with a name and end date. Used to record incremental progress on each rib item's release allocation.

■ **Tip:** Create your Themes, Backbones, and Rib Items in the Structure tab first — then assign them to releases in the Releases tab and track sprint progress in the Progress tab. You can also build the full hierarchy directly on the Map tab.

STEP-BY-STEP WORKFLOW

#	Tab / Page	What to do
1	Projects	Create a product. Click New Product , give it a name and optional description. Products are listed as tiles on the home screen. Drag to reorder. Use Export All Projects to download all products as a single JSON backup.
2	Structure	Build your hierarchy. Add Themes, then Backbone items under each theme (use the + button on each theme header or the global + Backbone button), then Rib items. Assign a t-shirt size and Core/Non-core category. Drag to reorder any level.
3	Settings	Configure Releases (delivery milestones with optional target dates) and Sprints (iterations with end dates and cadence). Set the Size Mapping (points per t-shirt size) and project name/description.
4	Releases	Assign rib items to releases via the Kanban board. Drag cards across columns. Use Split Allocation to divide a rib item's effort across multiple releases with percentage splits. Change Core/Non-core directly in the allocation modal.
5	Progress	After each sprint, record percent-complete for each rib item per release. Select the sprint, enter progress values, and optionally add assessment notes. View burn-up charts and delta tracking.

Note: Undo (Ctrl+Z) is available for all edits within the session, but does not persist across page refreshes. Export a JSON backup before making major structural changes.

VIEWS & KEY FEATURES

Structure tab

Grid editor for the Theme → Backbone → Rib hierarchy. Inline editing, drag-to-reorder, t-shirt size picker, Core/Non-core toggle per rib item. Collapse themes to hide their backbones and ribs. Stats (points, % complete) per theme and backbone.

Map tab

Interactive visual story map with pan and zoom. Rib item names wrap up to two lines (card height 68px); backbone names also wrap up to two lines. Release labels appear on **both left and right edges** of the map so you never lose lane context while scrolling wide maps — double-click either side to rename; single-click opens the release detail panel. Add a release with the **+ Release** button at the bottom of any lane; delete it with **×** (blocked with a tooltip when ribs are allocated to that release). Drag the **■** handle beside any release label to reorder lanes vertically — a blue insertion line shows the drop position. Each theme header has its own **+** button to add a backbone directly to that theme (the global **+ Backbone** button is still available as a shortcut). Hover any column×release cell to reveal a contextual **+ Rib** button below the last card — clicking it in a release lane creates a rib pre-allocated to that release; in the Unassigned lane, creates an unallocated rib. Drag rib cards (2D — across release lanes and backbone columns simultaneously), backbone headers (horizontal), or theme headers (horizontal) to reorder. Click a rib card to open its slide-out detail panel (size, category, notes, allocations).

Sizing tab

Drag-and-drop sizing board. Grab cards anywhere on the card (no grip handle required) and drag them into t-shirt size columns (XS–XXXL); unsized items live in the top zone. Rib item names show up to two lines. A collapsible filter panel sits below the zoom controls: **theme chips** (multi-select), **release chips** (multi-select — hides unallocated ribs when active), and a **Hide completed** toggle. Filter state **persists across tab navigation** per project (stored in session storage; clears on browser refresh or tab close). The filter badge count reflects all active filters. A **+ Rib** button in the overlay opens a create modal with cascading theme → backbone → name selectors; smart defaults pre-fill theme and backbone when the active filter narrows to a single choice, leaving only the name field to complete. Each card exposes a **■ kebab menu** (top-right) with three actions: **Edit** (name, description, category, size, notes — same modal as create, prefilled); **Split** (creates a sibling rib in the same backbone with an (N) suffix — undo with Ctrl+Z); and **Delete** (confirmation dialog — undo with Ctrl+Z). For locked cards (progress > 0%), drag-to-resize and the size field in the Edit modal are disabled, preserving historical points-vs-progress integrity; name, description, category, and notes remain editable. Split and Delete are available on locked cards.

Releases tab

Kanban board — one column per release. Drag rib cards across columns to assign. Use **Split Allocation** to distribute effort across multiple releases by percentage (must total 100%). Toggle Core/Non-core in the allocation modal. Memos per allocation.

Rib item notes

Each rib item has a free-text notes field (up to 2,000 characters) accessible from the slide-out detail panel on the Map tab. Use it for requirements, acceptance criteria, reference links, or any per-item context. A character counter turns amber at 1,800 and red at 2,000. Notes save automatically on blur and appear in the XLSX export.

Progress tab

Sprint-by-sprint progress entry. Select a sprint, enter % complete per rib/release row. Group by release, backbone, or theme. View burn-up chart and delta from prior sprint. Add assessment notes (auto-timestamped) to any entry. Progress regression is allowed.

Insights tab	Analytics dashboard: total/core/non-core points, rib count, % complete, per-release breakdown (core vs. non-core stacked bars), sizing distribution, burn-up chart over time, and Attention Items (unsized, unassigned, or partially allocated ribs).
Settings tab	Manage releases (target dates, drag-to-reorder), sprints (end dates, cadence), size mapping (points per t-shirt label), project name/description. Data section: export/import JSON, Export to Excel (.xlsx — <i>Rib Items</i> sheet with Theme, Backbone, Name, Category, Size, Points, % Complete, Release(s), and Notes columns, plus a <i>Release Summary</i> sheet with totals and target dates; color-coded theme rows, frozen headers), Export for Forecaster. Sharing section (cloud mode only).

RELEASE ALLOCATION & PROGRESS TRACKING

Single allocation	Drag a rib card into a release column to assign 100% of its effort to that release.
Split allocation	Click the split icon on a rib card to open the allocation editor. Distribute the rib's effort across multiple releases by percentage (must total 100%). Each allocation can carry an optional memo. Toggle Core/Non-core directly in the allocation modal.
Rib item notes	Each rib item has a free-text notes field (up to 2,000 characters) for requirements, acceptance criteria, or reference content. Open a rib card on the Map to access Notes in the slide-out detail panel. Saves automatically on blur.
Progress entry	In the Progress tab, enter % complete for each rib item per release, per sprint. Entering 0 or clearing removes the entry (unless a comment exists).
Delta tracking	The Progress tab shows the change in % complete since the prior sprint — helping the team see velocity and identify stalled items at a glance.
Burn-up chart	Cumulative completed points vs. total scope over sprints. Reflects scope changes automatically as rib items are added, sized, or re-allocated.
Assessment notes	Each progress entry supports an optional comment with auto-timestamp. Full history shown newest-first in an expandable panel.

Note: Progress regression is allowed — you can reduce a rib item's % complete to keep data honest. Rib items with progress > 0% are size-locked in the Sizing tab (drag-to-resize and the Edit modal size field are disabled to preserve points integrity), but name, description, category, and notes remain editable from the per-card kebab menu (⋮). Resize before recording sprint progress, or clear the progress entry first.

DATA & STORAGE

Local storage	Default. Data is stored in your browser only — never sent to any server. Safe for corporate data. An amber warning banner reminds you to export at the end of every session. Dismiss for the session with ×, or suppress it permanently via the Cloud Storage modal → Notifications. Clearing browser site data permanently deletes all products.
Cloud storage	Optional. Click the split-pill auth chip in the header to open the Cloud Storage modal — from any auth state (signed out, signed in, or signed in but on local mode). Sign in with Google or Microsoft. If you sign in but prefer to stay on local storage, a Keep using local storage button closes the modal without switching modes. Once in cloud mode, data syncs via Firebase across all your devices and enables project sharing with team members (owner / editor / viewer roles). Sign Out is reached through the modal's identity card; closing the modal auto-updates the chip in place with no page reload.

Export / Import (JSON)	Settings tab → Data: download a single product as a JSON backup, or import a previously exported file. Import supports skip, replace, or import-as-copy for naming conflicts. Export All Projects (home page header) downloads every product as a single bundled JSON file in one click.
Export to Excel (XLSX)	Settings tab → Data → Export to Excel: generates a two-sheet .xlsx workbook. Rib Items sheet: one row per rib with Theme, Backbone, Name, Category, Size, Points, % Complete, Release(s), and Notes — color-coded theme header rows. Release Summary sheet: one row per release with totals, % Complete, core/non-core breakdown, and target date. Both header rows frozen.
Export for Forecaster	Settings tab → Data: export a product in SPERT® Release Forecaster import format — transforming releases into milestones with per-release backlog sizes and sprint velocity data.
Undo / Redo	Ctrl+Z / Ctrl+Shift+Z. Up to 30 undo steps, in-memory only. Undo history resets on page refresh.
Dark mode	Click the sun/moon icon in the product header to toggle Light / Dark / System mode. System follows your OS preference. Choice is saved to localStorage.

■ **Tip:** Export a backup before sharing a product file with colleagues or before major structural changes. The Export Attribution fields (Cloud Storage modal ■) embed your name and identifier in exported files for team workflow traceability.

SIZE MAPPING & T-SHIRT SIZING

Rib items are sized using t-shirt labels that map to story points. The default mapping is configurable per product in Settings → Size Mapping. Points drive all calculations in the Insights and Progress tabs.

Size	Default Points	Notes
XS	5	Smallest unit — quick tasks, minor enhancements.
S	10	Small, well-understood feature with minimal unknowns.
M	20	Typical mid-size feature requiring design and test effort.
L	40	Large feature with meaningful complexity or dependencies.
XL	100	Very large feature; consider breaking into smaller rib items.
XXL	200	Epic-scale work — splitting is strongly recommended.
XXXL	300	Highest size tier. Use as a placeholder until fully decomposed.

Note: Rib items with progress > 0% are size-locked in the Sizing tab — drag-to-resize is disabled and the size field in the Edit modal is read-only, preserving historical points-vs-progress integrity. Name, description, category, and notes remain editable from the per-card kebab menu (■). Resize before recording sprint progress, or clear the progress entry first.

TIPS, SHORTCUTS & ATTENTION ITEMS

Inline rename Click any theme, backbone, rib item, or release label directly to rename it in-place. Press Enter to confirm or Escape to cancel. Double-click a release label on the Map to rename it (single-click opens the detail panel).

Map pan & zoom	On the Map and Sizing tabs, click and drag any empty area to pan — left-click only (right-click is reserved for the browser context menu and does not trigger panning). Mouse wheel or pinch gesture to zoom. Text on backbone names, theme labels, and rib cards cannot be accidentally highlighted while dragging to pan. A 'Drag to pan · Scroll to zoom' hint appears in the bottom-left corner for new users and auto-dismisses after the first successful pan — or close it with ×.
Drag to reorder	Structure tab: drag themes, backbones, and rib items at any level. Map tab: drag rib cards (2D — across release lanes and backbone columns simultaneously), backbone headers (horizontal, within or across themes), or theme headers (horizontal). Drag the ■ handle beside a release label to reorder release lanes vertically — a blue insertion line shows the drop position. Releases tab: drag columns to reorder releases.
+ Rib shortcuts	In the Structure tab, + Rib immediately opens the detail panel with the name field focused for fast entry. On the Map, hover any column×release cell to reveal a contextual + Rib button. On the Sizing tab, click the + Rib button in the overlay to open a create modal with cascading theme → backbone → name selectors.
Undo / Redo	Ctrl+Z undoes the last edit; Ctrl+Shift+Z redoes. Up to 30 steps, in-session only. Undo history resets on page refresh.
Collapse themes	In the Structure tab, click a theme's collapse toggle to hide its backbones and ribs — useful on large products with many themes.
Attention items	The Insights tab flags three categories: Unsize d (no t-shirt size), Unassigned (not in any release), and Partially allocated (percentages sum to less than 100%). Resolve all three for accurate point totals and burn-up data.
Theme colors	Assign one of 8 colors (blue, teal, violet, rose, amber, emerald, indigo, orange) to each theme in the Structure tab. Colors carry through to the Map tab headers and to theme group header rows in the XLSX export.
Progress grouping	In the Progress tab, switch the group-by selector to view progress by Release, Backbone, or Theme. Release grouping shows each rib's allocation row separately — useful for tracking split-allocated items. Backbone and Theme grouping give a higher-level picture. Expand or collapse individual groups for focused review.
Team workflow	In Cloud mode, share a product with teammates via Settings → Sharing. Owners can add editors (full edit access) and viewers (read-only). Editors can contribute progress entries and update rib details. Use Export Attribution (Cloud Storage modal ■) to embed your name and identifier in exported JSON files so the team can trace the origin of imported data.
Export for Forecaster	Export the product to SPERT® Release Forecaster format (Settings → Data) to feed release backlog sizes and sprint velocity into an agile release forecast.

■ **Tip:** Use the Insights Attention Items panel as a pre-release health check: zero unsize, zero unassigned, and zero partially-allocated rib items means your release plan is fully specified and all point calculations are accurate.