

Quick Start 快速入門

5 分鐘從零到看到儀表板 · From zero to dashboard in 5 minutes

tw 繁體中文

第 1 步：Docker 一鍵啟動

```
cd opnetest
cp backend/.env.example backend/.env
docker compose up -d --build
```

等 1-2 分鐘讓所有服務啟動。

第 2 步：載入示範資料

選擇您熟悉的行業：

```
# 通用示範 (10 個零件 + 2 個產品)
docker compose exec backend python -m scripts.seed

# 或載入特定行業：
docker compose exec backend python -m scripts.seed_industries metal # 金屬加工
docker compose exec backend python -m scripts.seed_industries plastic # 塑膠射出
docker compose exec backend python -m scripts.seed_industries pcb # PCB 電子
docker compose exec backend python -m scripts.seed_industries food # 食品加工
docker compose exec backend python -m scripts.seed_industries textile # 紡織印染
```

第 3 步：開瀏覽器

服務	URL	說明
桌面 UI	http://localhost:5173	主應用
War Room	http://localhost:8080	即時看板
API 文件	http://localhost:8000/docs	OpenAPI / Swagger
健康檢查	http://localhost:8000/api/health	JSON

第 4 步：登入

方式	帳密
正式登入	<code>admin</code> / <code>admin123</code>
Demo 模式	點「以 Demo 模式進入」按鈕

完成！

進入後您會看到：

- 🌐 右上角可切換中英文
- 📊 儀表板顯示 AI 摘要 + 4 個關鍵數字
- ⚠️ 第一個零件已故意設定為低於安全庫存（紅色警示）

us English

Step 1: Docker One-Command Start

```
cd opnetest
cp backend/.env.example backend/.env
docker compose up -d --build
```

Wait 1-2 minutes for all services to come up.

Step 2: Load Demo Data

Pick your industry:

```
# Generic demo (10 parts + 2 products)
docker compose exec backend python -m scripts.seed

# Or industry-specific:
docker compose exec backend python -m scripts.seed_industries metal # Metal Machining
docker compose exec backend python -m scripts.seed_industries plastic # Plastic Injection
docker compose exec backend python -m scripts.seed_industries pcb # PCB Assembly
docker compose exec backend python -m scripts.seed_industries food # Food Processing
docker compose exec backend python -m scripts.seed_industries textile # Textile Dyeing
```

Step 3: Open Browser

Service	URL	Notes
Desktop UI	http://localhost:5173	Main app
War Room	http://localhost:8080	Real-time dashboard
API Docs	http://localhost:8000/docs	OpenAPI / Swagger
Health	http://localhost:8000/api/health	JSON

Step 4: Login

Method	Credentials
Regular login	<code>admin</code> / <code>admin123</code>
Demo mode	Click "Continue as Demo"

Done!

You'll see:

- 🌐 Top-right: switch ZH/EN
- 📊 Dashboard with AI summary + 4 KPI cards
- ⚠️ First part intentionally below safety stock (red alert)

🔧 Setting LLM API Key (Optional)

For the AI Assistant to actually answer questions, set one of:

```
# Edit backend/.env

# Option A: DeepSeek (cheap, Chinese-friendly)
LLM_PROVIDER=deepseek
LLM_MODEL=deepseek-chat
LLM_API_KEY=sk-...
LLM_BASE_URL=https://api.deepseek.com/v1

# Option B: OpenAI
LLM_PROVIDER=openai
LLM_MODEL=gpt-4o-mini
LLM_API_KEY=sk-...

# Option C: Anthropic (Claude)
LLM_PROVIDER=anthropic
LLM_MODEL=claude-3-5-sonnet-latest
LLM_API_KEY=sk-ant-...

# Option D: Ollama (local, free, no key needed)
LLM_PROVIDER=ollama
LLM_MODEL=qwen2.5:7b
OLLAMA_BASE_URL=http://localhost:11434
```

Then restart backend:

```
docker compose restart backend
```

Without an API key, the system still runs — only the AI chat shows a friendly fallback message.

Next Steps · 下一步

- 詳細操作手冊 [USER_MANUAL_ZH.md](#) / [USER_MANUAL_EN.md](#)
- 管理員指南 [ADMIN_GUIDE.md](#)
- API 參考 [API_REFERENCE.md](#)
- 架構圖 [ARCHITECTURE_DIAGRAM.md](#)
- 部署到生產 [DEPLOYMENT.md](#)

? 沒成功 / Not Working?

問題 Issue	解決 Fix
Port 5173 / 8000 已被佔用 / In use	Stop the conflicting service or change ports in <code>docker-compose.yml</code>
Docker 跑不動 / Docker fails	Run <code>docker compose logs backend</code> to see errors
沒有 Docker / No Docker	Local dev: <code>cd backend && pip install -r requirements.txt && uvicorn app.main:app --reload</code>
中文亂碼 / Chinese garbled	Browser font must support CJK (Chrome/Edge are fine)

[完整疑難排解 · Full Troubleshooting](#)