

# Quick Start 快速入門

5 分鐘從零到看到儀表板 · From zero to dashboard in 5 minutes

## tw 繁體中文

### 第 1 步：Docker 一鍵啟動

```
cd opnetest
cp backend/.env.example backend/.env
docker compose up -d --build
```

等 1-2 分鐘讓所有服務啟動。

### 第 2 步：載入示範資料

選擇您熟悉的行業：

```
# 通用示範 (10 個零件 + 2 個產品)
docker compose exec backend python -m scripts.seed

# 或載入特定行業：
docker compose exec backend python -m scripts.seed_industries metal # 金屬加工
docker compose exec backend python -m scripts.seed_industries plastic # 塑膠射出
docker compose exec backend python -m scripts.seed_industries pcb # PCB 電子
docker compose exec backend python -m scripts.seed_industries food # 食品加工
docker compose exec backend python -m scripts.seed_industries textile # 紡織印染
```

### 第 3 步：開瀏覽器

| 服務       | URL                                                                             | 說明                |
|----------|---------------------------------------------------------------------------------|-------------------|
| 桌面 UI    | <a href="http://localhost:5173">http://localhost:5173</a>                       | 主應用               |
| War Room | <a href="http://localhost:8080">http://localhost:8080</a>                       | 即時看板              |
| API 文件   | <a href="http://localhost:8000/docs">http://localhost:8000/docs</a>             | OpenAPI / Swagger |
| 健康檢查     | <a href="http://localhost:8000/api/health">http://localhost:8000/api/health</a> | JSON              |

第 4 步：登入

| 方式      | 帳密                                         |
|---------|--------------------------------------------|
| 正式登入    | <code>admin</code> / <code>admin123</code> |
| Demo 模式 | 點「以 Demo 模式進入」按鈕                           |

完成！

進入後您會看到：

- 🌐 右上角可切換中英文
- 📊 儀表板顯示 AI 摘要 + 4 個關鍵數字
- ⚠️ 第一個零件已故意設定為低於安全庫存（紅色警示）

us English

Step 1: Docker One-Command Start

```
cd opnetest
cp backend/.env.example backend/.env
docker compose up -d --build
```

Wait 1-2 minutes for all services to come up.

Step 2: Load Demo Data

Pick your industry:

```
# Generic demo (10 parts + 2 products)
docker compose exec backend python -m scripts.seed

# Or industry-specific:
docker compose exec backend python -m scripts.seed_industries metal # Metal Machining
docker compose exec backend python -m scripts.seed_industries plastic # Plastic Injection
docker compose exec backend python -m scripts.seed_industries pcb # PCB Assembly
docker compose exec backend python -m scripts.seed_industries food # Food Processing
docker compose exec backend python -m scripts.seed_industries textile # Textile Dyeing
```

## Step 3: Open Browser

| Service    | URL                                                                             | Notes               |
|------------|---------------------------------------------------------------------------------|---------------------|
| Desktop UI | <a href="http://localhost:5173">http://localhost:5173</a>                       | Main app            |
| War Room   | <a href="http://localhost:8080">http://localhost:8080</a>                       | Real-time dashboard |
| API Docs   | <a href="http://localhost:8000/docs">http://localhost:8000/docs</a>             | OpenAPI / Swagger   |
| Health     | <a href="http://localhost:8000/api/health">http://localhost:8000/api/health</a> | JSON                |

## Step 4: Login

| Method        | Credentials                                |
|---------------|--------------------------------------------|
| Regular login | <code>admin</code> / <code>admin123</code> |
| Demo mode     | Click "Continue as Demo"                   |

## Done!

You'll see:

- 🌐 Top-right: switch ZH/EN
- 📊 Dashboard with AI summary + 4 KPI cards
- ⚠️ First part intentionally below safety stock (red alert)

## 🔧 Setting LLM API Key (Optional)

For the AI Assistant to actually answer questions, set one of:

```
# Edit backend/.env

# Option A: DeepSeek (cheap, Chinese-friendly)
LLM_PROVIDER=deepseek
LLM_MODEL=deepseek-chat
LLM_API_KEY=sk-...
LLM_BASE_URL=https://api.deepseek.com/v1

# Option B: OpenAI
LLM_PROVIDER=openai
LLM_MODEL=gpt-4o-mini
LLM_API_KEY=sk-...

# Option C: Anthropic (Claude)
LLM_PROVIDER=anthropic
LLM_MODEL=claude-3-5-sonnet-latest
LLM_API_KEY=sk-ant-...

# Option D: Ollama (local, free, no key needed)
LLM_PROVIDER=ollama
LLM_MODEL=qwen2.5:7b
OLLAMA_BASE_URL=http://localhost:11434
```

Then restart backend:

```
docker compose restart backend
```

Without an API key, the system still runs — only the AI chat shows a friendly fallback message.



## Next Steps · 下一步

- 詳細操作手冊 [USER\\_MANUAL\\_ZH.md](#) / [USER\\_MANUAL\\_EN.md](#)
- 管理員指南 [ADMIN\\_GUIDE.md](#)
- API 參考 [API\\_REFERENCE.md](#)
- 架構圖 [ARCHITECTURE\\_DIAGRAM.md](#)
- 部署到生產 [DEPLOYMENT.md](#)

## ? 沒成功 / Not Working?

| 問題 Issue                       | 解決 Fix                                                                                                                 |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Port 5173 / 8000 已被佔用 / In use | Stop the conflicting service or change ports in <code>docker-compose.yml</code>                                        |
| Docker 跑不動 / Docker fails      | Run <code>docker compose logs backend</code> to see errors                                                             |
| 沒有 Docker / No Docker          | Local dev: <code>cd backend &amp;&amp; pip install -r requirements.txt &amp;&amp; uvicorn app.main:app --reload</code> |
| 中文亂碼 / Chinese garbled         | Browser font must support CJK (Chrome/Edge are fine)                                                                   |

[完整疑難排解 · Full Troubleshooting](#)