

Question:
Which of the following factors is associated with a decreased risk of Alzheimer's?

- Answer Choices:
- A. Being African or Hispanic American
 - B. A lower level of education
 - C. Living in a city
 - D. Being married
 - E. Having a family history of Alzheimer's
 - F. High intake of saturated fats
 - G. Older age
 - H. Eating fish
 - I. Being a smoker
 - J. Drinking alcohol regularly

Reasoning + Answer:

<think>

Assessing the factors associated with a decreased risk of Alzheimer's disease involves considering various lifestyle, social, and environmental influences. Several of these factors are associated with a lower risk, such as higher education, a healthy diet, not smoking, physical activity, and stress management.

Being African or Hispanic American (Option A) may not necessarily decrease the risk, as some studies have linked specific genetic factors and lifestyle differences within these groups to an increased risk of Alzheimer's.

A lower level of education (Option B) is a known risk factor, as education is linked to better cognitive reserve, which may help buffer the effects of age-related cognitive decline.

Living in a city (Option C) versus rural areas may not be a clear-cut factor in determining the risk, but some studies suggest that urban vs. rural living could be a factor depending on the specific context and lifestyle.

Being married (Option D) or having a partner can be beneficial for overall mental and physical health, potentially contributing to a lower risk.

Having a family history of Alzheimer's (Option E) is a known risk factor for the disease, as a family history of the condition can increase an individual's likelihood of developing it.

High intake of saturated fats (Option F) can increase the risk of heart disease and may be associated with Alzheimer's, as cardiovascular health is a key risk factor.

Eating fish (Option H) is often recommended as a potential protective factor against Alzheimer's due to its high content of omega-3 fatty acids, which have been shown to support brain health.

Being a smoker (Option I) is a well-established risk factor for a variety of health conditions, including cardiovascular disease and Alzheimer's.

Drinking alcohol regularly (Option J) may have a complex relationship with Alzheimer's, with moderate drinking being associated with lower risk, but excessive consumption can lead to increased risk.

</think><answer> H.

