

Question:

Which of the following factors is associated with a decreased risk of Alzheimer's?

Answer Choices:

- A. Being African or Hispanic American
- B. A lower level of education
- C. Living in a city
- D. Being married
- E. Having a family history of Alzheimer's
- F. High intake of saturated fats
- G. Older age
- H. Eating fish
- I. Being a smoker
- J. Drinking alcohol regularly

Reasoning + Answer:

<think> Being African or Hispanic American is associated with an increased risk of Alzheimer's , so option A is incorrect . Lower levels of education are associated with a higher risk of Alzheimer's , so option B is incorrect . Living in a city does not significantly affect the risk of Alzheimer's , so option C is incorrect . Having a family history of Alzheimer's increases the risk , making option E incorrect . Living in an older age is associated with a higher risk of Alzheimer's , so option G is incorrect . Eating fish , which is rich in omega - 3 fatty acids , is associated with a lower risk of Alzheimer's , so option H is correct . Being married is associated with a lower risk of Alzheimer's , making option D correct . Being a smoker and high intake of saturated fats are associated with an increased risk of Alzheimer's , so options I and F are incorrect . Drinking alcohol regularly is associated with a higher risk of Alzheimer's , making option J incorrect . </think>

<answer>D</answer> and <answer>J</answer>

