

Question:
Which of the following is the causative organism for formation of Baholin cyst?
Answer Choices:
A. Candida
B. Anaerobes
C. Neissea
D. Trichomonas

Reasoning + Answer:

mobx
Baholin cyst, also known as a bacillary cyst or cyst of the penis, is a type of cyst that arises from the sebaceous glands of the penis, particularly in the glans. It is most commonly associated with infection by *Neisseria* species, specifically *Neisseria gonorrhoeae*, which can lead to inflammation and cyst formation in the genital area.

The condition is often linked to infection of the sebaceous glands, and the causative organism is typically *Neisseria*, especially in the context of sexually transmitted infections.

- LetâGLs evaluate the options:
- A. Candida : Causes fungal infections (e.g., yeast infections), not Baholin cysts.
 - B. Anaerobes : Associated with abscesses or infections in deep tissues, not specifically with Baholin cysts.
 - C. Neisseria : This genus includes *N. gonorrhoeae*, a known causative agent in genital infections and is linked to the formation of Baholin cysts due to inflammation and glandular involvement.
 - D. Trichomonas : Causes trichomoniasis, a sexually transmitted infection, but not associated with cyst formation like Baholin cyst.

The correct answer is C. Neisseria, as it is the causative organism linked to the formation of Baholin cysts through infection and inflammation of the sebaceous glands.

< answer >
C. Neissea
</answer >

